





madix[™]
INNOVATION ON DISPLAY

Maxi Line Shelves and Accessories

Maxi Line is more than just a product line, it's a unique system that allows you the flexibility to customize your store by using standard Madix parts and accessories. All Maxi parts and accessories are designed for ease of installation, providing a totally interlocking display system that's perfect for your current and future retailing requirements.



Shelf Loading



Nominal Shelf Depths, All Types
8", 10", 12", 14", 16", 18", 20", 22", 24", 26", 28", 30"


Shelf Type		Shelf Depth	Maximum Load Capacity in Pounds*			
			Evenly Loaded	Front Loaded	15° Degree	30° Degree
SUS-(NW)(ND)	1	6" - 8"	300#	300#	125#	100#
		10" - 18"	500#	350#	125#	100#
	2	20" - 24"	500#	350#	250#	100#
		26" - 30"	400#	250#	200#	100#
STP-(NW)(ND)	3	6" - 8"	300#	300#	250#	100#
		10" - 18"	500#	350#	250#	100#
	4	20" - 24"	500#	350#	250#	100#
		26" - 30"	400#	250#	200#	100#
HUS-(NW)(ND)	5	14" - 18"	600#	N/A	N/A	N/A
	6	20" - 30"	600#	N/A	N/A	N/A
SBS-(NW)(ND)	7	12" - 30"	600#	N/A	N/A	N/A

* Based on evenly distributed static loading
 • STP type shelves are "straight-in", horizontal insertion into upright slotting
 • Maximum load rating 50% of listed capacity on 24" widths and smaller width upper shelves


NOTE!
 Load capacity for 2' (610 mm) wide shelves in depths 06" to 30" (152 mm to 762 mm) is 50% of 4' (1219 mm) wide shelves.

Column Loading


Column loading is the vertical load, measured in pounds, that can be applied on any upright. Each upright bears one-half of the load of each shelf that it supports.



500 lbs plus 500 lbs = 1000 lbs
 1000 lbs divided by 2 = 500 lbs
 Column Load on Center Upright



500 lbs plus 500 lbs = 1000 lbs
 1000 lbs divided by 2 = 500 lb
 Column Load on Center Upright




750 lbs plus 750 lbs = 1500 lbs
 1500 lbs divided by 2 = 750 lbs
 Column Load on Center Upright

NOTE!
 Maximum Column Load Capacity is 4500 lbs. **DO NOT EXCEED!**

Offset Loading

Offset loading is measured in inch-pounds and represents the bending load at the connection of the base shoe and the upright. To determine if you exceed the load limit of the fixture, take the difference between the larger inch-pound calculations on one side of the fixture and the inch-pound calculations on the other. This difference cannot exceed 15,000 inch-pounds. For wall sections, the calculation for the one side cannot exceed 15,000 inch-pounds.




Evenly Loaded Shelves on Gondolas

Divide each shelf depth by 2. Multiply times the weight on shelf to determine individual shelf inch-pound load.

- | | |
|--|--|
| D1 18"/2" = 9" x 300 lbs or 2700 inch-pounds | E1 18"/2" = 9" x 300 lbs or 2700 inch-pounds |
| D2 18"/2" = 9" x 400 lbs or 3600 inch-pounds | E2 18"/2" = 9" x 300 lbs or 2700 inch-pounds |
| D3 22"/2" = 11" x 500 lbs or 5500 inch-pounds | E3 22"/2" = 11" x 300 lbs or 3300 inch-pounds |
| Side D Total = 11800 inch-pounds | Side E Total = 8700 inch-pounds |

Subtract E from D :	800 inch-pounds	SAFE!
	8700 inch-pounds	
	3100 inch-pounds	3100 inch-pounds does not exceed the 15000 inch-pound maximum



Evenly Loaded Shelves on Wall Sections


Divide each shelf depth by 2. Multiply times the weight on shelf to determine individual shelf inch-pounds load.

- | |
|--|
| F1 18"/2" = 9" x 300 lbs or 2700 inch-pounds |
| F2 18"/2" = 9" x 400 lbs or 3600 inch-pounds |
| F3 22"/2" = 11" x 500 lbs or 5500 inch-pounds |
| Side F Total = 11800 inch-pounds |

SAFE!
11800 inch-pounds does not exceed the 15000 inch-pound maximum

Front Loaded Shelves

Important: Front loaded shelves are the most common to exceed fixture loading capacities. Compare the increases in inch-pounds of front loaded shelves over evenly loaded shelves, particularly on wall sections!




Front Loaded Shelves on Gondolas

A front loaded shelf is one that has a void between the back panel and the merchandise. Take one half the loaded area dimension plus the gap dimension at back and multiply times weight on shelf to determine individual inch-pound load.

- | | |
|---|---|
| A1 7" + 4" = 11" x 350 lbs or 3850 inch-pounds | B1 6" + 6" = 12" x 300 lbs or 3600 inch-pounds |
| A2 7" + 4" = 11" x 350 lbs or 3850 inch-pounds | B2 6" + 6" = 12" x 300 lbs or 3600 inch-pounds |
| A3 9" + 4" = 13" x 350 lbs or 4550 inch-pounds | B3 8" + 6" = 14" x 300 lbs or 4200 inch-pounds |
| Side A Total = 12250 inch-pounds | Side B Total = 11400 inch-pounds |

Subtract B from A :	12250 inch-pounds	SAFE!
	-11400 inch-pounds	
	850 inch-pounds	850 inch-pounds does not exceed the 15000 inch-pound maximum



Front Loaded Shelves on Wall Sections

A front loaded shelf is one that has a void between the back panel and the merchandise. Take one half the loaded area dimension plus the gap dimension at back and multiply times weight on shelf to determine individual inch-pound load.

- | |
|---|
| C1 5" + 8" = 13" x 300 lbs or 3900 inch-pounds |
| C2 5" + 8" = 13" x 350 lbs or 4550 inch-pounds |
| C3 7" + 8" = 15" x 350 lbs or 5250 inch-pounds |
| Side C Total = 13700 inch-pounds |

SAFE!
13700 inch-pounds does not exceed the 15000 inch-pound maximum

Standard Upper Shelf Flat, 15° or 30° Downslope


- 1/4" (32 mm) tag molding integrally formed into front edge of shelf surface
- Versatility of three positions:
Flat, 15° downslope, 30° downslope
- Load capacity, flat position:
6" (152 mm) to 8" (203 mm) depths = 300 lbs
10" (254 mm) to 24" (610 mm) depths = 500 lbs
26" (660 mm) to 30" (762 mm) depths = 400 lbs
- Load capacity, 15° downslope position:
6" (152 mm) to 24" (610 mm) depths = 250 lbs
26" (660 mm) to 30" (762 mm) depths = 200 lbs
- Load capacity, 30° downslope:
All shelf depths reduced to 100 lbs
- Load capacities based on evenly distributed static loading
- SUS and STP shelves do not align when placed side by side

SUS-(NW)(ND)

- SUS..... Standard Upper Shelf
NW..... Nominal Width 2' to 4' in 6" increments
(610 mm to 1219 mm in 152 mm increments)
ND..... Nominal Depth 8" to 30" in 2" increments
(203 mm to 762 mm in 51 mm increments)

STP(NW)(ND)

- STP..... Straight-in Insertion Three Position
NW..... Nominal Width 2' to 4' in 6" increments
(610 mm to 1219 mm in 152 mm increments)
ND..... Nominal Depth 8" to 30" in 2" increments
(203 mm to 762 mm in 51 mm increments)



NOTE!
If add-on aluminum tag molding is desired, use selected type as suffix immediately after part number.
Example: SUS-416-M17S
See tag molding selection pages.


NOTE!
Load capacity for 2' (610 mm) wide shelves in depths 06" to 18" (152 mm to 457 mm) is 50% of 4' (1219 mm) wide shelves.

Straight-In, Heavy-Duty Upper Shelf

- "No-tilt" installation, flat installed position
- All construction, molding, carpet, laminate and fabric options are same as SUS
- Does not align with SUS
- All shelf depths three tab configuration with gusset attached
- Load capacity 800 lbs

STPH(NW)(ND)

- STP..... Straight-In Insertion Upper Shelf
H..... Heavy-Duty
NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)
ND..... Nominal Depth 18" to 30" in 2" increments
(457 mm to 762 mm in 51 mm increments)




Straight-In Upper Shelf with Tag Channel

- No-tilt installation, flat installed position
- All construction, molding, carpet, laminate and fabric options are same as SUS
- Does not align with SUS
- All shelf depths three tab configuration with gusset attached
- Load capacity 500 lbs

STP90C(NW)(ND)-(OPT)

- STP..... Straight-In Insertion Upper Shelf
90C..... 90° Tag Channel
NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)
ND..... Nominal Depth 08" to 30" in 2" increments
(203 mm to 762 mm in 51 mm increments)
OPT..... Tag channel size
2.25=2.25" Tag channel
4=4" Tag channel
6=6" Tag channel




Shown with 2.25" Tag Channel

Shelf End Trim

- Metal plate attaches to bracket and projects above the shelf skin to prevent merchandise from being pushed off end
- Conceals exposed edge of carpet, laminate, fabric and tag molding

SET-(ND)

- SET..... Shelf End Trim
ND..... Nominal Depth 8" to 30" in 2" increments
(203 mm to 762 mm in 51 mm increments)




Extra Heavy-Duty Upper Shelf

- One position brackets for depths of 20" to 30" (508 mm to 762 mm)
- 3 tab, 3 position brackets for depths of 16" to 18" (406 mm to 457 mm)
- Available materials and options same as Standard Upper Shelves
- For load capacity, see product safety page on Shelf Loading

HUS-(NW)(ND)

- H..... Heavy-Duty
- US..... Upper Shelf
- NW..... Nominal Width 2' to 4' in 6" increments (610 mm to 1219 mm in 152 mm increments)
- ND..... Nominal Depth 16" to 30" in 2" increments (406 mm to 762 mm in 51 mm increments)



Heavy-Duty Shelf with 10° Downslope

- Gravity-feed solution for bottled merchandise
- Combine with Super Slip Paint to optimize system

HUS10-(NW)(ND)

- HUS..... Heavy-Duty Shelf
- 10..... 10° Downslope
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 20", 24", 28" (508 mm, 610 mm, 711 mm)




Health and Beauty Aid Shelf

- 3/4" flat front allowing display of more product information

HBAUS(NW)(ND)

- HBAUS..... Health Beauty Aid Upper Shelf
- NW..... Nominal Width 24" to 48" in 6" increments (610 mm or 1219 mm in 152 mm increments)
- ND..... Nominal Depth 20" to 28" in 2" increments (508 mm or 711 mm in 51 mm increments)



Standard Base Shelf

- Formed price tag molding matches molding on upper shelves (see SUS)
- Heavy-gauge shelf bracket features lock tab to ensure quick installation and precision alignment
- Load capacity 600 lbs in all sizes, based on evenly distributed static loading
- For additional load capacity see Base Load Levelers
- Flush Front option available

SBS-(NW)(ND)

- SBS..... Standard Base Shelf
 NW..... Nominal Width 2' to 4' in 6" increments
 (610 mm to 1219 mm in 152 mm increments)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)



Configurable Options

TYPE-OPT

- TYPE..... Blank=Perforated, NP=Non-Perforated
 OPT..... Optional Covering
 L=Laminate, C=Carpet, F=Fabric

Finish Code

- FIN1..... Shelf Color
 FIN2..... Tag Mold Option:
 BLANK=Painted Color of Shelf
 DGA2G=Gold Finish
 DGA2P=Powder Coat Finish -
 Different from Shelf
 DGA2A=Silver Finish




Standard Base Shelf Reinforced

- Strengthened tag molding and front support channel area
- All materials and options available are the same as the SBS, except tag molding
- Tag molding options are not available for the SBSR shelf
- Minimizes front deflection from heavy loads

SBSR-(NW)(ND)

- SBSR..... Standard Base Shelf Reinforced
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)





Standard Base Shelf T-Leg

- Must be ordered with T-Leg Base Shoe, TLEG-(ND)-(OPT), ordered separately

SBS(OPT)TLEG-(NW)(ND)

- SBS..... Standard Base Shelf
 OPT..... Blank=Not Reinforced
 R=Reinforced
 TLEG..... T-Leg
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)




T-Leg Base Shoe

- Can be ordered with Standard Base Shelf T-Leg, SBS(OPT)TLEG-(NW), ordered separately
- When using T-Leg with caster use an OBS on bottom
- Uses 1" x 2" (25 mm x 51 mm) tubing

TLEG-(ND)-(OPT)

- TLEG..... T-Leg Base Shoe
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 OPT..... Blank=No Caster
 C=Caster




Transition Upper and Base Shelf

- Transition Upper Shelf is to be used with Transition Base Shelf allowing different shelf sizes in a single run
- 1¼" (32 mm) tag molding integrally formed into front edge of shelf surface
- High tensile steel and precision welding of components guarantees superior strength
- May be displayed flat, 15° or 30° downtilt
- Must be used with Transition Base Shelves and Kickplates
- Maximum load capacity of Upper Shelf is 200 lbs
- Capacity reduced by 30% when front half is loaded (see product safety pages on loading in General Information)
- Maximum load capacity of Base Shelf 500 lbs
- Available in variety of finishes

T(TYPE)S-(NW)(LND)(RND)-(OPT)

- T.....T=Transition
- TYPE.....UP=Upper Shelf
B=Base Shelf
- S.....Shelf
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
- LND.....Left Nominal Depth 18", 22", 24", 26", 28", 30", 34"
(457 mm, 559 mm, 610 mm, 660 mm, 711 mm, 762 mm, 864 mm)
- RND.....Right Nominal Depth 18", 22", 24", 26", 28", 30", 34"
(457 mm, 559 mm, 610 mm, 660 mm, 711 mm, 762 mm, 864 mm)
- OPT.....Blank= Painted
C=Carpet




Transition Base Kickplate

- Order same width and depth as Transition Base Shelf
- Easy "snap-in, snap-out" installation without disturbing Base Shelf
- Standard finishes: Chocolate or Black

TKP-(NH)-(NW)-(PITCH)

- TKP.....Transition Kickplate
- NH.....Nominal Height
Blank=5" (127 mm)
7=7" (178 mm)
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
- PITCH.....2" to 24" in 2" increments
(51 mm to 610 mm in 51 mm)



Half Shelf on Tubing Heavy-Duty


- Feature special products on a Half Shelf in existing 3' or 4' (914 mm or 1219 mm)
- Can install to straddle standard upright
- Allows for shelf placement over two gondola sections for merchandising flexibility
- Notch at rear of shelf bracket fits over 1" x 3" (25 mm x 76 mm) tubing of Heavy-Duty Roll Goods Vertical Divider Bar, sold separately (no downslope on tubing brackets)
- Depth shown in part number measured from front of shelf to upright, including tubing standoff
- Load capacity 175 lbs based on evenly distributed static loading

HSTHD-(NW)(ND)

- HST.....Half Shelf on Tubing
- HD.....Heavy-Duty
- NW.....Nominal Width 18" or 24" (457 mm or 610 mm)
- ND.....Nominal Depth 18" to 24" in 2" increments
(457 mm to 610 mm in 51 mm increments)

RGVDBHD-(NW)

- RG.....Roll Goods
- VDB.....Vertical Divider Bar
- HD.....Heavy-Duty
- NW.....Nominal Width 3' or 4'
(914 mm or 1219 mm)




Flush Front Upper Shelf

- Smooth, dust-free edge ideal for merchandising without tag molding
- Versatility of three positions:
Flat, 15° downslope, 30° downslope
- Load capacity, flat position:
6" (152 mm) to 8" (203 mm) depths = 300 lbs
10" (254 mm) to 24" (610 mm) depths = 500 lbs
26" (660 mm) to 30" (762 mm) depths = 400 lbs
- Load capacity, 15° downslope position:
6" (152 mm) to 24" (610 mm) depths = 125 lbs
26" (660 mm) to 30" (762 mm) depths = 200 lbs
- Load capacity, 30° downslope:
All shelf depths reduced to 100 lbs
- Load capacities based on evenly distributed static loading

FF(TYPE)S-(NW)(ND)

FF.....Flush Front
TYPE.....U=Upper
 B=Base
 S.....Shelf
NW.....Nominal Width 3' or 4'
 (914 mm or 1219 mm)
ND.....Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)





Bullnose Upper and Base Shelf

- Same form, fit, and function of Standard Upper Shelf, allowing the use of front fence and dividers
- Fits 1" OC slotting
- Radius front measures 1¼" (32 mm) high
- Maximum load capacities of Upper Shelf:
8" (203 mm) = 300 lbs
10" (254 mm) to 24" (610 mm) = 500 lbs
26" (660 mm) to 30" (762 mm) = 400 lbs
- Capacity reduced by 30% when front half is loaded (see product safety pages on loading in General Information)
- Maximum load capacity of Base Shelf is 600 lbs
- Load capacities based on evenly distributed static loading
- For additional load capacities, see Base Load Levelers
- Available in variety of finishes

S(TYPE)SBN(NW)(ND)

S.....Standard
TYPE.....U=Upper
 B=Base
 S.....Shelf
 BN.....Bullnose
NW.....Nominal Width 24" to 48" in 6" increments
 (610 mm to 1219 mm in 152 mm increments)
ND.....Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)




Thin Profile Shelf, Regular-Duty

- Add merchandising space to every section
- Slimness of shelf allows additional row of shelves
- Excellent for displaying small merchandise
- Pushers required for optional merchandise display
- Ideal for tightly-spaced and lightweight merchandise
- Load capacity 200 lbs

PLSTTS(NW)(ND)

PLSTTS.....Thin Profile Shelf, Regular-Duty
NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
ND.....Nominal Depth 10" to 20" in 2" increments
 (254 mm to 610 mm in 51 mm increments)




Thin Profile Shelf, Light-Duty

- Madix's thinnest profile shelf
- Slimness of shelf allows additional row of shelves
- Angled tag molding creates attractive pricing display
- No pushers required to display merchandise
- Ideal for tightly-spaced and lightweight merchandise
- Load capacity 90 lbs

PLSTTSLD(NW)(ND)


PLSTTSLD.....Thin Profile Shelf
LD.....Light-Duty
NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
ND.....Nominal Depth 10" to 20" in 2" increments
 (254 mm to 610 mm in 51 mm increments)



Single Position Tag Molding

DGA11(COLOR)-(NW)


DGA11..... Single Position Tag Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)



Single Position Tag Molding

DGA13(COLOR)-(NW)

DGA13..... Single Position Tag Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




1/8" Shelf Top Material Tag Molding

- For thick shelf coverings Uptilt Tag Molding will accommodate carpet, Marlite or other 1/8" (3 mm) or 3/16" (5 mm) material matches DGA11 above

DGA12(COLOR)-(NW)

DGA12..... Uptilt Tag Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Base Shelf Bumper Molding

- Extremely durable tag molding tilted upward to enable easy viewing of price tag
- Heavy-duty reinforcement prevents cart damage
- Riveted on to prevent dislodgement
- M30 requires use of Extended Base End Cover, part number BECE

M30(COLOR)-(NW)

M30..... Base Shelf Bumper Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Two Position Tag Molding

- Tag mold extends above shelf skin for easy product alignment

M17(COLOR)-(NW)

M17..... Two Position Tag Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Two Position Tag Molding

- For thin shelf coverings
- Accommodates laminate or fabric

M19(COLOR)-(NW)

M19..... Two Position Tag Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Three Position Tag Molding

- Tag mold extends above shelf skin for easy product alignment

M28(COLOR)-(NW)

M28..... Three Position Tag Molding
 COLOR..... A=Silver
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)



Downtilt Tag Molding

- Assist customers in viewing product pricing and information on upper level shelves
- 51° downtilt situates pricing within customer's natural line of sight

M29(COLOR)-(NW)

M29..... Downtilt Tag Molding
 COLOR..... S=Aluminum
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Wooden Tag Molding


- Enhance appearance of SUS, SBS, or HUS
- Available in three finishes: Clear Maple, Clear Oak, and Cherry
- Tag mold is pre-assembled onto Madix Standard Upper and Base Shelves
- Wooden Tag Mold is ordered in addition to SUS, SBS, or HUS shelves
- Minimum order is 800', i.e. 200 - 4' pieces (243.84 m, i.e. 200 - 1219 mm pieces)

(COLOR)-(NW)

(COLOR)..... CMT=Clear Maple
 COT = Clear Oak
 MWCT = Cherry
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)



Side View




Tubular Metal Bumper System

- Designed to help prevent damage to base shelf tag molding from shopping carts, pallet jacks, and floor buffers
- Starter includes bumper and two mounting brackets
- Add-on includes bumper tube and splicer bracket
- End Cap is designed to mount on Wall Sections at end of gondola runs where wall section width matches width of gondola
- TMBS(NW)(ND)EC cannot be used by itself, it requires the TMBS Starter and Add-on sections

TMBS(NW)(ND)(OPT)

TMBS..... Tubular Metal Bumper System
 NW..... Nominal Width 30" to 48" in 6" increments
 (762 mm to 1219 mm in 152 mm increments)
 ND..... Nominal Depth 10" to 24" in 2" increments
 (254 mm to 610 mm in 51 mm increments)
 OPT..... S=Starter
 A=Add-on
 EC=End Cap Unit




End Panels, Square & Radius

- Edgework matches exterior finish on all panels
- T-mold option not available on mirror plex panels
- For 12" (305 mm) high base add suffix -12

EP(OPT1)(NH)(ND)(OPT2)-(OPT3)

- EP..... End Panel
 OPT1..... S=Square, R=Radius
 NH..... Nominal Upright Height
 36" to 96" in 6" increments
 (914 mm to 2438 mm in 152 mm increments)
 ND..... Nominal Base Shelf Depth
 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 OPT2..... R=Right-Hand
 L=Left-Hand
 OPT3..... Material Code
 M=Themofused, Both Faces
 L=Laminate, Both Faces
 MP=Mirror Plex, Both Faces
 LMP=Laminate, One Face,
 Mirror Plex, One Face



Finish Code

- FIN1..... First Exterior Finish
 FIN2..... Second Interior Finish
 FIN3..... T-Mold Option
 TSA=Sahara
 TBK=Black
 TWH=White
 TCH=Chocolate
 TDG=Dove Gray

NOTE!

Finish code must show exterior, interior finish in sequence shown.
 Melamine Panels must be the same Finish on both sides.

Framed Slatwall End Panel


- For alternate heights please contact your sales representative

FSWEP(NH)(ND)-(OPT1)-(OPT2)

- FSWEP..... Framed Slatwall End Panel
 NH..... Nominal Height
 48" to 78" in 6" increments
 (1219 mm to 1981 mm in 152 mm increments)
 ND..... Nominal Depth
 16" to 24" in 2" increments
 (406 mm to 610 mm in 51 mm increments)
 OPT1..... R=Right-Hand
 L=Left-Hand
 OPT2..... Insert
 LI=Laminate Insert
 AI= Aluminium Insert
 GI=Gold Insert

Concave/Radius Upper & Base Shelves

Madix's patented line of curved fixture components redefine stores by transforming shelving layouts from conventional to contemporary. Concave/Radius Upper Shelves, Base Shelves, and Kickplates fit into standard Maxi Line Shelving. Alternate Concave Shelves with Madix's Radius Shelves and Kickplates to create a stylish serpentine gondola run. Madix has patented use of this combination of Concave/Radius shelving.



Description	Part Number
A Concave Upper Shelf	SUSMRF(NW)(ND)-3-(TAG)
B Concave Base Shelf	SBSMRF(NW)(ND)-3-(TAG)
C Concave Kickplate	SBSMRFCKP03-(NW)
D Radius Kickplate	SBSMRFKP-(NW)-3
E Radius Base Shelf	SBSMRF-(NW)(ND)-3-(TAG)
F Radius Upper Shelf	SUSMRF-(NW)(ND)-3-(TAG)



Standard Upper & Base Shelf with Multi Radius Front

- Innovative way to highlight a new product, hot sale item or an entire line of merchandise
- May be used in Madix standard Maxi Line fixtures, in line with Standard Upper Shelf and Standard Base Shelf to make a section stand out
- When used on both sides of an aisle, a unique scalloped effect is attained
- May also be used with end merchandisers to create eye-catching end cap displays that highlight new products or sale items
- Load capacity:
10"-24" 500 lbs per shelf
26"-30" 400 lbs per shelf
- Ledge load capacity 50 lbs
- Laminate finish available



(OPT)MRF-(NW)(ND)-(ED)

- OPT.....SUS=Standard Upper Shelf
SBS=Standard Base Shelf
- MRF.....Multi Radius Front
- NW.....Nominal Width 24" to 60" in 6" increments
(610 mm to 1524 mm in 152 mm increments)
- ND.....Nominal Depth 08" to 30" in 2" increments
(203 mm to 762 mm in 51 mm increments)
- ED.....Extension Depth 02" or 03"
(51 mm or 76 mm)

Radius Front Base Shelves are ordered by:

1. Deleting Standard Base Shelves from a standard wall or gondola section
2. Ordering the correct number of Radius Front Base Shelves

All other section parts remain standard




NOTE!
Not available in Flush Front.
Must use SUSRF in line with SUS Style Shelves.
Must use STPSRF with STP Style Shelves.

Radius Kickplate

- Install by snapping into Base Shoes without disturbing Base Shelves
- Center portion measures 2" or 3" (51 mm or 76 mm) greater than Base Shoes used for unit
- Curve matches Radius Base Shelf


SBSMRFKP-(NW)-(OPT)

- SBS.....Standard Base Shelf
- MRF.....Multi Radius Front
- KP.....Kickplate
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
- OPT.....Blank=6" (152 mm), 2=2" (51 mm), 3=3" (76 mm)




Standard Upper & Base Shelf with Multi Radius Concave Front

- Draws customers' attention to merchandise
- Gradual inward curve 2" or 3" (51 mm or 76 mm) less than depth of brackets at curve vertex
- Load capacity 500 lbs
- Standard DGA2 Tag Molding built into each shelf available in satin, gold, or customer's choice of finish
- Patented



(OPT)MRFC(NW)(ND)-(ID)

- OPT SUS=Upper Shelf
SBS=Base Shelf
- MRFC Multi Radius Concave Front
- NW Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)
- ND Nominal Depth 10" to 24" in 2" increments
(254 mm to 610 mm in 51 mm increments)
- ID Inversion Depth 2" or 3"
(51 mm or 76 mm)




Concave Kickplate

- Install by snapping into Base Shoes without removing Base Shelves
- Center portion of Kickplate 2" or 3" (51 mm or 76 mm) less than Base Shoes used for unit
- Curve matches Radius Base Shelf

SBSMRFC(KP)(ID)-(NW)

- SBS Standard Base Shelf
- MRFC Multi Radius Front Concave
- KP Kickplate
- ID Inversion Depth 2" or 3"
(51 mm or 76 mm)
- NW Nominal Width 36" or 48"
(914 mm or 1219 mm)





Standard Upper & Base Shelf with Radius Front

- Gradual outward curve 6" (152 mm) greater than depth of brackets at curve vertex
- Available in Regular-Duty or Heavy-Duty
- Laminate finish available
- Load capacity 500 lbs per shelf, not to exceed capacity of section as described in General Information section

(OPT)RF(TYPE)-(NW)(ND)

- OPT SUS=Upper Shelf
SBS=Base Shelf
STPS=Three Position "Straight in" Insertion
- RF Radius Front
- TYPE Blank=Regular-Duty
HD=Heavy-Duty
- NW Nominal Width 3' or 4'
(914 mm or 1219 mm)
- ND Nominal Depth 12" to 30" in 2" increments
(305 mm to 787 mm in 51 mm increments)




Metal Pull Out Shelf

- Allows access to the back of shelf for restocking
- Ball Bearing slides for smooth operation
- Flush front shelf

MPS-48(ND)

MPS..... Metal Pullout Shelf
 48..... Nominal Width 48" (1219 mm)
 ND..... Nominal Depth 14" or 16"
 (356 mm or 406 mm)





Pull Out Shelf with STP Brackets

- Allows access to the back of shelf for restocking
- Ball Bearing slides for smooth operation
- Standard formed tag mold

POSSTP(NW)(ND)

POS..... Pullout Shelf
 STP..... Straight-in Insertion Three Position
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Nominal Depth 14", 16", 18"
 (356 mm, 406 mm, 457 mm)




Slim Profile Pull Out Upper Shelf

- Allows access to the back of shelf for restocking
- Ball Bearing slides for smooth operation
- Straight tag mold

SPPOUS(NW)(ND)

SPPOUS..... Slim Profile Pullout Upper Shelf
 NW..... Nominal Width 48" (1219 mm)
 ND..... Nominal Depth 24" (610 mm)




Wire Pull Out Shelf

- Allows access to the back of shelf for restocking
- Ball Bearing slides for smooth operation
- Optional DGA2P tag mold

MBWPS(NW)(ND)-(TAG)

MBWPS..... Madix Bakery Wire Pullout Shelf
 NW..... Nominal Width 24", 36", 48"
 (610 mm, 914 mm, 1219 mm)
 ND..... Nominal Depth 12" to 24" in 2" increments
 (305 mm to 610 mm in 51 mm increments)
 TAG..... Blank=No tag
 DGA2P=DGA2P painted




Half Wrap Around Shelf

- May be used on freestanding end
- Displays where at least two units of shelving make up the run
- Lines up side by side with Standard Upper and Base Shelf applications
- Continuous tag molding accommodates 1 1/4" (32 mm) tags

WA(TYPE)S-(NW)(ND)-(HAND)

WA..... Wrap Around
 TYPE..... U=Upper
 B=Base
 S..... Shelf
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 HAND..... RH=Right-Hand
 LH=Left-Hand



Right-Hand Shown

Configurable Options

TYPE-OPT

TYPE..... Blank=Perforated
 NP=Non-Perforated
 OPT..... Optional Covering
 L=Laminate
 C=Carpet
 F=Fabric

Finish Code


FIN1..... Shelf
 FIN2..... Tag Mold Option:
 BLANK=Painted Color of Shelf
 DGA2M=Mirror Finish
 DGA2G=Gold Finish
 DGA2P=Painted Finish -
 Different from Shelf
 DGA2A=Silver Finish

Wrap Around Shelf

- Specially designed for a completely finished end look
- Five widths to match the end frame widths
- Continuous tag molding with 2" (51 mm) radius safety corners
- Accommodates 1 1/4" (32 mm) tags
- Tag molding matches all standard shelves and end flats
- Load capacity 150 lbs per individual upper shelf
- Load capacity 600 lbs in all sizes, based on evenly distributed static loading per individual base shelf

WA(TYPE)S-(NW)(ND)

WA..... Wrap Around Upper Shelf
 TYPE..... U=Upper
 B=Base
 S..... Shelf
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)




Wrap Around Upper Shelf

Configurable Options

TYPE-OPT

TYPE..... Blank=Perforated
 NP=Non-Perforated
 OPT..... Optional Covering
 L=Laminate
 C=Carpet
 F=Fabric



Wrap Around Base Shelf

Finish Code

FIN1..... Shelf
 FIN2..... Tag Mold Option:
 BLANK=Painted Color of Shelf
 DGA2M=Mirror Finish
 DGA2G=Gold Finish
 DGA2P=Painted Finish - Different from Shelf
 DGA2A=Silver Finish
 FIN3..... Base End Covers




Wrap Around Notched Upper Shelf

- Specially designed for a completely finished end look
- Continuous tag molding with 2" (51 mm) radius safety corners
- Accommodates 1 1/4" (32 mm) tags
- Tag molding matches all Standard Shelves and End Flats
- For 2' x 3': NW 36", ND 12", 18", 24" (NW 914 mm, ND 305 mm, 457 mm, 610 mm)
- For 3' x 4': NW 48", ND 12", 18", 24" (NW 914 mm, ND 305 mm, 457 mm, 610 mm)

WAUSN(NW)(ND)

WAUSN..... Wraparound Notched Upper Shelf
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Nominal Depth 12", 18", or 24"
 (305 mm, 457 mm, or 610 mm)




Round Metal Upper Shelf Modified

- Allows continuous display of product at the end of a gondola run
- Does not block view of merchandise
- Load capacity for upper shelf is 200 lbs

RMUSM(NR)

RMUSM.....Round Metal Upper Shelf Modified
 NR.....Nominal Radius 12" to 24" in 2" increments
 (305 mm to 610 mm in 51 mm increments)




Round Metal Base Shelf

- Allows continuous display of product at the end of a gondola run
- Does not block view of merchandise
- Load capacity for base shelf is 300 lbs

RMBS(NW)(ND)

RMBS.....Round Metal Base Shelf
 NW.....Nominal Width 24" to 48" in 4" increments
 (610 mm to 1219 mm in 102 mm increments)
 ND.....Nominal Depth 12" to 24" in 2" increments
 (305 mm to 610 mm in 51 mm increments)





Round Metal Base Kickplate

- Mounts into gondola Base Shoes
- Required when Base Shelf is ordered
- Standard finishes: Chocolate or Black

RMBKP(NW)(ND)

RMB.....Round Metal Base
 KP.....Kickplate
 NW.....Nominal Width 24" to 48" in 4" increments
 (610 mm to 1219 mm in 102 mm increments)
 ND.....Nominal Depth 12" to 24" in 2" increments
 (305 mm to 610 mm in 51 mm increments)



Basic Upright for End Shelf

- Comes attached to a Basic Upright


BUES(NH)

BUES.....Basic Upright End Shelf
 NH.....Nominal Height 48" to 78"
 in 6" increments
 (1219 mm-1981 mm
 in 152 mm increments)

BUES(NH)
Attached to
Basic Upright



BUESI(NH)
Insert only




Basic Upright for End Shelf Insert Only

- For use with Round Metal Upper Shelf
- Field assembles to Basic Upright

BUESI(NH)

BUESI.....Basic Upright End Shelf Insert Only
 NH.....Nominal Height 48" to 78"
 in 6" increments
 (1219 mm to 1981 mm
 in 152 mm increments)




Wrap Around Upper End Flat Modified

- Allows continuous display of product at end of gondola run
- Does not block view of merchandise
- ND=Gondola Shelf Depth, front to back of WAUEFM matches gondola depth
- Load capacity 300 lbs

WAUEFM(ND)

WAUEFM...Wrap Around Upper End Flat Modified
 ND...Nominal Depth 12" or 24"
 (305 mm or 610 mm)
 ND=Gondola Shelf Depth,
 front to back of WAUEFM matches
 gondola depth



NOTE!
 Use with Metal End Flat
 HDPAPMEF or PAPMEF

Step Back Shelf



- Includes built in sign holder and 1¼" (32 mm) price tag molding
- Allows product information to be displayed in front of product and visible to customer, eliminating the need for overhead or inline signage
- Allows for more aesthetic presentation of product information without blocking valuable display space.
- Available in overall depths of 18" to 30" in 2" increments (457 mm to 762 mm in 51 mm increments)
- Merchandise display area is overall shelf depth minus 4⅝" (110 mm) or minus 6⅞" (166 mm) respectively with either the 4" or 6" (102 mm or 152 mm) sign holder option
- Sign holders accept customer-supplied signage up to ⅜" (5 mm) thick and either 4" or 6" (102 mm or 152 mm) high and in lengths equal to nominal shelf width minus ⅛" (2 mm)
- Load Capacity 350 lbs
- Carpet option to further enhance functionality (please add the carpet upcharge to the price of corresponding size of shelf ordered)

STBS-(NW)(ND)(SO)(OPT)-(FIN1)-(FIN2)

- STBS.....Step Back Shelf
- NW.....Nominal Width 24", 36", 48"
(610 mm, 914 mm, 1219 mm)
- ND.....Nominal Depth 18" to 30" in 2" increments
(457 mm to 762 mm in 51 mm increments)
- SO.....Step Option :
225=2¼" (57.15 mm)
4=4" (101 mm)
6=6" (152 mm)
- OPT.....Blank=Painted
C=Carpet

Finish Code

- FIN1.....Shelf Color
- FIN2.....Carpet Color Option



Lighted Upper Shelf Assembly Step Back Shelf

- Includes a Slimline Light Fixture Kit (SLFK), and built-in signage display of 4" (102 mm) or 6" (152 mm)
- Use with standard Maxi Line
- Merchandise display area is overall shelf depth minus 4⅝" (110 mm) or minus 6⅞" (166 mm), respectively
- Sign holders accept customer-supplied signage up to ⅜" (5 mm) thick and either 4" or 6" (102 mm or 152 mm) high and in lengths equal to nominal shelf width minus ⅛" (2 mm)
- Load capacity 100 lbs
- Connector Cords and Power Cords are available (see SLFCC and SLFPC) to easily connect shelves for continuous lighted runs, see Lighting Catalog for cords
- Order one Slimline Light Fixture Power Cord for each run and one Slimline Light Fixture Connector Cord for each LUSASTB added to run
- Shelves can be daisy-chained up to maximum of 36' (11 m)– nine 4' (1219 mm) fixtures
- 20 amp circuit will handle up to twenty-seven 4' (1219 mm) fixtures with 28 watt T5 bulbs (maximum 3 strings of 9 fixtures)

LUSASTB-(NW)(ND)(SO)-(TO)

- LUSASTB..... Lighted Upper Shelf Assembly Step Back Shelf
- NW.....Nominal Width 3' or 4'
(914 mm or 1219 mm)
- ND.....Nominal Depth
18" to 30" in 2" increments
(457 mm to 762 mm in 51 mm increments)
- SO.....Step Option:
4=4" (102 mm)
6=6" (152 mm)
- TO.....Top Option:
TG = Tempered Glass,
CA = Clear Acrylic
FA = Frosted Acrylic
ND=No Deck



NOTE!


Madix does not recommend using lighted shelves with merchandise that is sensitive and may be damaged by slightly warmer temperatures or direct exposure to light.

Easel™ SB

- Shopper marketing solution combines functionality of retail shelf and point-of-sale display
- Promote merchandising categories or individual brands
- Utilize up to five illuminated push buttons to play back up to five different video clips
- Buttons positioned next to screen unless otherwise specified
- Economize by mixing and matching digital version with shelves that only have printed signage
- Shelf includes pre-installed electronics:
All in one 7" (178 mm) LCD screen and media player
Internal memory
Interactive push buttons
Motion sensor
- Utilizes same profile as Madix's Step Back Shelf, STBS-(NW)(ND)(TYPE)
- Approximate dimensions of customer-supplied signs: 47.932"W x 6"H (1217 mm x 152 mm)
Monitor cut-out: 6.125"W x 3.5"H (156 mm x 89 mm)
Button cut-out: 0.75"W x 0.75"H (19 mm x 19 mm)
Sensor cut-out: 0.5625"W x 0.5625"H (14 mm x 14 mm)
- Electronic components supported and warranted by third party
- Patent pending

EASEL-SB(NW)(ND)(FIN1)

- EASEL..... Easel™
 SB..... Step Back
 NW..... 36" or 48"
 (914 mm or 1219 mm)
 ND..... 16" to 24" in 2" increments
 (406 mm to 610 mm in 51 mm increments)



Finish Code

- FIN1 Shelf Color




Uptilt Shelf

- Shelf back available in 10", 12", 14" heights (254 mm, 305 mm, 356 mm)
- 4" (102 mm) shelf depth only

UTSN(DEGREE)-(NW)-(NH)4

- UTSN..... Uptilt Shelf
 DEGREE..... 30°, 45°, or 60° Tilt
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 NH..... Nominal Back Height 10", 12", or 14"
 (254 mm, 305 mm, or 356 mm)
 4..... Shelf Depth 4" (102 mm)





Uptilt Shelf Wire Divider

- Designed to be used as divider on the UTSN Uptilt Shelf
- Variety of widths and depths available
- When ordering, please specify left, right or center

UTSWD-(NH)(ND)-(TYPE)

- UTSWD..... Uptilt Shelf Wire Divider
 NH..... Nominal Height 10" to 18" in 2" increments
 (254 mm to 457 mm in 51 mm increments)
 ND..... Nominal Depth 4", 6", or 8"
 (102 mm, 152 mm, or 203 mm)
 TYPE..... C=Center
 LH=Left-Hand
 RH=Right-Hand




Half-Radius Concave Upper Shelf

- Attract attention to retail store aisles
- Creates consistent curvature across two adjacent shelves
- Load capacity 200 lbs

SUSHRFC(NW)(LSD)(RSD)-(TAG)

- SUS..... Standard Upper Shelf
- HRFC..... Half-Radius Concave
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- LSD..... Left Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- RSD..... Right Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- TAG..... Tag Mold Option:
Blank=Painted color on shelf
DGA2A=Silver
DGA2G=Gold
DGA2P=Painted




Half-Radius Concave Base Shelf

- Attract attention to retail store aisles
- Creates consistent curvature across two adjacent shelves
- Requires use of Transitional Kickplates (TKP)
- Load capacity 200 lbs

SBSHRFC(NW)(LSD)(RSD)-(TAG)

- SBS..... Standard Base Shelf
- HRFC..... Half-Radius Concave
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- LSD..... Left Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- RSD..... Right Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- TAG..... Tag Mold Option:
Blank=Painted color on shelf
DGA2A=Silver
DGA2G=Gold
DGA2P=Painted




Half-Radius Upper Shelf

- Attract attention to retail store aisles
- Creates consistent curvature across two adjacent shelves
- For Maxi Line shelving
- Load capacity 200 lbs

SUSHRF-(NW)(LSD)(RSD)-(TAG)

- SUS..... Standard Upper Shelf
- HRF..... Half-Radius
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- LSD..... Left Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- RSD..... Right Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- TAG..... Tag Mold Option:
Blank=Painted color on shelf
DGA2A=Silver
DGA2G=Gold
DGA2P=Painted




Half-Radius Base Shelf

- Attract attention to retail store aisles
- For Maxi Line shelving
- Requires two different base shoe depths (e.g. nominal depth 18" (457 mm) shelf requires 18" (457 mm) and 24" (610 mm) D base shoes)
- Requires use of Transitional Kickplates (TKP)
- Load capacity 500 lbs

SBSHRF-(NW)(LSD)(RSD)-(TAG)

- SBS..... Standard Base Shelf
- HRF..... Half-Radius
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- LSD..... Left Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- RSD..... Right Side Depth 12" to 30" in 2" increments (305 mm to 762 mm in 51 mm increments)
- TAG..... Tag Mold Option:
Blank=Painted color on shelf
DGA2A=Silver
DGA2G=Gold
DGA2P=Painted




Outside Corner Upper & Base Shelf 45°

- For wall runs only
- Joins two adjacent wall runs with equal base shelves at 45° angle with uprights positioned next to each other
- Shelf depth must match adjacent shelf depths
- Riveted tag molding does not match standard aluminum moldings

WOC(TYPE)S45-(ND)(TAG)(OPT)

WOC..... Wall Outside Corner
 TYPE..... U=Upper
 B=Base
 S..... Shelf
 45..... 45°
 ND..... Nominal Shelf Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 TAG..... Tag Mold Option:
 BLANK=Painted Color of Shelf
 DGA2G=Gold Finish
 DGA2A=Silver Finish
 OPT..... Optional Covering:
 L=Laminate
 C=Carpet
 F=Fabric



Outside Corner Kickplate 45°

WOCKP45-(ND)05


WOCKP..... Wall Outside Corner Kickplate
 45..... 45°
 ND..... Nominal Shelf Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 05..... 5" (127 mm) Kickplate Height

Outside Corner Upper & Base Shelf

- Utilizes space while maintaining continuity around a corner
- Shelf depth approximately one-third less than adjoining shelf depths
- Separate bracket utilizes modified standard shelf components to maintain appearance, strength and simple installation
- Sizes match all Standard Upper and Base Shelves

OC(TYPE)(ASD)-(TAG)(OPT)




OC..... Outside Corner Shelf
 TYPE..... BS=Base Shelf
 US=Upper Shelf
 ASD..... Adjacent Shelf Depth
 10" to 30" in 2" increments
 (254 mm to 762 mm in 51 mm increments)
 TAG..... Tag Mold Option:
 BLANK=Painted Color of Shelf
 DGA2G=Gold Finish
 DGA2A=Silver Finish
 OPT..... Optional Covering:
 L=Laminate
 C=Carpet
 F=Fabric



Outside Corner Kickplate

OCKP-(ASD)(NH)

OC..... Outside Corner
 KP..... Kickplate
 ASD..... Adjacent Shelf Depth
 10" to 30" in 2" increments
 (254 mm to 762 mm in 51 mm increments)
 NH..... Nominal Height 5" (127 mm)



Inside Corner Side Retainer

- Unique brackets on Standard Upright Side Panels allow part to be used on either side of Inside Corner using Standard Spanners and Back Panels
- Available in 4' (1219 mm) width only
- Two required for Inside Corner

ICSR-(NL)

ICSR..... Inside Corner Side Retainer
 NL..... Nomimal Length 36" to 96" in 6" increments
 (914 mm to 2438 mm in 152 mm increments)





Inside Corner Upper & Base Shelf

- Utilizes space while maintaining continuity around a corner
- Separate bracket design utilizes modified Standard Shelf components
- Shelves do not accommodate wire or glass binning and may not be used in downslope position
- Depths match all Standard Upper and Base Shelves

W(TYPE)SIC-(ASD)-(TAG)(OPT)



W..... Wide
 TYPE..... B=Base
 U=Upper
 S..... Shelf
 IC..... Inside Corner
 ASD..... Adjacent Shelf Depth
 10" to 30" in 2" increments
 (254 mm to 762 mm in 51 mm increments)
 TAG..... Tag Mold Option:
 BLANK=Painted Color of Shelf
 DGA2G=Gold Finish
 DGA2A=Silver Finish
 OPT..... Optional Covering:
 L=Laminate
 C=Carpet
 F=Fabric



Inside Corner Kickplate

WKPIC-(ASD)-(OPT)

WKP..... Kickplate
 IC..... Inside Corner
 ASD..... Adjacent Shelf Depth
 10" to 30" in 2" increments
 (254 mm to 762 mm in 51 mm increments)
 OPT..... Size Option: Blank=5"
 12=12"



Inside Corner Shelves and Kickplate shown with Convex Upper and Base Shelves and Three-Sided Rotating Display


Lumishelf™ Surface for GSF

- Lumishelf™ Surface only for installation on Glass Shelf Frame (GSF)
- Frame with two crossbars is recommended (shown below)
- 60" (1524 mm) cord



LSSG(NW)(ND)-(OPT)

- LSSG..... Lumishelf™ Surface for GSF
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 10" to 18" in 2" increments (254 mm to 457 mm in 51 mm increments)
- OPT..... R=Optional Reflector
Blank= No Reflector




NOTE!
Minimum order is 20 shelves of any size.

Lumishelf™ Surface for LUSF

- Light-guide plate directs light onto the merchandise, which improves merchandise visibility
- Load capacity 100 lbs, when used with Lighted Upper Shelf Frame, LUSF
- 60" (1524 mm) cord

LSSL(NW)(ND)-(OPT)

- LSSL..... Lumishelf™ Surface
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 12" to 24" in 2" increments (305 mm to 610 mm in 51 mm increments)
- OPT..... R=Optional Reflector
Blank= No Reflector



Lighted Upper Shelf Frame for Lumishelf™ Surface

NOTE!
LUSF and GSF require different size surfaces.

LUSF-(NW)(ND)

- LUSF..... Lighted Upper Shelf Frame for Lumishelf™ Surface
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 12" to 24" in 2" increments (305 mm to 610 mm in 51 mm increments)




Lumishelf™ Glass Shelf Frame

- Glass Shelf Frame includes two crossbars

GSF(NW)(ND)-2B

- GSF..... Glass Shelf Frame
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 12" to 24" in 2" increments (305 mm to 610 mm in 51 mm increments)
- 2B..... 2 Crossbars




Lighted Upper Shelf with Bullnose Front

- Attractive 1¼" (32 mm) bullnose front
- Uses LSSL Lumishelf surface, ordered separately
- Accepts LEDge Light for additional lighting
- Order Lumishelf surface with nominal depth 2" (51 mm) smaller than nominal depth of shelf
- Load capacity 200 lbs

LUSFBN(NW)(ND)

- LUSFBN..... Lighted Upper Shelf with Bullnose Front
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 14" to 24" in 2" increments (305 mm to 610 mm in 51 mm increments)




Lumishelf™ Radius LED Shelf Assembly

- Radius Lumishelf™ Surface and Frame has an overall depth of LSSRA that is the nominal depth plus 6" (152 mm)
Example: LSSRA-3614 would have actual depth of 20" (508 mm)
- Load capacity 100 lbs

LSSRA(NW)(ND)-(OPT)

- LSSRA..... Radius Lumishelf™ Surface with RGSFF Frame Assembly
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND..... Nominal Depth 14", 16", or 18" (356 mm, 406 mm, or 457 mm)
- OPT..... Blank= No Reflector
R=Optional Reflector




Lumishelf™ Radius Surface

- Radius matches radius on Upper and Base Shelves with Radius Front (SUSRF, SBSRF), not Radius Glass Shelves (RGS)
- Load capacity 100 lbs when used with Glass Shelf Radius Frame, GSRFF-(NW)(ND)
- 60" (1524 mm) Cord

LSSR(NW)(ND)-(OPT)

- LSSR..... Lumishelf™ Surface with Radius Front
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 14", 16", or 18" (356 mm, 406 mm, or 457 mm)
- OPT..... Blank= No Reflector
R=Optional Reflector




Lumishelf™ Glass Shelf Radius Frame

- Glass Shelf Frame for Lumishelf™ Radius Surface
- Lumishelf™ Radius Surface ordered separately

GSRFF-(NW)(ND)

- GSRFF..... Glass Shelf Radius Front Frame
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- ND..... Nominal Depth 14", 16", or 18" (356 mm, 406 mm, or 457 mm)




Lumishelf™ Acrylic LED Shelf Assembly

- Light-guide plate directs light onto the merchandise, which improves merchandise visibility
- Assembly contains LED Shelf Surface and Glass Shelf Frame
- Load capacity 40 lbs

LSSGA(NW)(ND)-(OPT)

- LSSGA..... Lumishelf™ Surface with GSF Frame Assembly
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND..... Nominal Depth 10" to 18" in 2" increments (254 mm to 457 mm in 51 mm increments)
- OPT..... Blank= No Reflector
R=Optional Reflector




Lumishelf™ Acrylic LED LUSF Assembly


- Includes LUSA frame with tag mold front, Lumishelf™ surface
- Surface is recessed into frame (No LED edge highlighting)
- Load capacity 100 lbs

LSSLA(NW)(ND)-(OPT)

- LSSLA..... Lumishelf™ Upper Shelf with LUSF Frame Assembly
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND..... Nominal Depth 12" to 24" in 2" increments (305 mm to 610 mm in 51 mm increments)
- OPT..... Blank= No Reflector
R=Optional Reflector



NOTE!
Must order required transformer separately. Transformer is UL/CE/CB listed. Spider connector cables utilized to connect multiple surfaces to a single transformer. Refer to Transformer information for capacities.




Lumishelf™ Base Shelf

- Uses LSSL Lumishelf surface, ordered separately
- Matches LUSF-(NW)(ND) frame for a uniform look

LBSF-(NW)(ND)

- LBSF..... Lumishelf™ Base Shelf
- NW..... Nominal Width 24", 36", or 48" (610 mm, 914 mm, or 1219 mm)
- ND..... Nominal Depth 10" to 20" in 2" increments (254 mm to 508 mm in 51 mm increments)



Transformers for Lumi LED Products

- Transformers are required for Lumishelf™ and Lumiback, ordered separately
- 60 watt capacity, 7.5 vertical feet (2286 mm)
- Single transformer powers five 36" (914 mm) shelves
- UL/CE/CB Listed
- 60" (1524 mm) AC power cord and 72" (1829 mm) DC cord
- Maximum 20 transformers per 20 amp circuit

LSST5A

- LSST..... Transformers for LED Products
- 5..... 60 watts, 7.5 vertical feet
- A..... Adapter




Spider Cables Lumi LED Products

- LSS2WC and LSS6WC Spider Cables have connections approximately 6" (152 mm) OC and each lead is approximately 6" (152 mm) long
- LSS4WC Spider Cable has 60" (1524 mm) leads, 60" (1524 mm) OC
- Spider Cables can be utilized to connect multiple surfaces or backs to a single transformer
- Refer to transformer information for capacities

LSS(OPT)WC

- LSS..... Spider Cables for LED Products
- OPT..... 2 = 2 Connections
4 = 4 Connections
6 = 6 Connections
- WC..... Wire Connectors

Part Number	Connections
LSS2WC	2
LSS4WC	4
LSS6WC	6



Shelf Extension Radius for SUS/SBS

- Cost effective way to add curve to Standard Upper Shelf
- Radius Extension snaps into front perforations
- Canoe clips (not included) may be used for added shelf strength
- Lightweight front loading recommended
- Extrudes approximately 4" (102 mm) outward
- Aligns with adjacent Madix Radius Front Shelves
- Tag Molding painted to match Shelf Extension, accepts standard 1¼" (32 mm) tag strips
- Load capacity 15 lbs

SERM-(NW)-(TAG)(TYPE)

SERM..... Shelf Extension Radius
 NW..... Nominal Width 24", 36", or 48"
 (610 mm, 914 mm, or 1219 mm)
 TAG..... Blank=1¼" (32 mm) Metal Tag
 DGA2=DGA2 Tag
 TYPE..... A=Aluminum
 G=Gold
 P=Painted



SERM-HDWR


SERM..... Shelf Extension Radius
 HDWR..... Hardware Pack

Extended Shelf

- Ideal for displaying long or tall items vertically in the space at rear of shelf with related small items on the shelf to promote impulse sales
- Load Capacity is 50% less than a standard shelf of same bracket length (see SUS Load Capacity)
- Other standard size shelf and bracket combinations are available, brackets must be 4" (102 mm) or larger than shelf depth, maximum 30" (762 mm)

ES(NL)-(NW)(ND)-(TAG)(OPT)

ES..... Extended Shelf
 NL..... Nominal Bracket Length 18" or 20"
 (457 mm or 508 mm)
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 ND..... Nominal Depth 10" or 14"
 (254 mm or 356 mm)
 TAG..... Tag Mold Option
 OPT..... C=Carpet
 L=Laminate




Extended Base Shelf

- Ideal for displaying merchandise requiring power cords to run underneath fixture run
- Rear opening at back of shelf ranges from 2" to 6" (51 mm to 152 mm) making it a perfect solution for running cables and cords
- Load Capacity 50 percent less than standard shelf of same bracket length (see SUS load capacity)

ESB(ND)-(NW)(SD)-(TAG)-(OPT)

ESB..... Extended Base Shelf
 ND..... Nominal Bracket Depth 16" to 26" in 2" increments (406 mm to 660 mm in 51 mm increments)
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 SD..... Nominal Shelf Depth 12" to 24" in 2" increments (305 mm to 610 mm in 51 mm increments)
 TAG..... Tag Mold Option
 OPT..... C=Carpet
 L=Laminate




Extended Upper Shelf with Radius Front

- Extended bracket provides 2" (51 mm) space for electrical cords to be passed behind shelf to centrally located electrical outlets
- Shelf includes DGA2 tag molding to match shelf or may be ordered in gold, silver anodized, or painted in a contrasting color
- DGA2 tag accepts 1¼" (32 mm) price tags

ESRF-(BD)-(NW)(ND)-(TAG)(TYPE)

ESRF..... Extended Upper Shelf with Radius Front
 BD..... Bracket Depth 16" to 30" in 2" increments (406 mm to 762 mm in 51 mm increments)
 NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
 ND..... Nominal Depth 14" to 28" in 2" increments (356 mm to 711 mm in 51 mm increments)
 TAG..... Tag Mold Option:
 DGA2G=Gold Finish
 DGA2P=Painted Finish-Different than shelf
 DGA2A=Silver Finish
 TYPE..... A=Aluminum
 G=Gold
 P=Painted




Extended Panels

- Make presentation more convenient and merchandise more accessible
- Heavy-duty aluminum extrusion frame assures rigidity under heavy loads
- Minimum of two crossbars, VDBNP-(NW) (ND), are required per panel
- Panels are attached to the crossbars using EPPMVDB brackets

EP(TYPE)H-(NW)(NH)

- EP.....Extended Panel
- TYPE.....P=Pegboard
PM=Mirror Mylar Pegboard
- H.....Heavy-Duty
- NW.....Nominal Width 3' or 4'
(914 mm or 1219 mm)
- NH.....Nominal Height 12" to 48"
in 6" increments
(305 mm to 1219 mm in
152 mm increments)




Vertical Divider Bar, Non-Perforated

- 1"x 1" (25 mm x 25 mm) tubing for use with Extended Peg Panel Mount Brackets for displaying Extended Peg Panels

VDBNP-(NW)(ND)

- VDB.....Vertical Divider Bar
- NP..... Non-Perforated
- NW.....Nominal Width 3' or 4'
(914 mm or 1219 mm)
- ND.....Nominal Depth 02" to 10" in 2" increments
(51 mm to 254 mm in 51 mm increments)



Extended Peg Panel Mount Brackets for Vertical Divider Bars


- Design allows pegboard panel to be easily removed from Vertical Divider Bars for storage or relocation as merchandising requirements change
- Stamped of galvanized material and cannot be painted
- Sold in packs of three
- One packet required per Vertical Divider Bar

EPPMVDB

- EPP.....Extended Peg Panel
- MVDB.....Mount Brackets for Vertical Divider Bars



Side View
Cross Section



Extended Slatwall Panel with Reinforced Edges


ESWPREVDBM(NW)(NH)

- ESWPRE.....Extended Slatwall Panel with Reinforced Edges
- VDBM.....Vertical Divider Bar Mount
- NW.....Nominal Width 3' or 4'
(914 mm or 1219 mm)
- NH.....24" to 48" in 6" increments
(610 mm to 1219 mm in 152 mm increments)

Finish Code

(FIN1)(FIN2)(FIN3)

- FIN1.....Metal Finish
- FIN2.....Slatwall Finish
- FIN3.....Optional Insert Finish






Box Corner

- Eliminate dead space where wall shelving runs meet
- Unit consists of two 96" x 36" (2438 mm x 914 mm) panels, joining extrusion and metal kickplates
- May be assembled as shown in either illustration
- May also be used in A/D or B/C combinations
- Panels cut to size during installation

BC-9630-(OPT)

- BC..... Box Corner
- 96..... Nominal Height 96" (2438 mm)
- 30..... Nominal Depth 30" (762 mm)
- OPT..... H=Hardboard, Painted
P=Pegboard, Painted
HM=Hardboard, Mirror
PM=Pegboard, Mirror
HL=Laminate, On Hardboard



NOTE!
If canopy turns in front of box corner (B), a shorter light fixture must be used in both corner sections:
3' (914 mm) light for 4' (1219 mm) section,
2' (610 mm) light for 3' (914 mm) section.

Modified Wire Truss Shelf

- Heavy gauge wire construction
- To retain product, 1" (25 mm) high lips may be installed down at front and up at rear, or vice versa
- Notched corners accommodate Truss Shelf Posts, ordered separately
- Wire Basket Brackets, MBWB-(ND), attach easily and are required to mount the Modified Wire Truss Shelf to Standard Upright, ordered separately
- Load capacity 150 lbs

MWTS-(NW)(ND)-(TAG)


MWTS..... Modified Wire Truss Shelf

NW..... Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)

ND..... Nominal Depth 12" to 30" in 2" increments
(305 mm to 762 mm in 51 mm increments)

TAG..... Tag Mold Option-Uplip:
DGA2GU=Gold Finish
DGA2PU=Painted Finish-Different than shelf
DGA2AU=Silver Finish

Tag Mold Option-Downlip:
DGA2GD=Gold Finish
DGA2PD=Painted Finish-Different than shelf
DGA2AD=Silver Finish




Bakery Wire Shelf Bracket

- For quick installation, shelf snaps into brackets, ordered separately
- Brackets should be same depth and finish as Modified Wire Truss Shelf
- For each Modified Wire Truss Shelf, order one pair of Wire Basket Brackets, MBWB

MBWB-(ND)

MBWB..... Madix Bakery Wire Shelf Bracket
(pair only pricing)

ND..... Nominal Depth 16" to 24" in 2" increments
(406 mm to 610 mm in 51 mm increments)




Wire Truss Post

- An aesthetic addition for use with Modified Truss Shelf
- Provides no additional support
- Bolts to Base Shelf with included hardware- posts slide through shelves into receivers

TSP-(NH)

TSP..... Truss Shelf Post

NH..... Nominal Height 36" to 144" in 12" increments
(914 mm to 3658 mm in 305 mm increments)



Sign Holder for Truss Shelf Post

- Sign Holder height is 1 3/16" (21 mm), insert post height is 3" (76 mm)
- Optional customer-supplied signage hooks into tops of Truss Shelf Posts with customer-supplied S-hooks

SHTSP-(NW)

SH..... Sign Holder

TSP..... Truss Shelf Post

NW..... Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)



Sliding Wire Grid Panel

- Utilizes two Vertical Divider Bars with channel rails, one Harmonic Grid Wire Panel, and one hardware pack containing necessary pieces to bring all components into one unit
- Vertical Divider Bars, VDB, allow sliding panel to extend minimum of 8" (203 mm) past gondola/wall shelving
- Allows customers continuous view of merchandise stored behind each panel
- Sufficient clearance must be allowed between Sliding Wire Grid Panel and merchandise in order to permit panel to slide back and forth without interfering with merchandise
- Hardware pack included
- Accommodates 1" (25 mm) Snap Over Crossbar Hooks, Slatwall Accessories with 3" x 3" or 1" x 3" (76 x 76 mm or 25 x 76 mm) plates, Peghooks and 3" (76 mm) OC Grid Accessories

SWGP-(NH)(NW)(ND)

- SWGP.....Sliding Wire Grid Panel
- NH.....Nominal Height 60" or 66"
(1524 mm or 1676 mm)
- NW.....Nominal Width 48" (1219 mm)
- ND.....Nominal Depth 8", 12", 16", 20", 24"
(204 mm, 305 mm, 406 mm, 508 mm, 610 mm)




Wire Grid Panel for Basic Upright

- Versatile panel for merchandising, utilizing Wire Grid or Slatwall accessories in a standard shelving run
- Vertical wires are 5/16" (8 mm) diameter on 6" (152 mm) spacing and horizontal wires are 1/4" (6 mm) diameter with 3/4" (19 mm) double wire spacing on a 2 1/4" (57 mm) repeat pattern
- Wire Grid and Slatwall accessories available

WGPBU-(NW)(NH)

- WGPBU..... Wire Grid Panel for Basic Upright
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
- NH.....Nominal Height 30" to 60" in 6" increments
(762 mm to 1524 mm in 152 mm increments)




Extended Wire Grid Panel

- Offers retailers a different approach to merchandising pegged products
- Each Grid Panel is attached to Standard Brackets to be used with Basic Uprights
- Fixture is sturdy gauge wire, 3" (76 mm) OC grid
- Wire grid accessories can be utilized with fixture and are ordered separately
- Hardware pack included

MSF-EWGP(NW)(NH)(ND)

- MSF..... Madix Store Fixtures
- EWGP..... Extended Wire Grid Panel
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
- NH.....Nominal Height 12", 36", 48", 60", 72"
(305 mm, 914 mm, 1219 mm, 1524 mm, 1829 mm)
- ND.....Nominal Depth
Blank=10" (254 mm)
24=24" (610 mm)




Glass Shelf

- Smooth pencil polish edges on high quality glass

GS-(NW)(ND)

- GS..... Glass Shelf
- NW..... Nominal Width 3' or 4'
(914 mm to 1219 mm)
- ND..... Nominal Depth 8" to 18" in 2" increments
(203 mm to 457 mm in 51 mm increments)



NOTE!


Overloading could cause sudden and catastrophic failure, resulting in possible personal injury!

Glass Shelf Frame

- Standard frame finishes: Sahara and Powder Chrome
- Two position brackets for flat or 15° downslope
- Load capacity of 40 lbs for Glass Shelf installed on the Glass Shelf Frame

GSF-(NW)(ND)

- GSF..... Glass Shelf Frame
- NW..... Nominal Width 3' or 4'
(914 mm to 1219 mm)
- ND..... Nominal Depth 8" to 18" in 2" increments
(203 mm to 457 mm in 51 mm increments)




Glass Shelf Frame with Two Crossbars

- Glass Shelf Frame with two crossbars

GSF(NW)(ND)-2B

- GSF..... Glass Shelf Frame
- NW..... Nominal Width 3' or 4'
(914 mm to 1219 mm)
- ND..... Nominal Depth 8" to 18" in 2" increments
(203 mm to 457 mm in 51 mm increments)
- 2B..... Two Crossbars



Glass Shelf Bracket

- For use on Slatwall Back Panels
- May be used with or without glass shelf clips and grommets

SGSB-(ND)

- SGSB..... Glass Shelf Bracket
- ND..... Nominal Depth 08" to 14" in 2" increments
(203 mm to 356 mm in 51 mm increments)



NOTE!


Load capacity varies depending upon glass thickness and slatwall construction.

Glass Shelf Clips

- Clear plastic clip and rubber cushions protect glass shelves from vibration and slippage
- Soft rubber cushions included

GSC-20

- GSC..... Glass Shelf Clips
- 20..... 20 Pack





Radius Glass Shelf

- Option for displaying lightweight, upscale merchandise
- Glass shelving allows light to pass through from top shelf to base shelf, providing greater focus on merchandise
- Glass Shelf is ¼" (6 mm) thick tempered glass
- Load capacity 100 lbs

RGS-(NW)(ND)

RGS..... Radius Glass Shelf
 NW..... Nominal Width 24", 36", or 48"
 (610 mm, 914 mm, or 1219 mm)
 ND..... Nominal Depth 18" (457 mm)





Radius Glass Shelf Frame Assembly

- Provides the support for Radius Glass Shelf
- Frame constructed of 1" x 2" (25 x 51 mm) tubing with metal brackets that have been welded for extra strength
- Frame assembly includes a hardware pack with small grommets that protect and secure the Radius Glass Shelf to Frame Assembly
- Unit ships with all core parts and mounts into Maxi Line Uprights with 1" (25 mm) OC spacing

RGSFA-(NW)(ND)

RGSFA..... Radius Glass Shelf Frame Assembly
 NW..... Nominal Width 24", 36", or 48"
 (610 mm, 914 mm, or 1219 mm)
 ND..... Nominal Depth 18" (457 mm)




Slatwall Shelf

- Attaches to wooden or metal slatwall
- Can also span across vertical upright, allowing for maximum utilization of merchandising space
- Load capacity 60 lbs

SWSH-(NW)(ND)(OPT1)(OPT2)

SWSH..... Slatwall Shelf
 NW..... Nominal Width 18" to 48" in 6" increments
 (457 mm to 1219 mm in 152 mm increments)
 ND..... Nominal Depth 12" to 18" in 2" increments
 (305 mm to 457 mm in 51 mm increments)
 OPT1..... Tag Option
 Blank=Welded Tag
 A=DGA2 Aluminum
 G=DGA2 Gold
 PC=DGA2 Powder Coat
 NT=No Tag
 OPT2..... Laminate Option
 Blank=No Laminate
 L=Laminate




Metal Slatwall Shelf, Heavy-Duty

- Attaches to wooden or metal slatwall

MSWHDMS(NW)(ND)NT

MSW..... Metal Slatwall Shelf
 HDMS..... Heavy-Duty
 NW..... Nominal Width 30" to 48" in 6" increments
 (762 mm to 1219 mm in 152 mm increments)
 ND..... Nominal Depth 18" to 26" in 2" increments
 (427 mm to 660 mm in 51 mm increments)
 NT..... No Tag




Shelf Extender

- Attaches to front shelf perforations of Standard Upper Shelves
- Packs of 10

SE(ND)-(NW)-10

SE..... Shelf Extender
 ND..... Nominal Depth 4" (102 mm)
 NW..... Nominal Width 6¾" or 8½" (171 mm or 216 mm)
 10..... 10 Pack




Shelf Extender Basket

- Movable basket hooks in front row of perforations in Standard Upper Shelves
- Ideal for literature or other lightweight items
- 18"W x 2½"D (457 mm x 64 mm), 3¼" (83 mm) front height, 6" (152 mm) back height
- Tag molding accepts 1¼" (32 mm) tags

SEB

SEB..... Shelf Extender Basket




Keyboard Shelf

- Mounts onto Standard Upper Shelves
- Provides a place to store or display a keyboard
- 21"W x 7"D (533 mm x 178 mm)
- 1" (25 mm) retainer lips on the front and sides
- Entire inside surface may be carpeted, when ordering, please specify the use of Madix supplied carpeting

IU-106-(OPT)

IU-106..... Keyboard Shelf
 OPT..... Carpet Option:
 Blank=None
 C=Carpet




Pull Out Keyboard Tray

- Designed to store computer keyboard and mouse under Standard Upper Shelf
- Pull out tray mounts beneath shelf, secured by screws to shelf supports
- 21"W x 9"D (533 mm x 229 mm)
- Two Keyboard Trays will fit under 4' (1219 mm) Standard Upper Shelf (not included)

KEYBOARD-TRAY

KEYBOARD-TRAY.....Pull Out Keyboard Tray



Multi-Purpose Dividers


- Specifically designed to boost product visibility and accessibility
- Tension fit multi-purpose dividers attach without hardware and provide fast and easy reset of shelf

DV050610CM(PPOSITION)(OPT)

DV050610CM.....Multi-Purpose Dividers
 POSITION.....L=Left
 R=Right
 C=Center
 OPT.....Blank=Standard finish
 Chrome

Finish Code

PC059.....Satin Black
 PC811.....Cream
 PC812.....Dove Gray
 PC829.....White





Multi-Purpose Wire Divider

- Solution for maintaining separation of products
- 3¾"W x 7¾"H x 6¾"D (95 mm x 197 mm x 171 mm)
- Dividers clip into front shelf perforations
- Minimum product width is 6" (152 mm)
- End dividers sold in pairs

WDMP-(OPT)

WDMP..... Multi-Purpose Wire Divider
 OPT..... C=Center
 E=Ends, Pairs Only




Multi-Purpose Wire Divider, Heavy-Duty

- Hooks into the perforations of the Standard Upper Shelf
- Bends in front of dividers secure product
- No front required

WMPDHD-(NH)(ND)-(HAND)

WMPDHD.....Wire Multi-Purpose Divider Heavy-Duty
 NH.....Nominal Height 3" or 6"
 (76 mm or 152 mm)
 ND.....Nominal Width 10" to 18" in 2" increments
 (254 mm to 457 mm in 51 mm increments)
 HAND.....L=Left-Hand
 R=Right-Hand
 C=Center




Metal Shelf Cross Divider

- Horizontal shelf divider
- Attaches to shelf with magnetic strip

MSCD(NW)

MSCD.....Metal Shelf Cross Divider
 NW.....Nominal Width 24" to 48" in 6" increments
 (610 mm to 1219 mm in 152 mm increments)



Metal Shelf Divider

- Attaches to shelf with magnetic strip

MSD-(ND)(NH)


MSD..... Metal Shelf Divider
 ND..... Nominal Depth 10" to 20" in 2" increments
 (254 mm to 508 mm in 51 mm increments)
 NH..... Nominal Height 4", 8", 12", 24"
 (102 mm, 203 mm, 305 mm, 610 mm)

Styrene Divider

- Allows customer to clearly see merchandise while still retaining product
- Tabs are located at each end of Divider and will attach to any standard Madix perforated metal shelf
- Fasteners, F10156 or CF1C (ordered separately), attach Divider to shelves
- Available in depths of 10" to 20" (254 mm to 508 mm)
- Order individually or packs of ten

DIV(NH)(ND)-OPT

- DIV..... Styrene Divider
 NH..... Nominal Height 3" or 5"
 (76 mm or 127 mm)
 ND..... Nominal Depth 10" to 20" in 2" increments
 (254 mm to 508 mm in 51 mm increments)
 OPT..... 1=Single
 10=10 Pack




Styrene Front Fence

- Fence has four holes allowing it to be attached to any standard Madix perforated metal shelf using fasteners F10156 or CF1C, ordered separately
- When used with Styrene Divider, creates divider system
- Available in 36" or 48" widths (914 mm or 1219 mm)
- Order individually or packs of ten

SFF(NH)T(NW)S-(OPT)

- SFF..... Styrene Front Fence
 NH..... Nominal Height 3" or 5"
 (76 mm or 127 mm)
 T..... Tall
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 S..... S
 OPT..... 1=Single
 10=10 Pack



Wire Truss PMF Front

- Attaches to Madix Standard Base or Upper Shelves
- Easily attaches into shelf perforations using provided pine cone clips and offers product retention
- WTPMFF and Standard Upper Shelf combination may complement Wire Truss Shelves
- Serves as option to shelf retainers and wire fronts 7/8" (22 mm) high

WTPMFF-(NW)

- WTPMFF..... Wire Truss PMF Front
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Fastener Remover 2145

- Optional Fastener Remover may be used to remove "canoe" style clips
- Especially useful when using the F10156 fastener with the Styrene Fronts and Dividers

FR2145

- FR2145..... Fastener Remover 2145




Fastener 10156

- Specifically designed to be used with Styrene Front and Dividers
- Using the 2145 Fastener Remover, the 10156 Fastener is easily removed without damage and may be reused
- This adaptation is useful when frequent changes in a layout are anticipated
- Available in packs of ten

F10156-10

- F10156..... Fastener 10156
 10..... 10 Pack




Fastener CF1CF-1

- Basic push-in type fastener that is used to secure the Styrene Fronts and Dividers to Madix Shelves
- Available in packs of ten


CF1CF-10

- CF1CF..... Fastener CF1CF-1
 10..... 10 Pack



Wire Binning


- Versatile design allows any size divider
- Attaches to shelf perforations with welded-on "feet"
- Use fronts with or without dividers
- Use dividers with or without fronts
- Vertical wires on 1" (25 mm) centers
- Chrome plated finish




Wire Binning Front

PMF-(NH)(NW)-1-(OPT)

- PMF..... Front
 NH..... Nominal Height 3" or 6"
 (76 mm or 152 mm)
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 1..... Single
 OPT..... Blank=Chrome
 P=Painted



3"



6"

Wire Binning Divider

PMD-(NH)(ND)-1-(OPT)


- PMD..... Divider
 NH..... Nominal Height 3" or 6"
 (76 mm or 152 mm)
 ND..... Nominal Depth 10" to 24" in 2" increments
 (254 mm to 610 mm in 51 mm increments)
 1..... Single Pack
 OPT..... Blank=Chrome
 P=Painted



Wire Binning Cross Divider


MC-(NH)(NW)-10-(OPT)

- MC..... Cross Divider
 NH..... Nominal Height 3" (76 mm)
 NW..... Nominal Width 6" to 12" in 2" increments
 (152 mm to 305 mm in 51 mm increments)
 10..... 10 Pack
 OPT..... Blank=Chrome
 P=Painted



Interlocking Wire Binning



- Easy snap-in installation with interlocking feature
- Versatile design allows 3" (76 mm) and 5" (127 mm) high dividers to be used with 3" (76 mm) high fronts
- Both 5" (127 mm) and 7" (178 mm) high dividers fit 5" (127 mm) high front
- Dividers on ½" (13 mm) centers
- Vertical wires on ½" (13 mm) centers



Interlocking Wire Binning Front

MF-(NH)(NW)-1-(OPT)


- MF..... Front
 NH..... Nominal Height 3" or 5"
 (76 mm or 127 mm)
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 1..... Single
 OPT..... Blank=Chrome
 P=Painted



Interlocking Wire Binning Divider

MD-(NH)(ND)-1-(OPT)

- MD..... Divider
 NH..... Nominal Height 3", 5", or 7"
 (76 mm, 127 mm, 178 mm)
 ND..... Nominal Depth 10" to 24" in 2" increments
 (254 mm to 610 mm in 51 mm increments)
 1..... Single
 OPT..... Blank=Chrome
 P=Painted




Metal Section Divider Panel

- Use for merchandise separation or as an end closure for Extended Pegboard Panels (EPP)
- Metal panel has one clip to hook into Basic Upright
- Panel has 3" (76 mm) radius at top and bottom front
- Panels should be between base or upper shelves, or screwed to shelf brackets
- If used as EPP closures, panels should be 6" (152 mm) or taller than EPP due to radius

MSDP-(AD)(AH)

MSDP..... Metal Section Divider Panel
 AD..... Actual Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 AH..... Actual Height 12" to 92" in 1" increments
 (305 mm to 2337 mm in 25 mm increments)




Standard Base Shelf Under Storage Drawer

- Not compatible with Base Shoe Reinforced (BSR) or no kickplate base shoes
- Load capacity 50 lbs on all sizes

SBSUSD-(NW)(ND)

SBSUSD..... Standard Base Shelf Under Storage Drawer
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 ND..... Nominal Depth 14" to 26" in 2" increments
 (356 mm to 660 mm in 51 mm increments)




Shelf Retainer

- Sturdy metal angle provides retaining lip for merchandise
- Ideal for use when shelf is in 15° downslope position
- Mounting hardware included

SR-(NW)-(NH)-10

SR..... Shelf Retainer
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 NH..... Blank=1" (22 mm)
 2=2" (51 mm)
 3=3" (76 mm)
 4=4" (102 mm)
 10..... 10 Pack



Touch-Up Paint, ORM-D Consumer Commodity

- Used to repair scratches in the finish of metal products that sometimes occur during installation of shelving
- Touch up not available for Silver Vein, Powder Chrome or other exotic powders
- For Powder Chrome finish, chrome touch-up available at auto parts stores may be used

APC-(COLOR)

APC..... ORM-D Consumer Commodity
 COLOR..... Color (See Chart)

Standard Colors	Part #	Optional Colors	Part #
Blue Gray	APC-BG	Hollyberry	APC-HB
Chocolate	APC-CH	Neon Blue	APC-NE
Dove Gray	APC-DG	Mandarin	APC-MA
Dover White	APC-P60	Hunter Green	APC-P06
Oyster	APC-OY	Spectrum Blue	APC-P149
Skyline Gray	APC-P234	Spectrum Red	APC-P150
Fashion Gray/Folkstone	APC-P565	Bright Orange	APC-P66
Sahara	APC-SA	Spectrum Green	APC-SG
Satin Black	APC-SB		
Snow White	APC-SW		
Tru Gray	APC-235		



NOTE!


FAA regulations prohibit the shipment of this product by air or in export containers by air or ocean to countries outside the United States.

Metal Shelf Filler

- Fills gap between shelves when used with open back

MSF-(NW)

MSF..... Metal Shelf Filler
 NW..... Nominal Width 2', 3', or 4'
 (610 mm, 914 mm, 1219 mm)




Vertical Divider Bar

- One inch square tubing has $\frac{3}{8}$ " (10 mm) diameter holes 1" (25 mm) OC to accept roll goods upright
- Includes heavy-duty bracket to attach to basic fixture upright
- Load capacity 100 lbs

VDB-(NW)(OPT)

- VDB..... Vertical Divider Bar
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 OPT..... Standoff 02" to 20" in 2" increments
 (51 mm to 508 mm in 51 mm increments)




Vertical Divider Bar, Non-Perforated

- One inch square tubing
- Includes heavy-duty bracket to attach to basic fixture upright

VDBNP-(NW)(OPT)

- VDB..... Vertical Divider Bar
 NP..... Non-Perforated
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 OPT..... Standoff 02" to 20" in 2" increments
 (51 mm to 508 mm in 51 mm increments)




Waterfall Displayers

- One inch square chrome plated tubing
- Use with VDBNP-(NW)(STANDOFF) 1" x 1" (25 mm x 25 mm) tubing
- Straight Arm projects 12" (305 mm)
- "J" Hook Waterfall projects 16" (406 mm)
- Waterfall projects 16" (406 mm)

FO(OPT)

- FO..... Waterfall Displayers
 OPT..... S= Straight Arm
 J="J" Hook Waterfall
 W=Waterfall




Threaded Vertical Divider Arms

- Unique mounting attachment allows straight out or 45° either direction mounting to Vertical Divider Bar
- Arms may be mounted to front and/or rear of standoff bars
- Regular-duty divider arms $\frac{3}{8}$ " (10 mm) diameter with red neoprene safety tip
- Heavy-duty arms 1" (25 mm) square tubing with vinyl safety cap
- Threaded option locks arm, prevents accidental dismounting
- Standard finishes: Sahara or Blue Gray

TVDA-(NL)(TYPE)

- TVDA..... Threaded Vertical Divider Arm
 NL..... Regular-Duty: 06" to 20" in 2" increments
 (152 mm to 508 mm in 51 mm increments)
 Heavy-Duty: 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 TYPE..... R=Regular-Duty
 H=Heavy-Duty




Threaded Vertical Divider Arm with "J" Hooks

- Constructed with a unique mounting attachment that allows for either straight or 45° placement on Madix Vertical Divider Bar, ordered separately
- 16" (406 mm) length has five "J" Hooks, 20" (508 mm) length has six "J" Hooks
- Threaded mount allows for additional security and stability

TVDASJ-(NL)

- TVDAS..... Threaded Vertical Divider Arm
 J..... with "J" hooks
 NL..... Nominal Length 16" or 20"
 (406 mm or 508 mm)




Threaded Vertical Divider Arm Lug Wrench Holder

- Bolts into Vertical Divider Bar
- Self-feeding bar, allows product to be front facing and organized
- Threaded mount allows for additional security and stability

TVDALWH-18H-PTH

- TVDA..... Threaded Vertical Divider Arm
 LWH..... Lug Wrench Holder
 18..... Nominal Length 18" (457 mm)



Vertical Divider Arm Heavy-Duty Wire Hook

VDAHDPWH-(NL)(OPT)

VDA..... Vertical Divider Arm
 HDWH..... Heavy-Duty Wire Hook
 NL..... Nominal Length 12" to 22" in 2" increments
 (305 mm to 559 mm in 51 mm increments)
 OPT..... PTH=Metal Tag Plate




Threaded Vertical Divider Arm Loop

- Use with standard VDB Bars
- Can be installed at 90° when secured with provided nut and 45° when unsecured
- Can be combined with dividers and multiple crossbars for displaying larger items

TVDAL-1606R


TVDAL..... Threaded Vertical Divider Arm Loop
 16..... 16" (406 mm) Nominal Length
 06..... 6" (152 mm) Nominal Loop Height



Crossbar

CB1/2X11/2-(NW)(ND)


CB..... Crossbar
 1/2X11/2..... 1/2"x1 1/2"
 NW..... Nominal Width 24", 30", 36", 42", 48", 60"
 (610 mm, 762 mm, 914 mm, 1067 mm, 1219 mm, 1524 mm)
 ND..... Nominal Depth 0 1/2" to 2 1/2" in 1" increments
 (25 mm to 610 mm in 25 mm increments)



Faceout Waterfall 12"

CB1/2FOJ-12-OPT


CB..... Crossbar
 1/2FOJ..... 1/2" (13 mm) Waterfall Hook
 12..... 12" (305 mm)
 OPT..... Blank=Chrome Finish
 PC=Powder Coat



Straight Faceout Waterfall 12"

CB1/2FOS-12-PC


CB..... Crossbar
 1/2..... 1/2" (13 mm)
 FOS..... Faceout Straight
 12..... 12" (305 mm)
 PC..... Powder Coated



Faceout Waterfall

CB1/2FOW-PC

CB..... Crossbar
 1/2..... 1/2" (13 mm)
 FOW..... Faceout Waterfall
 PC..... Powder Coated




Crossbar

- 1" x 3/16" (25 cm x 5 cm) bar stock in 3' or 4' (914 mm or 1219 mm) widths
- Flat stock solid crossbar, using special spring style hooks

CB(NL)-(SL)


- CB..... Crossbars
 NL..... Nominal Length 3' or 4'
 (914 mm or 1219 mm)
 SL..... Standoff Length 2" to 16" in 2" increments
 (51 mm to 406 mm in 51 mm increments)

**Crossbar Hooks**

- 1/4" (6 mm) diameter bright plated hook clicks onto crossbar

CB9201-(NL)-(PACK)


- CB9201..... Crossbar Hook
 NL..... Nominal Length 4", 6", or 9"
 (102 mm, 152 mm, or 229 mm)
 PACK..... Pack Size
 10=10 Pack
 100=100 Pack

**Crossbar Scanner Hook**

- .212 diameter wire
- Standard color: Chrome Plated

RCCS(NL)-212-(PACK)


- RCCS..... Crossbar Scanner Hook
 NL..... Nominal Length 4", 6", or 9"
 (102 mm, 152 mm, or 229 mm)
 212..... .212 diameter wire
 PACK..... Pack Size
 1=1
 20=20
 100=100

**Crossbar Hooks**

- Made with 3 gauge wire, 1/4" (6 mm) diameter, to handle heavier merchandise
- Held in place with a snap button and side hook, to avoid rotating
- Tag label holder is 1 1/2"H x 2 3/8"W (38 mm x 61 mm)
- May be ordered with or without double-sided tape adhesive
- Powder coated

THACBM06-(OPT)


- THACBM..... Tag Holder Arm Crossbar Mounted
 06..... Nominal Length 06" (152 mm)
 OPT..... Blank=with tape
 NT=No tape on tag plate

**Hangrod**

- 1 1/4" OD (32 mm) heavy-gauge steel tubing with chrome plated finish

HR-(NL)

- HR..... Hangrod
 NL..... Nominal Length 3' or 4' (914 mm or 1219 mm)

**Hangrod Brackets**

- Heavy-duty brackets for use with hangrod
- Upslope brackets have 12" (305 mm) rise on all lengths
- Sold in pairs
- Standard finish: Sahara

HR(OPT)-(NL)


- HR..... Hangrod
 OPT..... B=Bracket Straight
 BU= Bracket Upslope
 NL..... Nominal Length 12" to 18" in 2" increments
 (305 mm to 457 mm in 51 mm increments)

Adjustable Crossbar


- Adjustability allows retailers greater flexibility when displaying merchandise
- Uses pushpins to easily change depths and to eliminate the need of additional hardware
- Flat stock solid crossbar, using special spring style hooks
- 3/16" (5 mm) thick

CBADJ-(NW)(ND)

- CBADJ..... Crossbar Adjustable
 NW..... Nominal Width 2', 3', or 4'
 (610 mm, 914 mm, 1219 mm)
 ND..... Nominal Depth 12" to 22" in 2" increments
 (305 mm to 559 mm in 51 mm increments)

**Crossbar with Holes****CBP(NW)-(ND)**

- CBP..... Crossbar with Holes
 NW..... Nominal Width 24", 36", or 48"
 (610 mm, 914 mm, or 1219 mm)
 ND..... Nominal Depth 01" to 24" in 1" increments
 (25 mm to 610 mm in 25 mm increments)




Peg Hook Applications


Peg Hook Type	Pegboard	Slatwall	Slatgrid	Harmonic Grid	Modified Harmonic Grid	Multi-Purpose Grid	Mini Grid	2" x 2" Mesh Grid	3" x 3" Mesh Grid	End Cap Merchandiser	3/16" x 1"
Pegboard Hooks	★	☆	☆	☆	☆	☆	☆				
Slatwall Hooks		★	★	★	★	★	★				
Wire Grid Hooks			☆	☆	☆	☆	☆	★	★		
Crossbar/ECM Hooks										★	★

★ Recommended Application


☆ Fits but NOT recommended




Slatgrid, Harmonic Grid, and Mini-Harmonic Grid




2" x 2" or 3" x 3" Mesh Grid



End Cap Merchandiser



Multi-Purpose Grid



Mini Grid

Peg Hook-Single Prong

- For 1/4" (6 mm) perforations
- Four gauge
- .212 diameter wire
- Chrome Plated


PH(NL)-PACK

PH..... Peg Hook

NL..... Nominal Length 4" to 12" in 2" increments
(102 mm to 305 mm in 51 mm increments)

PACK..... Pack Size :

- 1=1
- 12=12
- 500=500
- 1000=1,000



Scanner Peg Hook

- For 1/4" (6 mm) perforations
- Heavy-duty, .186 diameter wire
- Extra Heavy-duty, .212 diameter wire
- Chrome Plated


SPH(TYPE)-(NL)-10

SPH..... Scanner Peg Hook

TYPE..... HD=Heavy-Duty
XHD=Extra Heavy-Duty

NL..... Nominal Length 4" to 12" in 2" increments
(102 mm to 305 mm in 51 mm increments)

10..... 10 Pack




Peg Hook-Double Prong

- Supports heavy product in peg backs

(OPT)4K554

OPT..... E=Chrome-Plated Hook
V=Vinyl Coated Hook

4K554..... Double Prong




Slatwall Peg Hook

- .224 diameter wire
- Chrome Plated

SWPH-(NL)-(PACK)


SWPH.....Slatwall Peg Hook
 NL.....Nominal Length 04" to 12" in 2" increments
 (102 mm to 305 mm in 51 mm increments)
 PACK.....Pack Size :
 Blank=1
 10=10

**Slatwall Scanner Hook**

- .212 diameter wire
- Chrome Plated

SWLHSH-(NL)-(PACK)


SWLHSH.....Slatwall Scanner Hook
 NL.....Nominal Length 04" to 12" in 2" increments
 (102 mm to 305 mm in 51 mm increments)
 PACK.....Pack Size :
 1=1
 10=10

**Wire Grid Peg Hook**

- .224 diameter wire
- Chrome Plated

WGPH-(NL)-(PACK)


WGPH.....Wire Grid Peg Hook
 NL.....Nominal Length 4" to 12" in 2" increments
 (102 mm to 305 mm in 51 mm increments)
 PACK.....Pack Size :
 10=10

**Wire Grid Scanner Hook**

- .212 diameter wire
- Chrome Plated

RGS-(NL)-(PACK)


RGS.....Wire Grid Scanner Hook
 NL.....Nominal Length 4" to 12" in 2" increments
 (102 mm to 305 mm in 51 mm increments)
 PACK.....Pack Size :
 50=50
 100=100

**Crossbar Hook**

- .224 diameter wire
- Chrome Plated

CB9201-(NL)-(PACK)


CB9201.....Crossbar Hook
 NL.....Nominal Length 4" to 12" in 2" increments
 (102 mm to 305 mm in 51 mm increments)
 PACK.....Pack Size :
 1=1
 20=20
 100=100

**Crossbar Scanner Hook**

- .212 diameter wire
- Chrome Plated

RCCS(NL)-212-(PACK)

RCCS.....Crossbar Scanner Hook
 NL.....Nominal Length 4", 6", or 9"
 (102 mm, 152 mm, or 229 mm)
 212......212 diameter wire
 PACK.....Pack Size :
 1=1
 20=20
 100=100




Label Holder

- 1¼"H (32 mm)
- Use with pressure sensitive labels
- Fits all diameter hooks

SCMLH-(NL)-(PACK)

SCMLH..... Label Holder
 NL..... Nominal Length 2", 3"
 (51 mm, 76 mm)
 PACK..... Pack Size:
 1=1
 10=10




Heavy-Duty Label Holder

- 1¼"H (32 mm)
- Use with pressure sensitive labels
- Fits .186" (5 mm) diameter hooks

SCLHHD-(NL)-(PACK)

SCLH..... Label Holder
 HD..... Heavy-Duty
 NL..... Nominal Length 2", 3"
 (51 mm, 76 mm)
 PACK..... Pack Size:
 1=1
 10=10




Extra Heavy-Duty Label Holder

- 1¼"H (32 mm)
- Use with pressure sensitive labels
- Fits .212" (5 mm) diameter hooks

SCLHXHD-(NL)-(PACK)

SCLH..... Label Holder
 XHD..... Extra Heavy-Duty
 NL..... Nominal Length 3" (76 mm)
 PACK..... Pack Size:
 1=1
 10=10




Heavy-Duty Implement Hook

- Protect your panel by distributing the weight over a wide area
- Hooks may be used to display brooms, brushes, mops, rakes or similar items
- Length 11" (279 mm)
- Available in Powder Chrome finish only

PHI-10-PC

PHI..... Heavy-Duty Implement Hook
 10..... 10 Pack
 PC..... Powder Coat




Garden Fork Peg Hook

- Six notches on heavy-duty double blade bracket spaced 1¾" (44 mm) apart
- Available in Powder Chrome finish only

E4K534

E4K534..... Garden Fork Peg Hook




Garden Rake Peg Hook

- Eight notches on single blade brackets, ideal for most garden tools
- Available in Powder Chrome finish only

E4K531

E4K531..... Garden Rake Peg Hook




Peg Basket

- Versatile basket for small impulse items
- Dimensions: 3¾"H x 6¾"D x 8¼"W (95 mm x 171 mm x 210 mm)
- Load capacity 2 lbs

PEGB

PEGB..... Peg Basket



Classic Pegboard Basket


- Peg and Slatwall Wire Basket fits both standard pegboard or slatwall back panels
- Basket height is 3¾" (95 mm)
- Load capacity 50 lbs

CBPSW-(NW)(ND)

CBPSW..... Classic Basket for Pegboard and Slatwall

NW..... Nominal Width 24" (610 mm)

ND..... Nominal Depth 10" or 12" (254 mm or 35 mm)





Wire Mini Shelf for Pegboard

- Presentation of lightweight items only
- Dimensions: 10"D x 12"W (254 mm x 305 mm)
- Load capacity 10 lbs

WMSP

WMSP..... Wire Grid Mini Shelf For Pegboard



Utility Baskets for Wire Grid

- Use with wire grid, shelf mount shown
- Basket's 1¼" (32 mm) tag molding affords space for pricing information
- 18¼"W x 3¾"H x 3½"D (464 mm x 95 mm x 100 mm)
- Load capacity 25 lbs

WUB-(NW)(ND)(NH)-(TYPE)


WUB..... Wire Utility Basket

NW..... 18" Width (457 mm)

ND..... 04" Depth (102 mm)

NH..... 04" Height (102 mm)

TYPE..... Mount Type:
WG=Wire grid



Wire Pet Bed Displayer


- Holds several pet beds of varying dimensions, depending on thickness
- 60° downslope with 5" (127 mm) deep retaining lip

WPBD-(OPT)

WPBD..... Wire Pet Bed Displayer

OPT..... Blank=Wire Grid

P=Pegboard




Framed Art Bracket

- Fits into pegboard
- Can be adjusted to match width of product
- Dimensions: Small 7 7/8"H x 2 7/8"W x 7"D (200 mm x 73 mm x 178 mm)
Large 8"H x 2 7/8"W x 10"D (203 mm x 73 mm x 254 mm)
- Load Capacity 40 lbs per pair

4

FAB..... Framed Art Bracket
OPT..... S=Small
 L=Large
PG..... Pegboard
HAND..... LH=Left-Hand
 RH=Right-Hand




Waterfall Displayers for Slatwall

- One inch square chrome plated tubing
- A** Straight Arm, projects 12" (305 mm)
- B** "J" Hook Waterfall, projects 16" (406 mm)
- C** Waterfall, projects 16" (406 mm)

S(TYPE)

S..... Slatwall
(TYPE)..... FOS=Straight Arm Displayer
 FOJ="J" Hook Waterfall Displayer
 FOW=Waterfall Displayer




Wire Snack Shelf

- For lightweight merchandising of items
- Optional tag molding accepts 1 1/4" (32 mm) tags
- Available in 0° or 15° downtilt
- Load capacity 30 lbs

WCANSSW(NL)(ND)-(OPT)

WCANS..... Wire Candy Snack Shelf
SW..... Slatwall
NL..... Nominal Length 24" to 48" in 6" increments
 (610 mm to 1219 mm in 152 mm increments)
ND..... Nominal Depth 8", 10", or 12"
 (203 mm, 254 mm, or 305 mm)
OPT..... Degree Option:
 Blank=0°
 15=15°





Slatwall Frame Display

- Fits into wooden or metal slatwall
- Ships as a pair, left and right-hand
- Can be adjusted to match width of product
- Load Capacity 40 lbs per pair

FAB(SIZE)

FAB..... Framed Art Bracket
SIZE..... S=Small 7" (178 mm)
 L=Large 10" (254 mm)




Waterfall Displayers for Wire Grid

- One inch square (25 mm x 25 mm) chrome plated tubing

- A** Straight Arm, projects 12" (305 mm)
- B** "J" Hook Waterfall, projects 16" (406 mm)
- C** Waterfall, projects 16" (406 mm)

WG(TYPE)

- WG..... Wire Grid
- (TYPE)..... FOS=Straight Arm Displayer
- FOJ="J" Hook Waterfall Displayer
- FOW=Waterfall Displayer




Classic Basket for Wire Grid

- Basket height 3¾" (95 mm)
- Load capacity 50 lbs

CBWG-(NW)(ND)

- CBWG..... Classic Basket for Wire Grid
- NW..... Nominal Width 24" (610 mm)
- ND..... Nominal Depth 10" or 12" (254 mm or 305 mm)




Wire Grid Brochure Holder

- Holder measures 3½" deep (89 mm)
- Available in 4", 6", and 8½" widths (102 mm, 152 mm, and 216 mm)

WBH-(NL)-WG

- WBH..... Wire Brochure Holder
- NL..... Nominal Length
- 04=4" (102 mm)
- 06=6" (152 mm)
- 85=8½" (216 mm)
- WG..... Wire Grid




Wire Grid Utility Bin

- 1" (25 mm) grid pattern
- 12"D x 12"L x 9"H (305 mm x 305 mm x 229 mm)

WGUB-12129

- WGUB..... Wire Grid Utility Bin
- 12..... 12" Depth (305 mm)
- 12..... 12" Length (305 mm)
- 9..... 9" Height (229 mm)




Wire Grid Skillet Holder

- Heavy-duty hook
- Heavy gauge wire
- Scan plate measures 2⅝" x 1⅛" (67 mm x 29 mm)

WGSB-(NL)

- WGSB..... Wire Grid Skillet Holder
- NL..... Nominal Length 12", 18", 20", or 22" (305 mm, 457 mm, 508 mm, or 559 mm)




Utility Baskets For Wire Grid Mount


- Use with wire grid, shelf mount shown
- 1¼" (32 mm) tag molding affords space for pricing information
- 18¼"W x 3¾"H x 3⅛"D (464 mm x 95 mm x 100 mm)
- Load capacity 25 lbs

WUB-(NW)(ND)(NH)-(TYPE)

- WUB..... Wire Utility Basket
- NW..... 18" Width (457 mm)
- ND..... 4" Depth (102 mm)
- NH..... 4" Height (102 mm)
- TYPE..... Mount Type:
- WG=Wire Grid
- S=Shelf



Wire Grid Mount




Shelf Mount

Bookshelf On Base

- "Add on," 10° up tilt unit for Standard Base Shelves
- Hook for securing in front shelf perforations, eliminating hardware for simple installation
- Back of unit is 8" (203 mm) high and accepts Wire Dividers (BKSD) and End Panels (BKSBEF)

BKSOS-(NW)(ND)-(TYPE)

- BKS..... Bookshelf
- OS..... On Base
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND..... Nominal Depth 10" to 16" in 2" increments (254 mm to 406 mm in 51 mm)
- TYPE..... P=Perforated
U=Unperforated




Bookshelf End Panel

NOTE!

Order Bookshelf End Panel 2" shorter than nominal depth of shelf.

BKSBEF-(ND)-6

- BKS..... Bookshelf
- BEF..... End Panel
- ND..... Nominal Depth 08" to 16" in 2" increments (203 mm to 406 mm in 51 mm increments)
- 6..... 6 Pack



Bookshelf Wire Divider

NOTE!

Order Bookshelf Wire Divider 2" shorter than nominal depth of shelf.

BKSD-(ND)-25

- BKS..... Bookshelf
- D..... Wire Divider
- ND..... Nominal Depth 06" to 14" in 2" increments (152 mm to 356 mm in 51 mm increments)
- 25..... 25 Pack

Book Display, 70"

- Designed to display larger printed materials
- 36" or 48"W x 70"H (914 mm or 1219 mm x 1778 mm)
- Pocket dimensions: 4"D x 7"H (102 mm x 178 mm)

BD70-(NW)

- BD70..... Book Display 70"
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)



Five Pocket Magazine & Calendar Display

- Designed to display larger printed materials
- 36" or 48"W x 61⁵³/₆₄"H x 18"D (914 mm or 1219 mm x 1570 mm x 457 mm)
- Pocket dimensions: 4"D x 7"H (102 mm x 178 mm)
- Each shelf has 1¹/₄" (32 mm) tag molding attached
- Load capacity 150 lbs

MCD-(NW)

- MCD..... Magazine & Calendar Display
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)




Six Pocket Magazine & Calendar Display

- 36" or 48"W x 70"H x 18"D (914 mm or 1219 mm x 1778 mm x 457 mm) from upright at bottom
- Pocket dimensions: 7"H x 4"D (178 mm x 10 mm)
- Each shelf has 1¼" (32 mm) tag molding attached
- Load capacity 150 lbs

MCD6-(NW)

MCD6.....6 Pocket Magazine & Calendar Display
NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)




Seven Tier Wire Magazine Rack

- Holds 21 facings of standard size magazines and 6 facings of small magazines or calling cards
- Removable intermediate dividers on calling card basket
- Open wire design allows for high visibility of product
- Mounts into Basic Upright, sits on base shelf

SVTDPWMR(NW)(ND)(NH)

SVTDP.....Seven Tier Double Pocket
WMR.....Wire Magazine Rack
NW.....Nominal Width 24" (610 mm)
ND.....Nominal Depth 14" (356 mm)
NH.....Nominal Height 54" (1372 mm)




Magazine Displayer

- Sturdy metal end panels also act as brackets to attach displayer to upright
- Sloping back is ideal for faceout presentation of larger format publications
- Ribbed composition insert in bottom prevents sliding of magazines
- Single tier: 10"H x 8"W (254 mm x 203 mm)
Double tier: 16"H x 13"D (406 mm x 330 mm)
Triple tier: 22"H x 19"D (559 mm x 483 mm)

DM(TYPE)T-(NW)

DM.....Magazine Displayer
TYPE.....Blank=One
2=Two
3=Three
T.....Tiers
NW.....Nominal Width 3' or 4'
(914 mm or 1219 mm)



Wire Twelve Pocket Magazine Rack

- Attaches to upright on endcap
- Holds 12 facings of standard size magazines

WTPMR

WTPMR.....Wire Twelve Pocket Magazine Rack





Book Basket

- 1½" (38 mm) OC wire spacing with 4" (102 mm) front lip, 8¾" (222 mm) rear lip and is 12" (305 mm) deep
- Snap in wire dividers included:
 - 36" (914 mm) = 5 dividers
 - 42" (1067 mm) = 6 dividers
 - 48" (1219 mm) WTPMR = 7 dividers

ABB-(NW)

ABB..... Book Basket
 NW..... Nominal Width 36", 42", or 48"
 (914 mm, 1067 mm, 1219 mm)




Seven Tier Wire Displayer

- Face out display of small notebooks, pads, and folders
- 36" or 48"W x 46⅝"H x 19¼"D (914 mm or 1219 mm x 1235 mm x 489 mm) from upright at bottom
- Pocket dimensions: 9"H x 2⅝"D (229 mm x 67 mm)
- Vertical wire spacing is 1" (25 mm) OC
- Hooks into Basic Upright and sits on Base Shelf

STWD7-(NW)

STWD7..... Seven Tier Wire Displayer
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)




Wire Magazine & Book Display

- Designed to display larger printed materials
- 36" or 48"W x 51"H x 18"D (914 mm or 1219 mm x 1295 mm x 457 mm)
- Pocket dimensions: 1¾"D x 8½"H (38 mm x 216 mm)
- Brackets install into upright, bottom rests on a 26" (660 mm) or larger Base Shelf

WMBD-(NW)

WMBD..... Wire Magazine & Book Display
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Seven Tier Comic Book Display

- Plexiglass panel on front of first tier increases product visibility
- Unit mounts onto Maxi Line uprights
- Each pocket is approximately 9" (229 mm) deep

CBD7T-(NW)(ND)

CBD7T..... Comic Book Display 7 Tier
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Depth 18" or 24"
 (457 mm or 610 mm)




CD Browser Shelf

- Unit mounts onto Maxi Line uprights
- Available in 18" or 24" (457 mm or 610 mm) depths
- Sturdy, adjustable product dividers also available

CDBS-(NW)(ND)

- CDBS.....CD Browser Shelf
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND.....Nominal Depth 18" or 24"
(457 mm or 610 mm)




CD Browser Divider

- CD Browser Shelf Divider is used with the CDBS (CD Browser Shelf) to separate different products

CDBSD-(ND)

- CDBSD.....CD Browser Shelf Divider
- ND.....Nominal Depth 18" or 24"
(457 mm or 610 mm)




CD Displayer

- Lightweight alternative for merchandising music and software CDs
- Wire frame construction designed for use on runs with 22" (559 mm) base shelves
- 36" or 48"W x 42"H x 22"D
(914 mm or 1219 mm x 1067 mm x 559 mm)
- Pocket dimensions: 4"D x 7"H
(102 mm x 178 mm)

CDD-(NW)

- CDD.....CD Displayer
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)





CD Displayer Endcap

- Designed for use with Maxi Line as end cap to display music or software CDs
- Typically installed on an end merchandiser with a 22" (559 mm) Base Shelf
- 36" or 48"W x 28½"H x 17"D
(914 mm or 1219 mm x 724 mm x 432 mm)
- Pocket dimensions: 3⅞"D x 5⅞"H
(98 mm x 149 mm)

CDDE-(NW)

- CDDE.....CD Displayer Endcap
- NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)





Standard Base Shelf for Compact Discs

- Replaces Standard Base Shelf in Maxi Line sections
- Kickplates not needed
- Requires special Base End Covers, BECCD-(NH)(ND), ordered separately
- Does not match depth of Standard Base Shelf

SBSCD-(NW)(ND)

SBSCD.....SBS for Compact Discs
 NW.....Nominal Width 24", 36", or 48"
 (610 mm, 914 mm, or 1219 mm)
 ND.....Nominal Depth 12", 14", or 16"
 (305 mm, 356 mm, or 406 mm)




Extended Compact Disc Display Shelf

- Holds six jewel cases front to back on 2 3/8" D (60 mm) shelf bottom with 5 1/4" H back (133 mm)
- Use above 12" (305 mm) deep base shelf

ECDDS(NW)(ND)

ECDDS.....Extended Compact Disc Display Shelf
 NW.....Nominal Width 2' to 4' in 12" increments
 (610 mm to 1219 mm in 305 mm increments)
 ND.....Nominal Depth 08" or 10"
 (203 mm or 254 mm)




Base End Cover Cap Design

- Ordered in pairs
- Finished appearance when Standard Base Shelf for Compact Discs is used
- Two pairs needed for each Maxi Line gondola run or one pair needed for each wall run
- Installed by placing cover over top of Base Shoes
- Covers held securely in place upon installation of SBS for Compact Discs

BECCD-(NH)(ND)

BECCD.....Base End Cover Cap Design
 NH.....Nominal Height 5" (127 mm)
 ND.....Nominal Depth 12", 14" or 16"
 (305 mm, 356 mm, or 406 mm)




Wire Video Shelf

- Lightweight but rigid, uniquely designed shelf uses hooks instead of brackets
- Back is 7"H x 5"D (178 mm x 127 mm)
- 15° upslope for product retention

MWVSG(NW)

MWVSG.....Maxi Wire Video Shelf for Gondola
 NW.....Nominal Width 24" to 48" in 6" increments
 (610 mm to 1219 mm in 152 mm increments)




DVD Flush Shelf 3-Level

- 10" (254 mm) between each shelf
- DVDs can be shown face out or book style
- Mounts above DVDS4T
- Multiple units provide continuous display

DVDF3L-(NW)

DVDF3L.....DVD Shelf 3 Level

NW.....Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)




DVD Flush Shelf 3-Level End Panel

- Used at the ends of runs to prevent product from being knocked off

DVDF3L-EP

DVDF3LDVD Shelf 3 Level

EP.....End Panel




DVD Shelf 4-Tier

- 10" (254 mm) between each shelf
- DVDs can be shown face out or book style
- Can mount below DVDF3L
- Sits on Base Shelf
- Multiple units provide continuous display

DVDS4T-(NW)

DVDS4T.....DVD Shelf 4-Tier

NW.....Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)




DVD Shelf 4-Tier End Panel

- Used at the ends of runs to prevent product from being knocked off

DVDS4T-EP

DVDS4TDVD Shelf 4-Tier

EP.....End Panel




Six Level Wire DVD Rack

- Wire rack fits into the Maxi Line Uprights and can be placed together to make an appealing wall or aisle display
- Each rack can hold up to 540 DVDs
- 48"W x 48⁷/₈"H x 22"D
(1219 mm x 1241 mm x 559 mm)
- Pocket dimensions: 7⁷/₈"H x 6³/₁₆"D
(200 mm x 157 mm)

WDVD6L-(NW)(ND)

WDVD6L.....Wire DVD Rack 6 Level
NW.....Nominal Width 48" (1219 mm)
ND.....Nominal Depth 22" (559 mm)




Seven Level Wire DVD Rack

- Wire rack fits into the Maxi Line Uprights and can be placed together to make an appealing wall or aisle display
- Each rack can hold up to 630 DVDs
- 48"W x 57¹/₂"H x 22"D
(1219 mm x 1461 mm x 559 mm)
- Pocket dimensions: 7⁷/₈"H x 6³/₁₆"D
(200 mm x 157 mm)



WDVD7L-(NW)(ND)

WDVD7L.....Wire DVD Rack 7 Level
NW.....Nominal Width 48" (1219 mm)
ND.....Nominal Depth 22" (559 mm)




Various Type Display

- VTD:
7° upslope, 8"H (203 mm) back 2½"D (64 mm) shelf, ¾"H (19 mm) front lip
- Extended VTD (VTDSXT):
15° upslope, 8"H (203 mm) back 2½"D shelf, ¾"H front lip



VTD(TYPE)(NL)(ND)

- VTD..... Various Type Display
- TYPE..... Blank=No Extension
SXT=Extended Video Shelf
- NL..... Nominal Length 24" to 48" in 6" increments
(610 mm to 1219 mm in 152 mm increments)
- ND..... Nominal Depth 09" or 11" (for SXT only)
(229 mm or 279 mm—for SXT only)



Greeting Card Four Tier Wire Display

- Mounts on Maxi Line Standard Uprights for display of greeting cards
- Integral wire retainers hold cards in place
- Must order Maxi Line sections with minimum base shelf depth of 20" (508 mm)
- 24", 30", 36" or 48"W x 31½"H (610 mm, 762 mm, 914 mm, or 1219 mm x 803 mm)
- Pocket dimensions: 9"H x 2⅞"D (229 mm x 62 mm)

GCFTWD4-(NW)

- GC..... Greeting Card
- FTWD4..... Four Tier Wire Display
- NW..... Nominal Width 24", 30", 36", or 48" (610 mm, 762 mm, 914 mm, or 1219 mm)




Three Tiered Calling/Gift Card Wire Display

- Designed to hold calling or gift cards
- Mount into pegboard or Tube Line upright
- Will not fit Maxi Line Basic Upright slotting
- Pocket dimensions: 1"D x 5"H x 2¼" (25 mm x 127 mm x 57 mm) front lip

TTCGWD(NW)(ND)(NH)-(OPT)

- TT..... Three Tiered
- CGCWD..... Calling/Gift Card Wire Display
- NW..... Nominal Width 12", 18", or 24" (305 mm, 457 mm, or 610 mm)
- ND..... Nominal Depth 04" (102 mm)
- NH..... Nominal Height 10" (254 mm)
- OPT..... Mounting Option:
P=Pegboard
U=Tube Line Upright





Pegboard option shown

Hanging Magazine Rack

- Display magazines or other literature with this easy-to-install rack
- Install by placing welded hooks over open tubing of an end frame
- Contains four individual pockets to display multiple magazines or other publications
- Each pocket has wire assembly welded in the bottom to prevent literature from falling through
- Overall dimensions: 9½"W x 50"H x 3"D (241 mm x 1270 mm x 76 mm)
- Pocket dimensions: 9½"W x 9"H x 3"D (241 mm x 229 mm x 76 mm)

HMR

HMR.....Hanging Magazine Rack



Slatwall Mount Wire DVD Shelf

- For use in standard Maxi Line shelving sections that use Slatwall Back Panels
- Brackets are designed to give approximately 10° up tilt to shelf
- Load capacity 25 lbs

SMWDVDS-(NW)

SMWDVDS.....Slatwall Mount Wire DVD Shelf
 NW.....Nominal Width 24", 36", or 48"
 (610 mm, 914 mm, or 1219 mm)



NOTE!



Does not work in Slatgrid due to size of clip.

Uptilt Shelf

- 7° up tilt
- "Straight-in" insertion two tab brackets
- 8"H (203 mm) welded book back for rapid installation
- Accepts Wire Dividers (BKSD) and End Panels (BKSBEP) both sold separately

UTSBKSB(NW)(ND)-08-7

UTS.....Uptilt Shelf
 BKS.....Bookshelf Back
 NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND.....Nominal Depth 8" to 16" in 2" increments
 (203 mm to 406 mm in 51 mm increments)
 08.....Nominal Back Height 8" (203 mm)
 7.....7° Uptilt




Bookshelf End Panel

NOTE!

Order Bookshelf End Panel 2" shorter than nominal depth of shelf.

BKSBEP-(ND)-6

BKS.....Bookshelf
 BEP.....End Panel
 ND.....Nominal Depth 08" to 16" in 2" increments
 (203 mm to 406 mm in 51 mm increments)
 6.....6 Pack



Bookshelf Wire Divider

NOTE!

Order Bookshelf Wire Divider 2" shorter than nominal depth of shelf.

BKSD-(ND)-25


BKS.....Bookshelf
 D.....Wire Divider
 ND.....Nominal Depth 06" to 14" in 2" increments
 (152 mm to 356 mm in 51 mm increments)
 25.....25 Pack

Mobile Gondola End Deck

- To attach end deck to mobile Gondola, order a Mobile Gondola End Deck to make the entire fixture run able to be moved
- Contains two caster runners and front and side kickplates
- Caster runners connect to Madix Base Shoes, allowing for a completely mobile Gondola
- Includes a Wrap-Around Base Shelf
- Load capacity 400 lbs

MGED(ND)(LSD)(RSD)(NP)-DGA28(TYPE)

MGED..... Mobile Gondola End Deck
 ND..... Nominal Depth 12", 16", or 18"
 (305 mm, 406 mm, or 457 mm)
 LSD..... Left Side Depth 12", 16", 18", or 22"
 (305 mm, 406 mm, 457 mm, or 559 mm)
 RSD..... Right Side Depth 12", 16", 18", or 22"
 (305 mm, 406 mm, 457 mm, or 559 mm)
 NP..... Blank=Perforated
 NP=Non Perforated
 DGA28..... Tag Mold
 TYPE..... Blank=Painted
 S=Satin
 G=Gold




Mobile Gondola Plate Caster

- Move Gondola runs without having to disassemble the fixtures
- Assembles to base shoes and uprights
- Maximum Height: Depth Ratio of 2.5:1
- Maximum Upright Height: 78" (1981 mm)
- Maximum of three sections per run
- Load capacity:
 - 36"-48" 1000 lbs per gondola section
 - 36"-48" 900 lbs with end frames
 - 60" 750 lbs per gondola section
 - 60" 650 lbs with end frames

MGPC(NW)

MGPC..... Mobile Gondola Plate Caster
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)



NOTE!
 Parts assemble to Maxi Line Gondola Base Shoes and Uprights which are ordered separately.


NOTE!
 DO NOT use the MGPC(NW) with Wall Sections!

Mobile Gondola Spacer Plate

- Order when Mobile End Decks are not installed on one or both ends of a Mobile Gondola
- One MGSP is required per base shoe
- Spacer plates should be painted the same color as the units' base shoes
- Hardware is included for attaching the MGSP to a base shoe

MGSP

MGSP..... Mobile Gondola Spacer Plate



Small Electronics Display Shelf

- Allows secure display of small electronics, such as GPS-global positioning systems
- Locking front panel prevents removal of units on display
- Use Tamper Proof Shelf Locking Kit (TAMPRF-SLK) to secure uprights

NDS-482028

NDS..... Small Electronics Display Shelf
 48..... Nominal Width 48" (1219 mm)
 20..... Nominal Depth 20" (508 mm)
 28..... Nominal Height 28" (711 mm)





Small Electronics Display Unit Holders

- For each GPS displayed, ordering two corner holders and one side holder is recommended
- Includes two bolts and two nuts for each unit

NDUH-(TYPE)

NDUH..... Small Electronics Display Unit Holder
 TYPE..... C=Corner
 S=Side



Tamper Proof Shelf Locking Kit

- Securely display merchandise by bolting to uprights of Small Electronics Display Shelf, to keep the shelf from being raised
- Mounting hardware and specialized tamper proof nuts are included

TAMPRF-SLK

TAMPRF..... Tamper Proof
 SLK..... Shelf Locking Kit



TAMPRF-NUT


NOTE!
 This item deters crime, but is not entirely theft-proof

Tamper Proof Socket Tool

- Additional component of Tamper Proof Shelf Locking Kit
- Utilized in the securing of uniquely designed Tamper Proof Shelf Nuts (TAMPRF-NUT)
- This tool is the only way to properly secure Tamper Proof Shelf Nuts

TAMPRF-SOCKET

TAMPRF..... Tamper Proof
 SOCKET..... Socket Tool




Universal Basket

- Ideal for heavier bulk or promotional items such as canned or cello packed foods
- Steel wire baskets have 1" OC (25 mm) wire spacing, optional 1/2" OC (13 mm) wire spacing
- Wire dividers have same wire spacing
- All powder coated for extra wear
- Basket projection from upright is 1/8" (3 mm) greater than depth shown in table
- Load capacity 200 lbs for regular-duty and 400 lbs for heavy-duty
- Standard finishes: Sahara, Powder Chrome or Silver Vein

UB(TYPE)(WS)-(NW)(ND)(BH)(FH)


- UB..... Universal Basket
 TYPE..... HD=Heavy-Duty
 Blank=Regular-Duty
 WS..... Wire Spacing:
 5=1/2" (13 mm) OC mesh
 Blank=1" (25 mm) OC mesh
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 BH..... Nominal Back Height 08", 10", or 12"
 (203 mm, 254 mm, or 305 mm)
 FH..... Nominal Front Height 05" (127 mm)



Universal Basket shown with Divider and Wire Basket Clips installed in back side of basket

NOTE!

Load capacity of the Universal Basket is reduced to 75 pounds when using the Wire Basket Clips plus one divider at each end.



EZ Clip Label Holder


- Clear plastic extrusion has easy load full length label protector
- Snaps onto top of basket front
- Standard finishes: Sahara, Powder Chrome or Silver Vein

EZ861-(NW)

- EZ861..... EZ Clip Label Holder
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)


Divider

- Offers easy snap in/snap out attachments, allowing for easy repositioning as merchandise requirements change
- Order dividers same nominal depth as baskets



CBD(WS)-(ND)(TYPE)(NH)

- CBD..... Clipless Basket Divider
 WS..... Wire Spacing:
 5=1/2" (13 mm) OC mesh
 Blank=1" (25 mm) OC mesh
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 TYPE..... MWB=Madix Wire Basket
 UB=Universal Basket
 NH..... Nominal Height
 Blank=MWB 08", 10", or 12"
 (203 mm, 254 mm, or 305 mm)




Universal Basket shown with Divider and Wire Basket Clips installed in back side of basket

Universal Basket Brackets

- Designed for easy installation on Universal Baskets
- Provide sturdy support of baskets when installed in either straight or 15° downtilt position
- Order bracket depth same size as basket

UBB-ND

- UBB..... Universal Basket Bracket
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)




Wire Basket Clip

- Optional bracket solution for Universal Baskets, UB-(NW)(ND)(BH)(FH)
- Order one pair per basket
- Standard finish: Galvanized only

WBC

- WBC..... Wire Basket Clip




Open End Baskets


- Designed to be flexible, OEBs can be configured two ways for strong, neat displays that clean easily, do not collect dust, and increase accessibility to merchandise
- Reversible mounting for maximum display flexibility
- Mounted from the back, baskets rest flat to create a neat wall of merchandise
- Mounted from the front, baskets hang at 30° downslant, creating a "gravity feed" configuration
- Recommended using minimum of three dividers for added support
- Load capacity 75 lbs for OEBs up to 16" W (406 mm)
- 18" to 24" (457 mm to 610 mm) baskets must be reinforced or placed flat on a metal shelf
- Standard finishes: Satin Black, Cream, Dove Gray, White, Powder Chrome

BS01(ND)(NW)

- BS01..... Open End Basket
- ND..... Nominal Depth 09", 12" to 24" in 2" increments (229 mm, 305 mm to 610 mm in 51 mm increments)
- NW..... Nominal Width 24", 30", 36", or 48" (610 mm, 762 mm, 914 mm, or 1219 mm)



NOTE!
Overall depth is approximately 2" (51 mm) deeper than nominal depth.
Optional Roll-On Clips use finish code -C




Open End Basket Divider

- Enhance your OEBs with orderly compartments using 6-Way Locking OEB Dividers
- Locks securely into place
- Easily repositioned
- Create custom sized compartments by using dividers at any location along basket
- Increase basket strength and load capacity using at least three dividers per basket, one in center and one on each end
- Standard finishes: Satin Black, Cream, Dove Gray or White, Powder Chrome

DV02(ND)(NH)

- DV02..... OEB Divider
- ND..... Nominal Depth 09", 12" to 24" in 2" increments (229 mm, 305 mm to 610 mm in 51 mm increments)
- NH..... Nominal Height 9" (229 mm)




Plastic Tag Molding

- Made of clear plastic allowing easy viewing of merchandise pricing
- Snaps onto wire up to ¼" (6 mm) in diameter (up to 3 gauge)
- 2⅞"W x 1¼"H (73 mm x 32 mm)

ACPM122398

ACPM122398.....Plastic Tag Molding




"Z" Brackets

- Used as a suspension method from 1" (25 mm) universally slotted upright
- Used when OEBs are the same length or slightly shorter than the centerline distance between uprights
- Standard finish: Zinc Plated

AC123141(HAND)Z

AC123141.....Brackets
 Hand.....L=Left-Hand Option
 R=Right-Hand Option
 Z....."Z" Brackets

**Slatwall Brackets**


- Mount directly to slatwall or slatgrid
- Provides heavy-duty hook from which OEBs hang
- Use two or three per basket

AC999SWB(FIN1)

AC999SWB.....Slatwall Brackets

Finish Code

FIN1CR=Chrome Finish
 PC059=Satin Black
 PC811=Cream
 PC812=Dove Gray
 PC829=White

**Grid Brackets**


- Mount directly to grid
- Provides heavy-duty hook from which OEBs hang
- Use two or three per basket

AC999GBH(FIN1)

AC999GBH.....Grid Brackets

Finish Code


FIN1CR=Chrome Finish

**Wire "S" Hooks**

- An inexpensive method to hang OEBs from grid
- Suited for medium duty applications
- Use two or three per basket
- Standard finish: Zinc Plated

ACPH123265


ACPH123265.....Wire "S" Hooks

**Loose OEB Brackets**

- Secures perimeter frame wire to slotted upright
- Easily attach to front or back of OEB

AC1230(TYPE)(HAND)


AC1230.....Loose OEB Brackets
 TYPE.....57=2" (51 mm)
 44=2½" (64 mm)
 43=1 Tab
 Hand.....L=Left
 R=Right

**Pegboard Hooks**

- Suspends OEBs from pegboard
- Suited for light to medium duty applications
- Two or three required per basket
- Standard finish: Zinc plated

ACPH123268


AC123268.....Pegboard Hooks

**Flat "S" Hooks**

- An inexpensive method to hang OEBs from slotted upright
- For medium or heavy-duty applications
- Standard finish: Zinc plated

AC125(OPT)Z

AC125.....Flat "S" Hooks
 OPT.....237=Medium-Duty
 143=Heavy-Duty
 Z.....Zinc finish




Wire Potato Chip Shelf

- Economical way to display a variety of lightweight snack products
- When combined with the Wire Utility Basket, ordered separately, the shelf allows cross merchandising
- Load capacity 30 lbs

WPCS-(NW)(ND)-(TAG)

- WPCS..... Wire Potato Chip Shelf
- NW..... Nominal Width 2', 3', or 48" (610 mm, 914 mm, or 1219 mm)
- ND..... Nominal Depth 10" to 30" in 2" increments (254 mm to 762 mm in 51 mm increments)
- TAG..... Tag Mold Option:
 BLANK=No Tag
 DGA2A=Aluminium
 DGA2G=Gold
 DGA2P=Powder Coat




Wire Utility Baskets for Shelf

- Display lightweight products
- Available for use with Standard Shelves, pegboard or wire grid
- 1¼" (32 mm) tag molding affords space for pricing information
- Load capacity 25 lbs

WUB-180404-(OPT)

- WUB..... Wire Utility Basket
- 18..... Nominal Width 18" (457 mm)
- 04..... Nominal Depth 4" (102 mm)
- 04..... Nominal Height 4" (102 mm)
- OPT..... S=Shelf
 P=Pegboard/Slatwall
 WG=Wire Grid




Wire Salsa and Dip Shelf

- Attaches to bottom of Wire Potato Chip Shelf
- Allows for variety of dips and/or salsa to be merchandised with chips

WSADS-(NW)(ND)(OPT)

- WSADS..... Wire Salsa and Dip Shelf
- NW..... Nominal Width 24", 36" or 48" (610 mm, 914 mm, or 1219 mm)
- ND..... Nominal Depth 10" (254 mm)
- OPT..... Shelf Option
 Blank=Half Shelf
 CS= Chip Shelf




Wire Chip Shelf

- Used for lightweight merchandising of items such as chips and other snack-related products
- Available in 3' or 4' widths (914 mm or 1219 mm)
- Load capacity 10 lbs

WCDS-(NW)(ND)-(ND)

- WCDS..... Wire Chip Shelf
- NW..... Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND..... Bracket Nominal Depth 16", 18", 20", or 22" (406 mm, 457 mm, 508 mm, or 559 mm)
- ND..... Basket Nominal Depth 08" (203 mm)




Wire Candy Shelf

- Used for lightweight merchandising
- Two position brackets, flat or 15° down, and a 2" (51 mm) high front lip allows various product presentations
- Wires are spaced 1½" (38 mm) OC
- Optional tag molding accepts 1¼" (32 mm) tags
- Load capacity 30 lbs

WCANS(NW)(ND)-TAG

- WCANS..... Wire Candy Shelf
- NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND..... Nominal Depth 06" to 24" in 2" increments
(152 mm to 610 mm in 51 mm increments)
- TAG..... Tag Mold Option:
DGA2A=Aluminum
DGA2G=Gold
DGA2P=Painted




Baby Formula Wire Shelf

- 17/16" (37 mm) wire spacing that provides stable surface for canned merchandise
- Wire dividers, included with this shelf, stabilize cans and organize the display
- Dividers can be adjusted to fit various sizes and types of formula cans
- Shelf positioned at 10° downslope helps with front facing of merchandise
- Load capacity 100 lbs

BFWS-(NW)(ND)

- BFWS..... Baby Formula Wire Shelf
- NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND..... Nominal Depth 16" to 30" in 2" increments
(406 mm to 762 mm in 51 mm increments)




Four Tier Wire Display

- Face out display of small personal calendars, memo books and index cards
- 36" or 48"W x 81½"H x 14¾"
(914 mm or 1219 mm x 212 mm x 375 mm) upright at bottom
- Pocket dimensions: 5½"H x 2⅝"D
(129 mm x 67 mm)
- Pockets are full width of the basket (no dividers) to allow merchandising of items of various sizes
- Vertical wire spacing is 1" (25 mm) OC

FTWD4-(NW)

- FTWD4..... Four Tier Wire Display
- NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)




Five Tier Wire Display

- Faceout display of small books, pocket diaries and address books
- 36" or 48"W x 99½"H x 18⅝"D
(914 mm or 1219 mm x 243 mm x 460 mm) upright at bottom
- Pocket dimensions: 5½"H x 2⅝"D
(129 mm x 67 mm)
- Pockets are full width of the basket (no dividers) to allow merchandising of items of various sizes
- Vertical wire spacing is 1" (25 mm) OC

FTWD5-(NW)

- FTWD5..... Five Tier Wire Display
- NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)




Wire Grid Shelf

- Versatile 2" x 2" (51 mm x 51 mm) grid for merchandising brooms, pool cues, pipes, and similar merchandise
- Two shelves per section required
- Bracket hardware, including BWB-ND-H, ordered separately

WGS-(NW)(ND)

WGS..... Wire Grid Shelves
 NW..... Nominal Width 4' (1219 mm)
 ND..... Nominal Depth 18", 20", or 22"
 (457 mm, 508 mm, or 559 mm)




Wire Grid Shelf Frame

- Standard BWB brackets modified to accept spanners
- Substitute for brackets under Wire Grid Shelves when merchandising application requires loading of Wire Grid Shelves

WGSF-(NW)(ND)

WGSF..... Wire Grid Shelf Frame
 NW..... Nominal Width 4' (1219 mm)
 ND..... Nominal Depth 18", 20", or 22"
 (457 mm, 508 mm, or 559 mm)




Wire Brackets

- Brackets to be used with Wire Grid Shelves, ordered separately
- Sold in pairs
- Hardware pack included

BWB-(ND)-H

BWB..... Wire Brackets
 ND..... Nominal Width 18", 20", or 22"
 (457 mm, 508 mm, or 559 mm)
 H..... Hardware Pack



Bulk Baskets

- Ideal for loose items such as balls, baseball or football equipment and golf club bags
- Quick, easy assembly with loop and pin connectors
- Four flat panels for minimum storage space
- Sturdy .375 frame wire and .250 vertical wires on 1¾" (44 mm) centers rest on base shelf or floor

BBSKT(NW)(ND)-(FH)(RH)

BBSKT..... Bulk Basket
 NW..... Nominal Section Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Nominal Base Shelf Depth 18" to 30" in 2" increments
 (457 mm to 762 mm in 51 mm increments)
 FH..... Front Height 24" Only (610 mm)
 RH..... Rear Height 30" Only (762 mm)



Bulk Baskets Divider

- For use with Bulk Basket

BBSKTD(ND)-(FH)(RH)

BBSKTD..... Bulk Basket Divider
 ND..... Nominal Base Shelf Depth 18" to 30" in 2" increments
 (457 mm to 762 mm in 51 mm increments)
 FH..... Front Height 24" Only (610 mm)
 RH..... Rear Height 30" Only (762 mm)






Modified Two Step Wire Shelf

- Lightweight two tier shelf available for either regular Maxi Line shelving or Slatwall
- Ideal for boxed candies, snack-related goods, jewelry, or perfume boxes
- 36" or 48"W x 14½"D x 3¼"H (914 mm or 1219 mm x 368 mm x 83 mm)
- Load capacity is 150 lbs for Maxi Line shelving and 50 lbs for Slatwall
- Optional tag molding available in gold or aluminum

NOTE!
Slatwall version will not install within Maxi Line gondola. It is intended for use with wall-mounted Slatwall.

MTSWS-TYPE-(NW)-TAG

MTSWS..... Modified Two Step Wire Shelf
 TYPE..... Blank=Maxi Line
 S= Slatwall
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 TAG..... Tag Mold Option:
 Blank=No Tag
 DGA2A=Aluminum
 DGA2G=Gold




Side View Detail

Brochure Holder

- Hold brochures and printed materials
- Two piece, 6½"H x 3½"D (165 mm x 89 mm)
- Adjusts to accommodate variety of sizes by repositioning one side of the unit on shelf display surface

WBH-(OPT)

WBH..... Wire Brochure Holder
 OPT..... S=Shelf Mount
 PSW=Pegboard/Slatwall Mount
 WG=Wire Grid Mount




Shelf Extender Basket Displayer

- Mounts to perforations of Standard Upper Shelves, allowing additional merchandising space
- 10"W x 10"H x 3"D (254 mm x 254 mm x 76 mm)
- Front lip accommodates 1"H (25 mm) integral tag molding and accepts pricing or signage

SEBD

SEBD..... Shelf Extender Basket Displayer




Universal Basket, Stackable

- Ideal for heavier bulk or promotional items, such as canned or cello packed foods
- Steel wire baskets have 1" OC (51 mm) wire spacing, optional ½" OC (13 mm) wire spacing with welded ends
- Wire dividers have the same wire spacing

UBS(OPT1)-(NW)(ND)(NH)(NH)-(OPT2)

- UBS..... Universal Basket, Stackable
 OPT1..... Mesh Option 5=½" OC (13 mm)
 Blank=1" OC (2.54 cm)
 NW..... Nominal Width 24" to 48" in 6" increments
 (610 mm to 1219 mm in 152 mm increments)
 ND..... Nominal Depth 14" to 30" in 2" increments
 (35.56 cm to 76.20 cm in 5.08 cm increments)
 NH..... Nominal Back Height 08" or 10"
 (203 mm or 254 mm)
 NH..... Nominal Front Height 05" (127 mm)
 NH..... Nominal End Height 08", 10" or 12"
 (203 mm, 254 mm, or 305 mm)
 OPT2..... Blank=No Casters
 C=with Casters



EZ Clip Label Holder

EZ Clip Label Holder

- Clear plastic extrusion has easy load full length label protector
- Snaps onto top of basket front

EZ861-(NW)


- EZ861..... EZ Clip Label Holder
 NW..... Nominal Depth 36" or 48"
 (914 mm or 1219 mm)

Clipless Basket Divider


- Easy snap in/snap out attachments, allowing for easy repositioning as merchandise requirements change
- Order dividers same size as baskets
- Standard finishes: Sahara, Powder Chrome and Silver Vein

CBD(OPT1)-(ND)(OPT2)(NH)


- CBD..... Clipless Basket Divider
 OPT1..... Mesh Option 5=½" OC (13 mm)
 Blank=1" OC (2.54 cm)
 ND..... Nominal Depth 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 OPT2..... Type of Basket MWB=Madix Wire Basket
 UB=Universal Basket
 NH..... Nominal End Height 08", 10" or 12" for UB
 (203 mm, 254 mm, or 305 mm)
 Blank=For MWB



- Maximum stack is five baskets high!
- Maximum caster load capacity is 1080 lbs
- Each 3" (76 mm) diameter Swivel caster has side brakes, 70 lbs load capacity



Four 24" depth baskets
On 24" depth base shelf



24" depth basket with
22", 20", and 18" tier
on optional casters

Welded Stacking Baskets

- Use as freestanding stacked baskets or place them on casters for maximum mobility
- Can also be used on Gondolas, warehouse racks, end caps, and as point of purchase throughout the store
- Intermediate dividers can be easily placed at any location along the basket to create neat, orderly compartments
- Caster weight capacity is 300 lbs

SB07(NW)(NL)(SNH)

SB07.....Welded Stacking Baskets

NW.....Nominal Width 12" to 24" in 2" increments
(305 mm to 610 mm in 51 mm increments)

NL.....Nominal Length 24" to 48" in 6" increments
(610 mm to 1219 mm in 152 mm increments)

SNH.....Nominal Side Height 10", 12", or 18"
(254 mm, 305 mm, or 457 mm)

Finish Code

FIN1.....PC059 = Satin Black
PC811 = Cream
PC812 = Dove Gray
PC829 = White



NOTE!

Add 'R' to end of 3' or 4' part number for Reinforced Basket Option

Welded Stacking Baskets Intermediate Divider

- Easily placed at any location along the basket to create neat, orderly compartments

DV021818CLP(OPT)

DV02.....Welded Stacking Basket Intermediate Divider


18.....Nominal Width 18" (457 mm)

18.....Nominal Length 18" (457 mm)


OPT.....Blank=Standard Finish
CR=Chrome Option

Finish Code


FIN1.....PC059 = Satin Black
PC811 = Cream
PC812 = Dove Gray
PC829 = White



Reinforced baskets have two 1" (25 mm) square tubes added for heavy-duty applications on 3' and 4' baskets.



Casters, available in a 3" (76 mm) locking style, can be added to the bottom basket for mobility.



Legs keep merchandise off the floor and facilitate cleaning. One set includes four 6" (152 mm) high legs.

Gondola Wire Display Panel With and Without Wings

- Creates valuable merchandising space at end of Maxi Line runs
- Connects into Basic Upright on one side and attaches securely to side of shelves on opposite side with wire ties (included)
- Wire display panel utilizes a mini grid and multi-purpose grid pattern which allows the use of slatwall accessories, peg hooks and 3" (76 mm) OC wire grid accessories
- Panels are sold in pairs: one left-hand and one right-hand

GWDP(OPT1)-(NH)(ND)-(OPT2)(OPT3)

GWDP.....Gondola Wire Display Panel

OPT1.....W=With Wing Returns
Blank=No Wing Returns

NH.....Nominal Height 48" to 72" in 6" increments
(1219 mm to 1829 mm in 152 mm increments)


ND.....Nominal Depth 12" to 28" in 2" increments
(305 mm to 711 mm in 51 mm increments)

OPT2.....LH=Left-Hand Only
RH=Right-Hand Only
Blank=Pair (1 left-Hand & 1 right-Hand)

OPT3.....Grid Option
MG=Mini Grid
Blank=Multi Purpose Grid




NOTE!
Actual Height is Nominal Height (NH) - 6 inches
Example: Nominal Height of 72" - 6 = 66"
GWDP-6618-MG



without Wings

with Wings



Wing Merchandise Pegboard Panel


- Hardware pack included

WMPB(NW)(NH)

WMPB.....Wing Merchandise Pegboard

NW.....Nominal Width 16" to 22" in 1" increments
(406 mm to 559 mm in 25 mm increments)

NH.....Nominal Height 24" to 96" in 6" increments
(610 mm to 2438 mm in 635 mm increments)




Wing Merchandise Pegboard Panel Shelf

WMPBS(NW)(ND)

WMPBS.....Wing Merchandise Pegboard Shelf

NW.....Nominal Width 16" to 22" in 1" increments
(406 mm to 559 mm in 25 mm increments)

ND.....Nominal Depth 5" (127 mm)




End Cap Merchandiser

- Excellent way to display most any point-of-sale merchandise
- To mount to shelves, order the End Cap Mounting Kit (ordered separately)
- Easily installs in minutes and can be moved as your needs change
- Sold in pairs
- 14 $\frac{7}{8}$ "W x 47 $\frac{1}{4}$ "H x 5 $\frac{1}{2}$ "D (378 mm x 1200 mm x 138 mm)
- Standard finishes: Sahara, White, Satin Black, and Dove Gray

EC090852

EC090852.....End Cap Merchandiser

Image shown includes Peg Hooks and End Cap Mounting Kit, each sold separately




End Cap Merchandiser Mounting Hardware

- Order two sets of Mounting hardware for attaching one pair of End Cap Merchandisers
- Mounting Hardware includes:
 - 2 universal brackets
 - 2 control clamps
 - 2 bolts
 - 2 wing nuts

AC125520K

AC125520K.....End Cap Merchandiser Mounting Hardware



End Cap Merchandiser Mounting Kit

- Mounting Kit contains hardware to mount one pair End Cap Merchandisers
- Kit includes:
 - 4 mounting clips
 - 4 screws
 - 4 wing nuts

EC090852K

EC090852KEnd Cap Merchandiser Mounting Kit




End Cap Merchandiser Peg Hooks

- 4" (102 mm) long
- Package contains 20 units
- Standard finishes: Sahara, White, Satin Black, and Dove Gray

AC125015

AC1250154" Peg Hook (102 mm)




End Cap Merchandiser Basket

- 13 $\frac{3}{4}$ "W x 5"D (349 mm x 127 mm)
- Package contains 4 units
- Standard finishes: Sahara, White, Satin Black, and Dove Gray

EC090854

EC090854.....End Cap Merchandiser Basket



Wire End Cap Merchandiser

- Creates valuable merchandising space at end of Maxi Line runs
- Integral bracket allows mouting on left or right side
- Use slatwall accessories or peg hooks


WECM(NW)(ND)(NH)

WECM.....Wire End Cap Merchandiser

NW.....Nominal Width 16" or 24"
(406 mm or 610 mm)



ND.....Nominal Depth 06" (152 mm)

NH.....Nominal Height 48" to 84" in 6" increments
(1219 mm to 2134 mm in 152 mm increments)



Vertical Dividers

Separate lumber, doors, shutters, molding, lawn furniture, or similar merchandise with divider arms or "M" dividers. Choose from 3/8" (10 mm) diameter regular-duty or 1" (25 mm) square heavy-duty arms. A large selection of arm lengths and Vertical Divider standoffs provides a wide range of merchandising presentation possibilities.




- At 90°, add crossbar standoff to VDA length
- At 45°, subtract VDB standoff from Base Shelf depth, multiply result times 1.33, result is Maximum VDA length when mounted
- **EXAMPLE:** 20" (508 mm) Base Shelf depth - 2" (51 mm) VDB standoff = 18" (457 mm) 18" x 1.33" = 23.94" (457 mm x 34 mm = 608 mm) maximum VDA mounted length
- **THEREFORE:** Maximum 24" (610 mm) length VDA at 45° on a 2" (51 mm) standoff will not project past 20" (508 mm) base shelf

Vertical Divider Bar

- One inch (25 mm x 25 mm) square tubing has 3/8" (10 mm) diameter holes 1" (25 mm) OC to accept roll goods upright
- Includes heavy-duty bracket to attach to basic fixture upright
- One crossbar required per section
- Load capacity 100 lbs

VDB-(NW)02

VDB..... Vertical Divider Bar
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 02..... 2" (51 mm) Standoff





Threaded Vertical Divider Arms

- Unique mounting attachment allows straight out or 45° either direction mounting to Vertical Divider Bar
- Arms may be mounted to front and/or rear of standoff bars
- Regular-duty divider arms 3/8" (10 mm) diameter with red neoprene safety tip
- Heavy-duty arms 1" (25 mm) square tubing with vinyl safety cap
- Threaded option locks arm, prevents accidental dismounting
- Standard finishes: Sahara or Blue Gray

TVDA-(NL)(TYPE)

TVDA..... Threaded Vertical Divider Arm
 NL..... Regular-Duty: 06" to 20" in 2" increments
 (152 mm to 508 mm in 51 mm increments)
 Heavy-Duty: 12" to 30" in 2" increments
 (305 mm to 762 mm in 51 mm increments)
 TYPE..... R=Regular-Duty
 H=Heavy-Duty





M Vertical Divider Arms

- Same mounting pin system as divider arms for installation into VDB, providing greater side to side load resistance than divider arms
- Light duty divider is 3/8" (10 mm) diameter steel rod, heavy-duty divider is 3/4" (19 mm) diameter steel tubing

MVDA-(ND)(NL)H

MVDA..... M Vertical Divider Arm
 ND..... Nominal Depth 22" (559 mm)
 NL..... Nominal Length 36" or 48"
 (914 mm or 1219 mm)
 H..... R=Regular-Duty
 H=Heavy-Duty




Vertical Divider Arm with Price Tag Holder

- Introduction of an integral price tag holder
- Constructed with unique mounting attachment that allows for straight or 45° placement on Madix Vertical Divider Bar, ordered separately
- Available in $\frac{3}{8}$ " or $\frac{1}{4}$ " (10 mm or 19 mm) wire
- Price tag holder measures 2"W x 1 $\frac{1}{4}$ "H (51 mm x 32 mm)

VDA-(NL)R-PTH-(OPT)

VDA..... Vertical Divider Arm
 NL..... Nominal Length 06" to 20" in 2" increments
 (152 mm to 508 mm in 51 mm increments)
 R..... Regular-Duty
 PTH..... Price Tag Holder
 OPT..... Blank= $\frac{3}{8}$ " Wire
 239= $\frac{1}{4}$ " Wire




Vertical Divider Arm Heavy-Duty Scan Hook

- Constructed with a unique mounting attachment that allows for either straight or 45° placement on Madix Vertical Divider Bar, ordered separately
- Red neoprene safety tip
- Scan plate measures 2 $\frac{3}{8}$ "W x 1 $\frac{1}{8}$ "H (67 mm x 29 mm)
- Available in $\frac{3}{8}$ " or $\frac{1}{4}$ " (10 mm or 19 mm) wire

VDAHDSH-(NL)-(OPT)

VDA..... Vertical Divider Arm
 HDSH..... Heavy-Duty Scan Hook
 NL..... Nominal Length 06" to 20" in 2" increments
 (152 mm to 508 mm in 51 mm increments)
 OPT..... Blank= $\frac{3}{8}$ " Wire
 239= $\frac{1}{4}$ " Wire




Vertical Divider Arm Sign Holder

- Easier to place pricing and other signage near products
- Extends outward from merchandise where consumers are provided product information at a quick glance
- Fixture holds 4 $\frac{3}{8}$ "W x 5 $\frac{1}{2}$ "H (112 mm x 140 mm) customer-supplied signage

VDASH

VDA..... Vertical Divider Arm
 SH..... VDA Sign Holder




Vertical Divider Bar Garden Rake Hook

- Mounts onto Vertical Divider Bar

VDBE4K531

VDBE..... Vertical Divider Bar
 4K531 Garden Rake Hook




Vertical Divider Bar Garden Fork Hook

- Mounts onto Vertical Divider Bar

VDBE4K534

VDBE..... Vertical Divider Bar
 4K534 Garden Fork Hook




Threaded Vertical Divider Arm with J Hooks

- Constructed with unique mounting attachment that allows for straight or 45° placement on Madix Vertical Divider Bar, ordered separately
- 16" (406 mm) length – five J Hooks
- 20" (508 mm) length – six J Hooks
- Threaded mount allows for additional security and stability

TVDASJ-(NL)

- T..... Threaded
- VDASJ..... Vertical Divider Arm with J hooks
- NL..... Nominal Length 16" or 20" (406 mm or 508 mm)



Adjustable Crossbar

- Offers maximum versatility with adjustable width and depth
- Width easily adjusts from 36" to 48" (914 mm to 1219 mm)
- Depth is easily adjusted with use of push pins
- Two choices of depth adjustability: 4" to 8" or 9" to 18" (102 mm to 204 mm or 229 mm to 457 mm)
- Constructed of 1" x 1" (25 mm x 25 mm) tubing
- Includes attached brackets for effortless installation into Maxi Line Basic Upright

ACBR3648-(ND)


- ACBR..... Adjustable Crossbar
- 3648..... Adjustable Nominal Width 36" to 48" (914 mm to 1219 mm)
- ND..... Adjustable Nominal Depth: 0408 = 4" to 8" (102 mm to 204 mm) 0918 = 9" to 18" (229 mm to 457 mm)



Spool Goods Display with Crossbar and Shelf

SGD-(NW)(BL)-(SD)CB


- SGD..... Spool Goods Display
- NW..... Nominal Width 3' or 4' (914 mm or 1219 mm)
- BL..... Bracket Length 10" to 18" in 2" increments (254 mm to 457 mm in 51 mm increments)
- SD..... Shelf Depth 06" to 14" in 2" increments (152 mm to 356 mm in 51 mm increments)
- CB..... Crossbar



Vertical Divider Bar With Adjustable Brackets


VDBAB(NW)(ND)

- VDB..... Vertical Divider Bar
- AB..... Adjustable Brackets
- NW..... Nominal Width 24", 36", or 48" (607 mm, 914 mm, or 1219 mm)
- ND..... Nominal Depth 18" to 30" in 6" increments



Roll Goods Rack

Specially designed to accommodate longer roll goods such as polyethylene, vinyl and shading films, lightweight laminates, screening and fencing. Not recommended for spool goods since common spindle hole diameter is 3/4" (19 mm).




Frame Loading

Base Shelf Recommendations		
Load Weight (lbs)	Base Shelf	Part Number
< 200	Standard Base Shelf,	SBS-(NW)(ND)
200 – 400	Reinforced Base Shelf	SBSR-(NW)(ND)
400 – 600	Reinforced Base Shelf plus Base Load Leveler	SBSR(NW)(ND) BLLL-(ND)

NOTE!
If load is resting on two Base Shelves, divide load by 2.

Arms of Roll Goods Upright should not project beyond Base Shelf




Example:
3 Crossbars
4 Uprights
9 Tubes
15 Brackets (▲)

A Roll Goods Upright

- High tensile steel upright slotted 1" (25 mm) OC for vertical adjustment of roll goods
- Upright is welded to adjustable horizontal telescoping bar that locks to Base Shelves 18" to 30" (457 mm to 762 mm)

RGU-(NH)

RGU..... Roll Goods Upright
 NH..... Nominal Height 54" to 72" in 6" increments
 (1372 mm to 1829 mm in 152 mm increments)




B Roll Goods Bracket

- Unique bracket features lift out cup on both sides, accepts all tubing/pipe diameters up to 1¼" (32 mm)
- Use as center or either end on continuous tubing run
- Due to varying roll diameters, tubing may be staggered and will require a bracket at any end where tubing does not continue

RGB-1

RGB..... Roll Goods Bracket
 1..... 1 Pack



C Roll Goods Tube

- Sturdy 1" (25 mm) diameter tubing, ¾" (19 mm) galvanized pipe
- 5' (1524 mm) tube should be field-cut at end of roll goods run to avoid interference with following shelving section
- Load capacity: NL 36" or 48"=200 lbs; NL 60"=150

RGT-(NW)

RGT..... Roll Goods Tube
 NW..... Nominal Width 36", 48", or 60"
 (914 mm, 1219 mm, or 1524 mm)


NOTE!
 Brackets lap ½" (13 mm) onto each end of tube. Order longer tube if actual roll goods length is 36" or 48" (914 mm or 1219 mm).
 36" (914 mm) tube: 35" (889 mm) usable length,
 48" (1219 mm) tube: 47" (1194 mm) usable length.

D Vertical Divider Bar

- One inch square tubing (25 mm x 25 mm) has ⅜" (10 mm) diameter holes 1" (25 mm) OC to accept roll goods upright
- Includes heavy-duty bracket to attach to basic fixture upright
- One crossbar required per section
- Load capacity 100 lbs

VDB-(NW)02

VDB..... Vertical Divider Bar
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
 02..... 2" (51 mm) Standoff




Lawn Mower Display

- Assembled mowers may be shown double tiered or as singles above, boxed stock for self service
- Mowers will straddle side frames in adjacent sections
- 48" W x 28" D x 15° (1219 mm x 711 mm x 15°) downslope frame has adjustable crossbars to accommodate varying wheelbases and other lawn care items

LMD-4

- LMD Lawn Mower Display
- 4 Nominal Width 4' (1219 mm)




Wire Grid Lawnmower Shelf

- Hangs at 30° downslope in Maxi Line sections
- 4" (102 mm) front lip with 1¼" (32 mm) price tag molding attached, offering one full inch for customer-supplied signage
- Ideal way to display push type lawnmowers at eye level
- Since the shelf is wire grid, shoppers may look under the shelf to examine the undercarriage of mowers
- Smaller mowers may fit two per shelf
- Larger mowers will only fit one per shelf
- Load capacity 150 lbs

WGLMS30D-(NW)(ND)

- WGLMS Wire Grid Lawnmower Shelf
- 30D 30° Downtilt
- NW Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND Nominal Depth 30", 36", or 44" (762 mm, 914 mm, or 1118 mm)



Nail Bin Shelf

- Heavy gauge pan is 6" (152 mm) high
- May be displayed flat, 15° downtilt
- Three stiffener channels underneath plus 'V' shaped front lip for size/price stickers
- Includes two-position brackets for versatile presentation
- Freestanding Dividers may be ordered separately
- Load capacity in flat position 550 lbs
- Load capacity in 15° downtilt position 250 lbs


NB-(NW)(ND)

- NB Nail Bin Shelf
- NW Nominal Width 36" or 48" (914 mm or 1219 mm)
- ND Nominal Depth 24" (610 mm)



NBD-(ND)

- NBD Nail Bin Divider
- ND Nominal Depth 24" (610 mm)



Lumber Frame


- Designed specifically for vertical display of dimensional lumber up to 8' (2438 mm) in length
- Fully welded assembly on 30" (762 mm) brackets has punched crosstube at rear, 6" (152 mm) standoff, to accept dividers
- Solid tube in front to prevent lumber from falling forward
- Vertical Divider Bar may be used above, beneath, or both, relative to the lumber frame

LF(NW)

- LF Lumber Frame
- NW Nominal Width 36" or 48" (914 mm or 1219 mm)

LBDP-22

- LBDP Lumber Bar Divider
- 22 Nominal Depth 22" (559 mm)




Heavy-Duty Pipe Bracket

- Ideal for displaying conduit, pipe and molding
- Front height is 8" (203 mm)
- Set screws allow unit to be rigidly locked to Upright
- Load capacity 175 lbs

NOTE!
Bracket blocks Basic Upright slotting, shelves and other accessories cannot share same slot

HDPB-(ND)

HDPB..... Heavy-Duty Pipe Display Bracket
ND..... Nominal Depth 12" to 24" in 4" increments
(305 mm to 610 mm in 102 mm increments)




Vertical Pipe Display

- Rigid, heavy-duty for vertically displaying lengths of plastic or metal pipe, conduit, guttering or other similar items
- Use two shelves per four foot section

VPD(NW)(ND)

VPD..... Vertical Pipe Displayer
NW..... Nominal Width 48" (1219 mm)
ND..... Nominal Depth 16", 18", or 22"
(406 mm, 457 mm, or 559 mm)




Gravity Feed Caulk Tube Display

- Displays standard caulk and glue tubes
- 36" (914 mm) will dispense three rows of caulk, 48" (1219 mm) will dispense four rows of caulk
- Dividers cannot be moved
- Sign holder is 3"H x 47¾"W (76 mm x 1213 mm)

GFCTD(NW)(ND)

GF..... Gravity Feed
CTD..... Caulk Tube Display
NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
ND..... Nominal Depth 12" to 20" in 2" increments
(305 mm to 601 mm in 51 mm increments)




Tilted Bin Merchandiser

- For organizing densely spaced, lightweight products
- 4" (102 mm) high profile
- 15° downslope
- Adjustable dividers ordered separately
- Dividers in 10 packs

TBM-(NW)(ND)

TBM.....Tilted Bin Merchandiser
 NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND.....Nominal Depth 06", 08", 10"
 (152 mm, 203 mm, 254 mm)



TBMD-(ND)-10

TBMD.....Tilted Bin Merchandiser Divider
 ND.....Nominal Depth 06", 08", or 10"
 (152 mm, 203 mm, or 254 mm)
 10.....10 Pack



Ceiling Fan Cloud

- Simple and effective display for ceiling fans or lighting fixtures
- System is based on 10' (3048 mm) - 6' (1829 mm) height above floor when used on 96" (2438 mm) high uprights, but may be less depending on the drop length of fans
- Extension uprights may be added to existing fixtures to gain additional height if necessary
- Adjustable beams accommodate varying aisle widths

A CFD-AB

CFD-AB.....Adjustable Beam

B CFD-FB


CFD-FB.....Fan Box

C CFD-HB-48

CFD-HB.....Horizontal Brace
 48.....48"



D CFDB-(HAND)

CFDB.....Display Bracket
 HAND.....C=Center
 LH=Left-Hand
 RH=Right-Hand



Description	Part Number	One Fan per 4' Section*		Two Fans per 4' Section*	
		Starter	Add	Starter	Add
A Adjustable Beam	CFD-AB	2	2	2	2
B Fan Box	CFD-FB	1	1	2	2
C Horizontal Brace	CFD-HB-48	2	2	2	2
D Vertical Display Bracket, right-hand	CFDB-RH	2	none	2	none
D Vertical Display Bracket, left-hand	CFDB-LH	2	none	2	none
D Vertical Display Bracket, center	CFDB-C	none	2	none	2

*Based on blade clearance for powered fans, static display with overlapping blades allows more fans to be shown



Wing Slatwall Display

- Attaches at end of shelving run, giving a neat, stable display for spot merchandising
- 1" (25 mm) square tubing frame contains grooved 3" (76 mm) OC Sahara or Dove Gray slatwall
- Shelf specifically designed to fit into Wing Slatwall Display, ordered separately
- Integral tag molding accepts standard 1¼" (31 mm) price tags
- Minimum order is five shelves of any size

HTWSWD-(NH)(NW)(ND)

HTWSWD.... Wing Slatwall Display
 NH.... Nominal Height 72" or 78"
 (1829 mm or 1981 mm)
 NW.... Nominal Width 20", 24", 30", or 36"
 (508 mm, 610 mm, 762 mm, or 914 mm)
 ND.... Nominal Depth 08", 10", or 14"
 (203 mm, 254 mm, or 356 mm)

Finish Code

FIN1 Tubing
 FIN2 Slatwall Front
 FIN3 Slatwall Back




Wing Slatwall Display Shelf

- Shelf specifically designed to fit into Wing Slatwall Display
- Integral tag molding accepts standard 1¼" (31 mm) price tags
- Minimum order is five shelves of any size

SWMSHT90-(NW)(ND)

SWMSHT90 Wing Slatwall Display Shelf
 NW Nominal Width 20", 24", 30", or 36"
 (508 mm, 610 mm, 762 mm, or 914 mm)
 ND Nominal Depth 08", 10", or 14"
 (203 mm, 254 mm, or 356 mm)




Tubular Wing Slatwall Display Shelf

- Shelf specifically designed to fit into Wing Slatwall Display
- Integral tag molding accepts standard 1¼" (31 mm) price tags
- Minimum order is five shelves of any size

TWDSFT(NW)(ND)

TWDSFT Tubular Wing Slatwall Display Shelf
 NW Nominal Width 14", 16", 20", 24", 26", 32", 36", or 48"
 (356 mm, 406 mm, 508 mm, 610 mm, 660 mm, 813 mm, 914 mm, or 1219 mm)
 ND Nominal Depth 08", 10", or 12"
 (203 mm, 254 mm, or 305 mm)




Tubular Wing Display with Double Track

- Attaches at end of shelving run, giving a neat, stable display for spot merchandising
- Backs, pegboard or hardboard, and shelves ordered separately
- 1" (25 mm) square tubing frame

TWD2-(NH)(NW)(ND)

TWD2.... Tubular Wing Display with Double Track
 NH.... Nominal Height 54" to 84" in 6" increments
 (1372 mm to 2134 mm in 152 mm)
 NW.... Nominal Width 14", 16", 24", 32", 36", 42", or 48"
 (356 mm, 406 mm, 610 mm, 813 mm, 914 mm, 1067 mm, or 1219 mm)
 ND.... Nominal Depth 08" or 10"
 (203 mm or 254 mm)




Tubular Wing Display Back

- Hardboard or pegboard

TWDB(TYPE)-(NW)(NH)

TWDB Tubular Wing Display Back
 TYPE P=Pegboard
 H=Hardboard
 NW Nominal Width 14", 16", 24", 32", 36", 42", or 48"
 (356 mm, 406 mm, 610 mm, 813 mm, 914 mm, 1067 mm, or 1219 mm)
 NH Nominal Height 54" to 84" in 6" increments
 (1372 mm to 2134 mm in 152 mm)

Light Fixture Display




Description	Part #
A Light Fixture Radius Canopy Frame	LFRCF
B Light Fixture Panels - End	LFEP-E
C Light Fixture Lower Hardboard Panel	LFHBP
D Light Fixture Panels - Intermediate	LFEP-I
E Light Fixture Flush Front Shelf	LFFUS
F Light Fixture Signage Board	LFSB
G Light Fixture Sign Panel	LFP
H Light Fixture Sign Panel with Electrical Knockout	LFP-FX
I Light Fixture Crossbar - Top	LFCB-T
J Light Fixture Crossbar - Intermediate	LFCB-I

A Light Fixture Radius Canopy Frame

- Extends approximately 36½" (927 mm) from Maxi Line gondola/wall uprights
- Signage channels are built into canopy
- Canopy signage should measure 3⅞"H (98 mm) with a maximum thickness of ⅜" (2 mm)
- Retailers can have signage designed to fit entire width of canopy, or just a portion, but width cannot exceed 56⅞" (1445 mm)

LFRCF

LFRCFLight Fixture Radius Canopy Frame




B D Light Fixture End Panels

- Concave curve on front of each End or Intermediate Panel adds style and dimension
- Each panel is 3/4" (19 mm) thick and laminated on both sides, with matching edge banding along the front of the panels
- Bracket hardware is included to assist in assembly

LFEP-(TYPE)

LFEP.....Light Fixture End Panel
 TYPE.....E=End
 I=Intermediate



G Light Fixture Lower Hardboard

- Panels are constructed of laminated hardboard measuring 3/32" (4 mm) thickness
- Lower hardboard panel laminated only on one side
- 2" (51 mm) diameter hole is cut out of one end of the panel offering access to a main power supply if needed
- Optional insert included to enclose 2" (51 mm) hole if electrical access is unnecessary
- Optional insert is black

LFLHBP

LF.....Light Fixture
 LHBP.....Lower Hardboard Laminated Panel

Optional Inserts Included
 (Not to scale)




E Light Fixture Display Flush Front Shelf

- Serves as base component, shelf is installed first and all other pieces are built atop unit to complete display
- Has zero hit brackets where shelf fits perpendicular to uprights
- Channel is welded onto back of shelf
- Channel in combination with Light Fixture Intermediate Crossbar, (LFCB-I), supplies a track for the Fixture Panels (LFP or LFP-FX) to slide into place

LFFUS-424Z

LFFUS.....Light Fixture Flush Front Upper Shelf
 4.....Nominal Width 4' (1219 mm)
 24.....Nominal Depth 24" (610 mm)
 Z.....Zero Hit Brackets



F Light Fixture Signage Board

- Use to display colorful graphics or provide product information
- Customer-supplied signage should be 15"H x 47 1/2"W (381 mm x 1207 mm)
- Thickness of signage material must be less than 1/8" (3 mm)
- Sign panels install underneath Light Fixture Radius Canopy Frame

LFSB

LFSB.....Light Fixture Signage Board




G H Light Fixture Panels

- Total of twenty-eight panels required to complete 64½"H (1638 mm) Light Fixture Display
- Light Fixture Radius Canopy Frame requires ten LFPs
- Panels are ordered in a combination that best fits retailer's display needs, panels are solid or can be ordered with 2"H x 2"W (51 mm x 51 mm) cutout for displaying light fixtures
- Light Fixtures are attached to panels by using mounting hardware, supplied with the light fixture
- Power, if required, is easily accessible to installed light fixtures through electrical knockouts in the LFP-FXs
- Panels slide into place on Light Fixture Display using track created from use of Light Fixture Crossbars, LFCB-(TYPE)

LFP-(TYPE)

LFP.....Light Fixture Panel
 TYPE.....Blank=No Cut Out
 FX=Cut Out




L J Light Fixture Crossbars

- Each crossbar has a built in channel
- When two crossbars are used together and spaced 10" (254 mm) apart, a track is created allowing Light Fixture Panels to slide and be held into place

LFCB-(TYPE)

LFCB.....Light Fixture Crossbar
 TYPE.....T=Top Crossbar
 I=Intermediate Crossbar




Wire Hammer Display

- Mounts on Roll Goods Vertical Divider Bar, RGVDB, ordered separately
- Allows maximum display space

HRHDRGB

HR..... Hammer Rack
HDRGB..... Heavy-Duty Roll Goods Bar




Reciprocating Saw Display

- Designed for 2" (51 mm) slatwall, using with 3" (76 mm) slatwall increases the uptilt angle

TBRSD

TB..... Tool Bracket
RSD..... Reciprocating Saw Display




Circular Saw Display

- Designed for 2" (51 mm) slatwall, using with 3" (76 mm) slatwall increases the uptilt angle

TBCSD

TB..... Tool Bracket
CSD..... Circular Saw Display




Router Display

- Designed for 2" (51 mm) slatwall, using with 3" (76 mm) slatwall increases the uptilt angle

TBRD

TB..... Tool Bracket
RD..... Router Display




Jig Saw and Sander Display

- Designed for 2" (51 mm) slatwall, using with 3" (76 mm) slatwall increases the uptilt angle

TBJSSD

TB..... Tool Bracket
JSSDJig Saw & Sander Display





Grinder Display

- Designed for 2" (51 mm) slatwall, using with 3" (76 mm) slatwall increases the uptilt angle

TBGD

TB..... Tool Bracket
GD Grinder Display




Drill Display

- Designed for 2" (51 mm) slatwall, using with 3" (76 mm) slatwall increases the uptilt angle

TBDD

TB..... Tool Bracket
DD Drill Display




Power Tool Holder

- Mounts to shelf perforations

PTH-(TYPE)

PTH..... Power Tool Holder
 TYPE..... S=Straight
 A=Angle




Two Tier Level Wire Rack

- Sits atop a 20" (508 mm) base shelf

LEVELRAK2818(OPT)

LEVELRAK.....Level Rack Wire, Two Tier
 28.....Nominal Height 28" (711 mm)
 18.....Nominal Width 18" (457 mm)
 OPT.....Blank=No Slanted Front Sign
 FS=Slanted Front Sign




Hose Reel Crossbar

- Mounts air hose reels to Maxi Line Uprights using a flat panel with integral brackets
- Slotted holes allow the flexibility to accommodate a variety of equipment mounting patterns

HRCB-(NW)

HRCB..... Hose Reel Crossbar
 NW..... Nominal Width 24" to 48" in 6" increments
 (610 mm to 1219 mm in 152 mm increments)





Vertical Divider Bar Bow Display

- 36" (914 mm) nominal width has four hooks, 9" (229 mm) on center
- 48" (1219 mm) nominal width has six hooks, 8" (203 mm) OC
- 2¼" (57 mm) usable flat surface
- Covered with vinyl sleeve to protect product

VDBBD(NW)(ND)

VDBBD.....Vertical Divider Bar Bow Display
 NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND.....Nominal Depth 12" to 16" in 1" increments
 (305 mm to 406 mm in 25 mm increments)




Hand Held Weight Display

- Display hand held weights less than 10 lbs
- Gravity feed design keeps weights to front of shelf
- Securely fastens to Standard Upper Shelf perforations with supplied hardware

HHWD(NW)(ND)

HHWD.....Hand Held Weight Display
 NW.....Nominal Width 04" (102 mm)
 ND.....Nominal Depth 16" or 18"
 (406 mm or 457 mm)




Sleeping Bag Displayer


- Unique two-position clamping bars allow easy loading and unloading of sleeping bags
- Clamping bars exert pressure across full width of bag, preventing damage to fabric
- Hang length may vary from one half of bag length to bag length minus 6" (152 mm)
- Display on uprights as low as 60" (1524 mm)
- May be double hung on 96" (2438 mm) or taller uprights if hang lengths are one half of bag length
- Arms project 42" (1067 mm) from upright
- Pullout to 62" (1575 mm) from upright

SBDSP0-(NW)

SBD.....Sleeping Bag Displayer
 SPO.....Swing and Pullout
 NW.....Nominal Width 3' or 4'
 (914 mm or 1219 mm)



NOTE!
 Minimum 30" (762 mm) deep base shelves. Uprights must be anchored to floor or wall.



Sleeping Bag Displayer Pullout Only Kit

- Clip mounts between arm and crossbar to stop swinging action
- May be necessary at end of run or to prevent swing into cross aisle
- Four clips per kit

SBDPOK

SBD.....Sleeping Bag Displayer
 POK.....Pullout Only Kit

Bike Rack


- Requires minimal floor space
- For Maxi Line Basic Uprights
- Use on Bike Rack Upper Shelf Modified, BRUSM-48
- Depth of shelf is 22" (559 mm)

A BRBH90

BRBH.....Bike Rack Bike Holder
 M90.....Modified for BRUSM

B BRUSM90-(NW)

BRUS.....Bike Rack
 M90.....Modified
 NW.....48" (1219 mm)





Mounted Bat Displayer

- Four foot (1219 mm) Crossbar has six 17" (432 mm) long vinyl coated arms which hold 12 bats each
- Bats may be removed individually without disturbing adjacent items
- Not available in 3' (914 mm)

BD4

BD..... Bat Displayer Mounted
4.....Nominal Length 4' (1219 mm)




Rotating Bat Displayer

- Merchandises up to 40 sizes and types of baseball bats on each of two spinners
- Bats suspended vertically by handles
- Maximum projection from upright is 18" (457 mm)

BD-(NW)(ND)

BD..... Rotating Bat Displayer
NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
ND..... Nominal Depth 18" (457 mm)




Rotating Bat Displayer Optional Ball Basket

- Accessory for Rotating Bat Displayer, ordered separately
- Optional ball basket mounts on top of spinner
- Maximum projection from upright is 18" (457 mm)
- 15¼" W x 4"H (387 mm x 102 mm)

BDRBD

BDRBD..... Baseball Displayer Basket
for Rotating Bat Displayer



Vertical Divider Bar Baseball Glove Holder

- Neatly organizes baseball gloves
- Attaches to Vertical Divider Bar, ordered separately

VDBBGH

VDBBGH..... Vertical Divider Bar Baseball Glove Holder





Fishing Pole or Pool Cue Display

- Display attaches to Maxi Line Uprights
- Upper arms have eight clips to hold rods
- Lower arms have foam to protect rods or cues
- Nominal depth of display is 15" (381 mm)

FPDAH6

FPD..... Fishing Pole Display
 AH..... Adjustable Heights
 6..... 6 Tier




Fishing Pole or Pool Cue Display

- Display includes two Vertical Divider Bars plus four or five lower frames
- Upper telescoping arms have rod retaining strips, holding 26 rods per frame
- Lower tray is black
- Standard finish is Sahara

FPD-(NF)(NW)


FPD..... Fishing Pole Display
 NF..... Number of Frames:
 4=4 Frames on 3' (914 mm)
 5=5 Frames on 4' (1219 mm)
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)



Fishing Pole Holder Crossbar Hook

FPHCBH

FP..... Fishing Pole Display
 HCBH..... Holder Crossbar Hook




Metal Gun Rack Kit


- Starter Kit is designed to fit in 4' section
- 3' Starter Kit currently NOT available
- Add-On mounts next to starter in a 4' section and overlaps Starter Kit section
- Each kitted unit includes mounting hardware
- Padlocks NOT included

MGRK(NW)-(OPT)

MGRK..... Metal Gun Rack Kit
 NW..... Nominal Width 48" (1219 mm)
 OPT..... S= Starter Includes 6 Arms and 2 RGVDB Bars
 A= Add Includes 8 Arms and 2 RGVDB Bars



MGRK48-S (Starter)



MGRK48-A (Add-On)




Shoe Pedestal

- Clips into perforation on Standard Upright Shelf with provided canoe clip

SMSP

SMSP.....Shelf Mount Shoe Pedestal



Footwear Shelf


- Non-perforated two-position shelf, flat or 40° downslope, for use in all products with standard Madix slotting
- 1" (25 mm) lip on the front of the shelf which is designed to retain light merchandise

FWS(NW)(ND)

FWS..... Footwear Shelf

NW..... Nominal Width 24" to 48" in 6" increments
(610 mm to 1219 mm in 152 mm increments)

ND..... Nominal Depth 12" (305 mm)



Belt and Tie Display


- 4½" (114 mm) long hooks 2¾" (70 mm) on center
- Available in 3 nominal depths to create a cascading effect
- Fits in Maxi Line and Tube Line Uprights
- Bracket design prevents accidental dislodgement

BTDR(NW)(ND)

BTDR..... Belt and Tie Display Rack

NW..... Nominal Width 30", 36", 42" or 48"
(762 mm, 914 mm, 1067 mm or 1219 mm)

ND..... Nominal Depth
00=2" (51 mm)
06=6.5 (165 mm)
10=10.5 (267 mm)



Wire Wallet Basket

- Available 7° or 14° uptilt
- Mounts to Multipurpose, Harmonic, 3"x 3" (76 mm x 76 mm) Mesh, 2"x 2" (51 mm x 51 mm) Mesh or Slatgrid
- Pocket dimensions: 1" (25 mm) smaller than nominal depth
- 2¼" (57 mm) front lip and 2¾" (70 mm) high ends

WWM(OPT)MPG(NW)(ND)


WWM..... Wire Wallet Basket

OPT..... 7=7° uptilt
14=14° uptilt

MPG..... Multipurpose Grid

NW..... Nominal Width 18", 23", 30", 36", or 48"
(457 mm, 584 mm, 762 mm, 914 mm, or 1219 mm)

ND..... Nominal Depth
6=6"
Blank=8"
10=10"
12=12"



Wire Wallet Cross Divider

- Clips into Wire Wallet Basket


WWM7MPGCD-(NW)

WWM7..... Wire Wallet Basket

MPG..... Multipurpose Grid

CD..... Cross Divider

NW..... Nominal Width 18", 23", 30", 36", or 48"
(457 mm, 584 mm, 762 mm, 914 mm, or 1219 mm)




Linens Display with 5" Lip

- Designed for display of linens, bedding, or soft packaged merchandise on Maxi Line shelving
- 36" or 48"W x 20"D (914 mm or 1219 mm x 508 mm) from uprights
- Wire grid is 6" (152 mm) OC
- Front lip is 5"H (127 mm)
- Load capacity 75 lbs

TPD5L-(NW)

TPD.....Throw Pillow Display
5L.....5" Lip (127 mm)
NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)




Wire Sheet Basket

- Basket has 15° uptilt to retain merchandise
- Load capacity 80 lbs

WSBSKT-(NW)(ND)

WSBSKT.....Wire Sheet Basket
NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
ND.....Nominal Depth 18" (457 mm)




Wire Bed Wall Shelf

- Provides the ideal way to display linens
- Shelf may be displayed flat or at a 15° downslant
- Front lip is 5"H (127 mm)
- Load capacity is 50 lbs

WBWS-(NW)(ND)

WBWS.....Wire Bed Wall Shelf
NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)
ND.....Nominal Depth 22", 30", 36", or 42"
(559 mm, 762 mm, 914 mm, or 1067 mm)





Throw Pillow Displayers

- Dimensioned to accommodate large and small decor and throw pillows as well as chair pads
- 'V' formed wires are on 11¾" (298 mm) spacing
- Load capacity 30 lbs

TPD(SIZE)-(NW)

TPD.....Throw Pillow Displayer
SIZE.....Blank=Small
L=Large
NW.....Nominal Width 36" or 48"
(914 mm or 1219 mm)



Wire Soft Goods Divider System

- Use with Adjustable Wire Soft Goods Shelves
- Divider panels made of sturdy gauge wire, welded 3" (76 mm) OC
- Hardware included to secure divider to Vertical Divider Bars and Base Shelf
- Dividers require three Vertical Divider Bars with 2" (51 MM) offset, per section

WPDVDB(NH)(ND)-(OPT)

WPDVDB.....Wire Soft Goods Divider, VDB Mount


NH.....Nominal Height 72" to 96" in 6" increments
(1829 mm to 2438 mm in 152 mm increments)

ND.....Nominal Depth 16" to 24" in 2" increments
(406 mm to 610 mm in 51 mm increments)

OPT.....C=Center

LH=Left-Hand

RH=Right-Hand



Wire Soft Goods Adjustable Shelf

- Sturdy gauge wire, extends in width ranges to accommodate most merchandise
- Adjustable design limits loading to lightweight fabric items, such as pillows, blankets, and comforters

WPSA-(NAW)-(ND)

WPSA..... Wire Soft Goods Shelf, Adjustable

NAW..... Nominal Adjustment Width:

12/18=12" to 18" (305 mm to 457 mm)


18/24=18" to 24" (457 mm to 610 mm)

24/36=24" to 36" (610 mm to 914 mm)

30/42=30" to 42" (762 mm to 1067 mm)

36/48=36" to 48" (914 mm to 1219 mm)

ND..... Nominal Depth 16" to 24" in 2" increments
(406 mm to 610 mm in 51 mm increments)



Swinging Wire Rug Display


- Cost-effective way to display multiple rugs
- Minimizes possible damage to fabric
- Rug dividers extend 8½" (216 mm) from frame
- Load capacity 10 lbs per arm
- Load capacity 240 lbs total

WRDS-(NW)(ND)

WRDS..... Swinging Wire Rug Display

NW..... Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)

ND..... Nominal Depth 20" (508 mm)



Slatwall Frame Display


- Fits into wooden or metal slatwall
- Ships as a pair, left and right hand
- Can be adjusted to match width of product
- Load capacity 40 lbs per pair

FAB(SIZE)

FAB..... Framed Art Bracket

SIZE..... S=Small 7" (178 mm)

L=Large 10" (254 mm)



Shower Curtain Display System, Wire Grid


- Self-service selection of shower curtains, liners and rings
- When panels are installed per diagram, each pocket will take 17" (432 mm) of run length, plus 8" (203 mm) at right end
- All display panels and shelf utilize 3" x 3" (76 mm x 76 mm) wire grid pattern
- Order four pack of pegboard clips to retain each panel to back
- Five levels of shelves and shower curtain display rods per each center or right end panel makes for compact display
- Left-hand system shown here, right-hand system achieved by reversing panels top to bottom

Description	Part Number
A Shower Curtain Display Panel, right end	WSCDS-84-R
A Shower Curtain Display Panel, center	WSCDS-84-C
A Shower Curtain Display Panel, left end	WSCDS-84-L
B Shower Curtain Display Rod, pack of 4	SCDWG
C Wire Shower Curtain Shelf	WSCS
D Pegboard Clips, pack of 4	WSCDPC-4PK


NOTE!
 Nominal 78" (1921 mm) high panels will flush at top of a 84" (2134 mm) Basic Upright. Order panels 6" (152 mm) less than upright height. Use of Pegboard backs are required in Maxi Line Gondola when ordering Shower Curtain Display System. Base shelves are required in fixture.

A WSCDS-84-(HAND)
 WSCDS.... Wire Shower Curtain Display Panel
 84.... Nominal Height 84"
 HAND.... C=Center
 L=Left-Hand
 R=Right-Hand





B SCDWG
 SCDWG.... Shower Curtain Display Rod,
 4 Pack



C WSCS
 WSCS.... Wire Shower Curtain Shelf




D WSCDPC-4PK
 WSCDPC.... Pegboard Clips
 4PK.... 4 Pack



Picture Frame Retainer Base Shelf Mounted

- Designed to retain large picture frames and framed art on base shelves
- Bumper protects frames from damage

PFRBSM(NW)(NH)
 PFRBSM.... Picture Frame Retainer Base Shelf Mounted
 NW.... 48" or 96" (1219 mm or 2438 mm)
 NH.... 12" (305 mm)
Finish Code
FIN1-FIN2
 FIN1Metal
 FIN2Bumper






Wine Display Kit

- Attractive presentation of 750 ml wine and spirits bottles
- Available in kits for 3' and 4' (914 mm and 1219 mm) sections of Maxi Line Shelving
- Rack holds four bottles
- Kit contains one crossbar plus bottle racks, three racks for a 3' (914 mm) section, four racks for a 4' (1219 mm) section
- Total number of bottles per section: 12 bottles for 3' section (914 mm) 16 bottles for 4' section (1219 mm)

WDK-(NW)

WDK..... Wine Display Kit
 NW..... Nominal Width 36" or 48" section
 (914 mm or 1219 mm)




Front View

Vertical Divider Bar Wire Bottle Display

- Attractive presentation of 750 ml wine and spirits bottles
- Each rack holds four bottles
- Mounted to Roll Goods Vertical Divider Bar, RGVDBNH, ordered separately

VDBWBD

VDB..... Vertical Divider Bar
 WBD..... Wire Bottle Display




Bottle Rack

Roll Goods Vertical Divider Bar

RGVDBNH-(NW)

RG..... Roll Goods
 VDB..... Vertical Divider Bar
 NH..... No Holes
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Wire Wine Rack With Cradles

- Shelf allows for wetting of the corks regardless if the cork is pointed up, or in the down position
- Positioned flat or 15° downtilt
- 13¼" (337 mm) Depth
- Bottles can be placed top or bottom down depending on the retailer's preference
- 3' (914 mm) shelf can hold up to 10 wine bottles
- 4' (1219 mm) shelf can hold up to 14 wine bottles
- Load capacity 100 lbs

WWRC-(NW)-(TAG)

WWRC..... Wire Wine Rack with Cradles
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 TAG..... Blank=No Tag
 DGA11A=Single Position Silver Tag Molding
 DGA11B=Single Position Black Tag Molding
 DGA11G=Single Position Gold Tag Molding
 DGA11PC=Single Position Powder Coated Tag Molding




Small Wine Box

- Laminated wine display
- Plastic Binning included
- Three adjustable dividers included, available in Black, White, Ivory or Clear
- Hardware included

SMWNBX481710-(BIN)

SMWNBX Small Wine Box
 48..... Nominal Width 48" (1219 mm)
 17..... Nominal Depth 17" (432 mm)
 10..... Nominal Height 10" (254 mm)
 BIN..... Binning Color
 BK=Black
 WH=White
 IV=Ivory
 CL=Clear

Finish Code
FIN1-FIN2-FIN3
 FIN1Front
 FIN2Sides
 FIN3Interior




NOTE!
 This hardware pack is only to ease installation of wine box. It is not intended to permanently secure wine box to shelf.
 Wine box must be permanently secured to shelf by running screws (provided with wine box) up through shelf perforations & into wooden cleat on underside of wine box.

Wire Truss Wine Shelf

- Constructed of 1/2" (13 mm) OC wire spacing with 1" (25 mm) high front truss lip and welded on brackets
- Extra bracing underneath supports increased weight of products encountered when displaying wine or other beverages
- Tag mold is built into the construction of shelf, measuring 1 1/4"H (32 mm)
- Customer-supplied signage for tag mold should measure 1.188"H (30 mm)
- Load capacity 400 lbs

WTWS-(NW)(ND)-(TYPE)-(TAG)

- WTWS..... Wire Truss Wine Shelf
- NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND..... Nominal Depth 12" to 26" in 2" increments
(305 mm to 660 mm in 51 mm increments)
- TYPE..... Bracket Type:
Blank=Standard SUS Brackets
STP=STP Brackets
- TAG..... Tag Mold Option:
Blank=Same Color Shelf/Tag Mold
P=Tag Mold Different Color




Wire Truss Wine Shelf, Radius Front

- Gradual outward curve 6" (152 mm) greater than depth of brackets at curve vertex
- Extra bracing underneath supports increased weight of products encountered when displaying wine or other beverages
- Constructed of 1/2" (13 mm) OC wire spacing with 1 5/16" (24 mm) high front truss lip and welded on brackets
- Extra bracing underneath supports increased weight of products encountered when displaying wine or other beverages
- Tag mold is built into the construction of shelf, measuring 1 1/4"H (32 mm)
- Customer-supplied signage for tag mold should measure 1.188"H (30 mm)
- Maximum load capacity, including ledge load 500 lbs
- Maximum ledge load 50 lbs

WTWSRF-(NW)(ND)-(FIN)-(TAG)

- WTWS..... Wire Truss Wine Shelf
- RF..... Radius Front
- NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND..... Nominal Depth 22" or 30"
(559 mm or 762 mm)
- FIN..... Shelf Color
- TAG..... Tag Mold Option:
Blank=Same Color Shelf/Tag Mold
P=Tag Mold Different Color




Wire Wine Shelf

- Complements other Madix shelves and wine displays

WWS-(NW)(ND)-(TYPE)

- WWS..... Wire Wine Shelf
- NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND..... Nominal Depth 16" to 26" in 2" increments
(406 mm to 660 mm in 51 mm increments)
- TYPE..... Bracket type
Blank=Standard SUS Brackets
STP=STP Brackets



Wire Bottle Display Racks

- Designed for use with a Heavy-Duty 10° Downslope Shelf, ordered separately
- Wire racks have "pack out" specific wire sizes to accommodate a variety of space allocation requirements
- Tension clips insert into shelf perforations at front and back to allow simple but secure attachment
- Gravity feed system, ordered separately, utilizes 2-sided plastic slides that rest on shelf and allow beverage bottles to slide to front position of each row
- Bottle slides snap together to fit atop shelf between front and back retainers of Bottle Display Racks
- Optimize with use of Super Slip Paint

4x	20"	4x10	40	3x9	27
	24"	5x10	50	4x9	36
	28"	6x10	60	5x9	45
3x	20"	4x7	28		
	24"	5x7	35		
	28"	6x7	42		

WR(TYPE)-(NW)(ND)(PACK)-2

- WR..... Wire Rack Bottle Displays
- TYPE..... Bottle Type:
 16D=16 oz. Bottle
 LB=2 Liter Bottle
 LB3=3 Liter Bottle
- NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
- ND..... Nominal Depth 20", 24", or 28"
 (508 mm, 610 mm, or 711 mm)
- PACK..... Blank for WR16D
 P=Packout for WRLB
 WRLB3 (see packout chart)
- 2..... Bottle Front to Back for WRLB3
 3=3 Bottles
 4=4 Bottles
 5=5 Bottles (see packout chart)



HUS10-(NW)(ND)



- HUS..... Heavy-Duty Upper Shelf
- 10..... 10° Downslope
- NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
- ND..... Nominal Depth 20", 24", or 28"
 (508 mm, 610 mm, or 711 mm)

Gravity Feed Bottle Slide

- Ridged panels allow bottles to slide to foremost product position whenever bottle is removed
- Units are easily assembled on site by snapping panels together with locking seams
- Formed of white plastic
- Comes in 2 pieces

GFBS-(NW)(ND)

- GFBS..... Gravity Feed Bottle Slide
- NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)
- ND..... Nominal Depth 20", 24", or 28"
 (508 mm, 610 mm, or 711 mm)



Bakery Wire Shelf

- Heavy gauge steel wire construction
- Powder coated for long life and extra wear
- 2¼" (57 mm) lip in front keeps product in place
- Shelf snaps into brackets for quick installation
- Brackets should be same finish as Bakery Wire Shelf
- Shelf may be installed on brackets with the lip facing to the front or the rear
- Shelf projection from upright is same when shelf is reversed

MBWS-(NW)(ND)-(TAG)(MF)(EDGE)

MBWS..... Madix Bakery Wire Shelf

NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)

ND..... Nominal Depth 16" to 24" in 2" increments
(406 mm to 610 mm in 51 mm increments)

TAG..... Tag Mold Option DGA2 Only

MF..... Mold Finish

A=Silver


G=Gold

P=Painted

EDGE..... Edge Type

Blank=Straight Edge Position

L=Lip Edge




Bakery Wire Shelf Brackets

- Wire Basket Brackets may be used with either the Madix Bakery Wire Shelves, Wire Truss Shelves or Modified Wire Truss Shelves
- Sold in pairs only
- Brackets should be ordered same size and finish of wire shelves that they are supporting

MBWB-(ND)

MBWB..... Madix Bakery Wire Shelf Bracket
(pair only and pricing)

ND..... Nominal Depth 16" to 24" in 2" increments
(406 mm to 610 mm in 51 mm increments)



Bakery Wire Shelf with Welded Brackets

- Wire Basket Brackets welded to Bakery Wire Shelf

MBWSWB-(NW)(ND)-(TAG)(EDGE)

MBWSWB..... Madix Bakery Wire Shelf

WB..... Welded Brackets

NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)

ND..... Nominal Depth 12" to 30" in 2" increments
(305 mm to 762 mm in 51 mm increments)

TAG..... Mold Tag Finish:

BLANK=Painted Color of Shelf


DGA2G=Gold Finish

DGA2A=Silver Finish

EDGE..... Edge Type

Blank=Straight Edge Position

L=Lip Edge




Wire Brackets

- Brackets for use with Wire Grid Shelves, ordered separately
- Sold in pairs
- Hardware pack included

BWB-(ND)-H

BWB..... Wire Brackets
 ND..... Nominal Depth 18", 20", or 22"
 (457 mm, 508 mm, or 559 mm)
 H..... Hardware Pack





Bakery Wire Shelf Tag Molding

- Tag Molding allows retailers to move Bakery Wire Shelf around without disturbing Tag Molding
- Attaches to inside of Madix Standard Brackets with included hardware instead of attaching it directly to shelf
- Choice of using shelf in lip edge position or the straight edge position without need to alter placement of Tag Molding
- Bakery Wire Shelf (MBWS) is ordered separately
- Tag Molding is available in 36" or 48" (914 mm or 1219 mm) nominal widths
- Standard finishes: Aluminum, Gold, and Painted

MBWSDGA2(COLOR)-(NW)

MBWSDGA2..... Madix Bakery Wire Shelf Tag Molding
 COLOR..... A=Aluminum
 G=Gold
 P=Painted
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Dip Shelf, Extended

- Versatile shelf hooks on front of Bakery Wire Shelf to accommodate cans of dip and other snack related merchandise

BWSEDS-(NW)

BWSEDS..... Bakery Wire Shelf Extended Dip Shelf
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Hanging Chip/Dip Merchandiser

- Great for add-on sales in snack chip aisle
- Unit may hang on either Standard Upper Shelf or Wire Potato Chip Shelf, ordered separately
- 4"W x 24"H x 4"D
 (102 mm x 610 mm x 102 mm)

HCDM-(OPT)

HCDM..... Hanging Chip Dip Merchandiser
 OPT..... Blank=Perforated Shelf
 WPCS=Wire Potato Chip Shelf




Wire Truss Shelf

- Heavy gauge steel wire construction, powder coated for long life and extra wear
- One inch (25 mm) high lips may be installed down at front and up at rear or vice versa to retain product
- Shelf snaps into three position brackets, flat, 15° downtilt, or 30° downtilt for quick installation
- Brackets should be same finish as Wire Truss Shelf
- Optional 1/4" (32 mm) tag molding is available
- Wire Truss Shelf Plastic Top, WTSPT, is available, sold separately
- Load capacity of 150 lbs in flat and 15° downtilt position and 100 lbs at 30° downtilt position

WTS-(NW)(ND)-(TYPE)-(TAG)-(MP)

WTS..... Wire Truss Shelf
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Nominal Depth 16" to 24" in 2" increments
 (406 mm to 610 mm in 51 mm increments)
 TYPE..... Blank=Regular-Duty
 HD=Heavy-Duty
 TAG..... Tag Mold Option:
 Blank=No Tag
 DGA2A=Silver
 DGA2G=Gold
 DGA2P=Powder Coat
 MP..... Mold Position:
 Blank=No Tag
 U=Lip Up
 D=Lip Down




Bakery Wire Shelf Brackets

- Wire Basket Brackets may be used with either the Madix Bakery Wire Shelves, Wire Truss Shelves or Modified Wire Truss Shelves
- Sold in pairs only
- Brackets should be ordered in the same size and finish of wire shelves they are supporting

MBWB-(ND)

MBWB..... Madix Bakery Wire Shelf Bracket
 (pair only and pricing)
 ND..... Nominal Depth 16" to 24" in 2" increments
 (406 mm to 610 mm in 51 mm increments)




Wire Truss Shelf Plastic Top

- Designed to prevent smaller items from falling through Wire Truss Shelf, sold separately
- Manufactured from clear acrylic
- Edges are polished for a smooth appearance

WTSPT-(NW)(ND)

WTS..... Wire Truss Shelf
 PT..... Plastic Top
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 ND..... Nominal Depth 16" to 24" in 2" increments
 (406 mm to 610 mm in 51 mm increments)




Wire Truss Shelf Plastic Tag Mold

- Snaps over lip of Wire Truss Shelf to allow for 1/4" (32 mm) price tags


WTSPTM-(NW)

WTS..... Wire Truss Shelf
 PTM..... Plastic Tag Mold
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)




Wire Radius Shelf

- Complements Madix's Standard Radius Front Shelf
- Utilizing the same radius, the SUSRF and WUSRF have a smooth scalloped design when shown side by side
- Used in Maxi Line fixtures, in line with SUS or STP shelves
- Made of heavy gauge wire construction
- Load capacity 100 lbs



Radius Tagmold Welded



SBSRF/Tagmold

WUSRF-(NW)(ND)(TAG)

- WUSRF..... Wire Radius Shelf
- NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
- ND..... Nominal Depth 12" to 30" in 2" increments
(305 mm to 787 mm in 51 mm increments)
- TAG..... S=DGA2 Silver
G=DGA2 Gold,
P=DGA2 Painted Any Color
W=Radius Tagmold Welded,
Painted color of shelf




Dry Dog Food Display for 4 lb Bags

- Dividing wires 4" (102 mm) in height, spaced 7" apart (178 mm), front fence is 3" (76 mm) high
- Tension clips insert into shelf perforations at front and back to allow simple but secure attachment

DDFD4-(NW)(ND)

- DDFD4..... Dry Dog Display for 4 lb Bag
- NW..... Nominal Width 48" (1219 mm)
- ND..... Nominal Depth 20" to 30" in 2" increments
(508 mm to 762 mm in 51 mm increments)




Jar/Can Display Rack

- Designed for use with Heavy-Duty 10° Downslope Shelf, ordered separately
- Dividing wires are spaced 3¹³/₁₆" (97 mm) OC
- Tension clips insert into shelf perforations at front and back to allow simple but secure attachment

WRDD-(NW)(ND)

- WRDD..... Jar/Can Display Rack
- NW..... Nominal Width 3' or 4'
(914 mm or 1219 mm)
- ND..... Nominal Depth 16" to 30" in 2" increments
(406 mm to 762 mm in 51 mm increments)




Wire Candy Rack

- Display small boxes of candy, cookies and other snack items
- May be used on either a Base Shelf or Upper Shelf
- 36" or 48"W x 24"H x 8"D (914 mm or 1219 mm)
- 1" (25 MM) OC wire spacing

WCANR-(NW)

WCANR..... Wire Candy Rack
NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)




Wire Candy Rack For Gondola

- Display small boxes of candy, cookies and other snack items
- Designed to be used on Base Shelf of Maxi Line shelving
- 13½"D (343 mm)
- 1" (25 mm) OC wire spacing
- 36"H (914 mm) unit has five pockets
- 48"H (1219 mm) unit has seven pockets
- Top two shelves are removed from a 36"H (914 mm) unit

WCRFG(NH)-(NW)

WCRFG..... Wire Candy Rack for Gondola
NH..... Nominal Height 36" or 48"
(914 mm or 1219 mm)
NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)




Ten Level Wire Candy Rack For Gondola

- Ships as one piece providing quick installation into Maxi Line Uprights
- Each individual pocket has 13° slant from back to front of unit
- Slant naturally fronts merchandise
- Each wire candy pocket has 1¼" (32 mm) metal tag mold
- One inch (25 mm) OC wire spacing
- Pocket dimensions:
 - Top - 6"D x 2¾"H (152 mm x 56 mm)
 - Second - 10"D x 2¾"H (254 mm x 56 mm)
 - Remaining - 12"D x 5⅝"H (305 mm x 143 mm)
- Load capacity 250 lbs

WCRG10L-(NW)(ND)

WCRG..... Wire Candy Rack for Gondola
10L..... Ten Level
NW..... Nominal Width 36" or 48"
(914 mm or 1219 mm)
ND..... Nominal Depth 12" (305 mm)





Slant Mirror

- Installs under lighted canopy which allows merchandise to be seen from all angles
- Even merchandise on top shelf can be viewed easily
- For complete custom appearance, add Canopy End Panels with 33" (838 mm) Canopy End depth, must have 20" (508 mm) or larger Base Shelf Depth, Canopy and Wire Shelves
- Available only in SUS-324, SUS-424 or CBO-24

SBM-(NW)

SBM..... Slant Mirror
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)



NOTE!

Slant Mirror covers 27" (686 mm) of upright.
 Requires use of 24" (610 mm) Canopy Shelf or CBO with Canopy Flange in 7" (178 mm) position.

Slant Mirror Frame

- Fits any canopy combination
- Features a safety tie-down
- Standard color: Sahara

SBF-(NW)

SBF..... Slant Mirror Frame
 NW..... Nominal Width 3' or 4'
 (914 mm or 1219 mm)




Spice Tray

- Unit mounts onto Standard Upper Shelf
- Acrylic front sets in lip on Spice Tray Divider (SPTD), which attaches to back of Spice Tray
- Available in 18" or 20" (457 mm or 508 mm) depths
- Can be used for other small items, such as cosmetics as shown in photo

SPT-(NW)(ND)

SPT..... Spice Tray
 NW..... Nominal Width 2', 3', or 4'
 (610 mm, 914 mm, or 1219 mm)
 ND..... 18" or 20" (457 mm or 508 mm)



Spice Tray Divider

- Specifically designed to boost product visibility and accessibility
- Available in 18" or 20" (457 mm or 508 mm) depths
- Sturdy, adjustable product dividers also available

SPTD-(ND)

SPTD..... Spice Tray Divider
 ND..... 18" or 20" (457 mm or 508 mm)



Wire Cookware Display Vertical Divider Bar Mount

- Mounts on perforated VDB bar
- Load capacity 20 lbs



WCWDVDB-(ND)

- WCWD..... Wire Cookware Display
- VDB..... Vertical Divider Bar Mount
- ND..... Nominal Depth 10" to 24" in 2" increments (254 mm to 610 mm in 51 mm increments)




Wire Cookware Display VDBNP Mount

- Mounts on non-perforated Vertical Divider Bar
- Load capacity 20 lbs

WCWDVDBNP-(ND)

- WCWD..... Wire Cookware Display
- VDBNP..... Vertical Divider Bar Mount, Non-Perforated
- ND..... Nominal Depth 10" to 24" in 2" increments (254 mm to 610 mm in 51 mm increments)



Wire Cookware Display

- Mounts on Slatwall and Wire Grid
- Bottom wire of displays has a hook at end of wire
- Hook rests over the top wire on display, securely holding display hooks in place
- Load capacity 20 lbs

WCWD-(ND)-(OPT)

- WCWD..... Wire Cookware Display
- ND..... Nominal Depth 10" to 24" in 2" increments (254 mm to 610 mm in 51 mm increments)
- OPT..... S=Slatwall Mount
W = Wire Grid Mount



Wire Cookware Display Hooks

- Pots and pans hang on Display Hooks, allowing easy access to merchandise
- Hook has a slight uptilt to prevent merchandise from sliding off
- WCWDH's are used for all three display mount; WCWD, WCWDVDB, and the WCWDVDBNP

WCWDH-(PACK)

- WCWDH..... Wire Cookware Display Hooks
- PACK..... Pack Quantity 10, 50, or 100




Standard Upper Shelf Mount Wire Rack Plate Holder

- Displays up to eighteen plates
- Mounts into SUS perforations for stability
- Each section can hold maximum of two plates in 2" (51 mm) deep slots
- 9¼"W x 14" or 18"D (235 mm x 356 mm or 457 mm)
- 16" (406 mm) nominal depth Standard Upper Shelf should be ordered with 14" (356 mm) nominal depth fixture; 20" (508 mm) nominal depth Shelf with 18" (457 mm) nominal depth fixture
- 3' (914 mm) shelf will hold three Plate Holders, and 4' (1219 mm) wide shelf will hold four Plate Holders
- 14" (356 mm) nominal depth will hold seven plates; 18" (457 mm) nominal depth will hold nine plates
- Fixture is made with sturdy gauge wire
- No assembly required

SUSMWRPH-(ND)

SUS.....Standard Upper Shelf
 MWRPH Mount Wire Rack Plate Holder
 ND..... Nominal Depth 14" or 18"
 (356 mm or 457 mm)




Crossbar Mount Wire Rack Plate Holder

- Capable of displaying seven plates, this unique plate holder can show 7" and 9" (178 mm and 229 mm) plates
- Plate holders hook securely over Roll Goods Vertical Divider Bars, ordered separately
- Display one plate in front circular portion of holder while displaying two plates in remaining segments
- Load capacity of 25 lbs

CBMWRPH

CBM..... Crossbar Mount
 WRPH..... Wire Rack Plate Holder




Crossbar Mount Wire Rack Plate Holder for Vertical Divider Bar

- Plate holders hook securely over Roll Goods Vertical Divider Bars, ordered separately
- Allows vertical display of plates
- Adjustable back stop
- Protective plastic on major contact points to protect plates

CBMWRPHVT

CBM..... Crossbar Mount
 WRPH..... Wire Rack Plate Holder
 VT..... Vertical Divider Bar



Roll Goods Vertical Divider Bar

RGVDBNH-(NW)

RG..... Roll Goods
 VDB..... Vertical Divider Bar
 NH..... No Holes
 NW..... Nominal Width 36" or 48"
 (914 mm or 1219 mm)



Paint Lock-Up Kit

- An economical locking door kit designed to be used where minimal amount of security is required
- Nominal width and nominal depth of PTLKUP(NW)(ND)(NH) are the same nominal size as the top and bottom shelves
- Nominal height is the distance from the top of upper shelf to bottom of lower shelf
- Shelves mounted inside the PTLKUP(NW)(ND)(NH) can be same depth as the top and bottom shelves



PTLKUP(NW)(ND)(NH)

PTLKUP.....Paint Lock-Up Kit

NW.....Nominal Width 24", 36", or 48"
(610 mm, 914 mm, or 1219 mm)

ND.....Nominal Depth 18", 19", 20", or 23"
(457 mm, 483 mm, 508 mm, or 584 mm)

NH.....Nominal Height 11", 12", 13", 32" or 48"
(279 mm, 305 mm, 330 mm, 813 mm or 1219 mm)




Folding Shelf Carriage


- Organizes shelves for movement throughout store
- Can store up to 40 shelves on one cart
- Cart folds flat when not in use and is easily stored against a wall in stock room
- Shelves fit on systems where slotting is 1" (25 mm) OC shelving systems
- Two straps included
- Load capacity 600 lbs
- Patent pending

MFSC(NW)

MFSC.....Madix Folding Shelf Carriage
 NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)



Expanded View
 Shown at 36" (914 mm)



Folded View
 Shown at 48" (1219 mm)




Folding Shelf Carriage Add-on Upright

- Attaches to Folding Shelf Carriage
- Mounting holes are 6", 12", 18", 24", 30", and 48" slot centerlines
- Hardware pack included

MFSCAU

MFSC..... Madix Folding Shelf Carriage
 AU..... Add-On Upright




Plan-O-Gram Pocket Assembly

- Attaches to any 1" (25 mm) OC slotted Gondola Upright
- Holds standard 8½" x 11" (216 mm x 279 mm) paper and is a better alternative to crude attachments such as tape, push pins, Velcro, hooks and plastic paper sleeves
- Holder may be used on rear of end caps or positioned behind product on a wall or two-sided gondola
- Tab Hooks are located so pocket can be installed on either right or left side of section

POGP

POGP..... Plan-O-Gram Pocket



Prices

All prices are subject to change without notice. Every effort will be made to give advance notice of any increase through notification from the home office. The customer will receive an acknowledgement showing prevailing prices at the time the order is processed. State or other sales or use taxes, freight and surcharges will be charged when applicable. Freight quotes may be provided based upon information available at time of quote, but are not guaranteed. Active freight charges will be billed if applicable. When market conditions dictate, a surcharge may be implemented. All quotations automatically expire at the end of 30 days.

Terms

Cash in advance prior to production or net 30 days if open account status is approved by Madix Credit Department. MasterCard, Visa, and American Express are accepted.

Acceptance

All orders, contracts, and agreements are subject to Madix's acceptance and approval. Madix shall not be liable for any delay in the performance of any order, contract, in the delivery of any goods, or for any damages resulting from such delay, when such delay is directly or indirectly caused by or due to fire, flood, accident, riot, act of God, war, governmental decree or order, strike, labor difficulties, shortage of labor, fuel, power, material or supplies, transportation delay or any other delay or causes (whether or not similar to any of those herein before specified) beyond our reasonable control. Order acceptance will be per the conditions and terms outlined in Madix's acknowledgement. Mailing of the acknowledgement will signify Madix's acceptance of the order.

Minimum Charge

All orders less than \$50.00 net (merchandise only) will be invoiced at \$50.00.

Charges and Cancellations

Customer requested changes and cancellations are subject to approval by Madix. Every reasonable effort will be made to accommodate these requests without additional cost to the customer. Any manufacturing or engineering costs incurred will be charged to the customer. Orders produced and delayed for more than one week may incur charges for demurrage, unloading, or other storage costs. Madix will advise customers of the estimated charges at the time changes or cancellations are made.

Shipments

Method and route of shipment are at Madix's discretion unless Madix is furnished with complete shipping instructions at least ten (10) days before the scheduled shipping date. Freight is FOB/EXW Madix shipping point.

Freight Claims

For common carrier shipments, claims must be made directly with the carrier by the recipient. Listed are the types of losses which may occur, and your responsibility in handling them:

Loss of Freight: It is the receiver's responsibility to count the freight at the time of delivery. Any exception must be noted on the carrier's delivery receipt at time of delivery.

Damage of Freight: As with a loss of freight, damage of freight must be noted on the carrier's delivery receipt at the time of delivery. It is the receiver's responsibility to make sure that the freight is inspected for visible damage and that the number of pieces damaged is marked on the carrier's delivery receipt. Failure to note visible damage at the time of delivery will result in non-payment of a damage freight claim. Salvage must be held for the carrier.

Concealed Damage: If goods are received in apparently good condition but there is concealed damage, it is the customer's responsibility to contact your Madix Service Representative within 15 calendar days from delivery. Customer must keep the product and the packaging so that an inspection may be conducted by the carrier. Failure to handle a concealed damage claim in this manner could greatly reduce the amount recovered from the carrier.

Returned Goods

Returned Goods requests must be submitted to Madix, Inc. within 60 days after receipt of product. Authorization must be in writing on Madix's RGA (Return Goods Authorization) form. Goods must be received within 30 days of RGA issue date for credit. Only Code A products finished in returnable colors as indicated on the finish policy pages will be considered for return, and only items in unused, in resalable condition, and in the original packaging. No special size, color, or specially manufactured parts or products are eligible for return unless sent to the customer as the result of an error by Madix. Only merchandise listed on the RGA will be accepted for conditional return. Credit will not be issued for that portion of merchandise that is not considered resalable. A handling and restocking charge of 25% of the invoice price will be charged for all approved returns. Submit requests to your Madix Sales Representative or Customer Service Department prior to returning any merchandise. All returns must be have the customer name and Madix RGA number prominently displayed on each package. Product to be shipped prepaid at customer's expense unless prior approval has been received from an authorized Madix Representative.

Warranty

We warrant to the original purchaser that all products manufactured by Madix are free from defects in material and workmanship. This warranty is invalid if products or parts are modified or used in a manner other than the intended purpose. Our obligation under this warranty is limited to repairing or replacing of any part or parts which shall, within one (1) year after delivery to the original purchaser, be demonstrated to be defective under normal use and service. This warranty is in lieu of all other warranties, expressed or implied, and of all other obligations or liabilities of any kind on Madix's part, and no modification of this warranty shall be valid or binding unless in writing and signed by an officer of Madix, Inc.

**POSSESSION OF THIS CATALOG IS NOT AUTHORIZATION TO SELL MADIX PRODUCTS!
ALL FACTORY QUOTES ARE GOOD FOR 30 DAYS ONLY.**

Production

Madix fixtures are manufactured utilizing the most current technology of highly automated systems with process control techniques. Skilled craftsmanship, combined with automatic presses, roll forming machines, multi-spot welders, conveyers, finishing equipment and thorough inspections produce store fixtures of the highest quality.

Upright

Carefully engineered of heavy gauge, high quality steel components, the UPRIGHT is slotted one inch on center for maximum flexibility, shelf adjustability and use of available space. Standard heights range from 36" through 96" with built-in leveler. For the finishing touch at the end of the shelving run, the snap-on UPRIGHT END COVER is made of durable, scuff and impact resistant plastic or heavy gauge metal. The UPRIGHT CAP, made of high impact plastic, has provision for a sign holder.

Base Shoe

The five inch low BASE SHOE features exclusive "I" beam design, engineered of projection welded high strength steel parts insuring maximum load capacity. Snaps securely into upright with leveler and electrical access allowing for quick error free installation. For the finished look, the one piece slip on BASE END COVER is made with a high impact plastic nose reinforcement to protect base shelf tag molding.

Spanners

Snap-in support SPANNERS keep uprights at equal spacing and hold the back panels rigid. Each spanner has knockouts for electrical access and telescoping uprights.

Back Panels

High density hardboard BACKS fit flush to the face of the upright. A wide variety of finishes include solid, pegboard, wood grain and fabric in a wide assortment of optional colors. Mirrors and open backs are also available.

Kickplate

Fully floating feature of kickplate allows flush fit against uneven floors, snaps in and out without disturbing base shelf for easy cleaning. Convenient knockout accommodates electrical access.

Base and Upper Shelves

Steel base shelves feature lock tabs to insure quick installation and precision alignment. A double row of 1/4" inch perforations on the front and rear edge makes any form for binning possible. Slim bracket, high tensile design with flat or 15 degree downslope upper shelf positions allow for maximum merchandise visibility. Integrally formed price tag molding accommodates 11/4" tag. Upper shelves available in 8", 10", 12", 14", 16", 20", 22", 24", 26", 28", and 30" depths. Base shelves available in 12", 14", 16", 18", 20", 22", 24", 26", 28", and 30" depths.

Shelf Loading

The recommended load capacity for upper shelves is based on evenly distributed weight. Capacities are reduced by 35% when front half is loaded and reflect rated maximum load. Load capacities are shown in the General Information Section under Shelf Loading.

Baked Enamel, Powder Coat Finishes

All metal parts are finished with a specially formulated high solids or powder which are electrostatically bonded in a unique multi-stage process, to insure the highest quality finish. Aerosol cans of Touch-up paint are available in Madix's standard and optional colors. FAA regulations prohibit the shipment of this product by air or in export containers by air or ocean to countries outside the United States.

Product Maintenance

When necessary to clean Madix shelving, use a non-abrasive mild detergent and warm water, followed by thorough drying. The use of a cloth made of a soft white cotton material is strongly recommended. The use of cleaning products that contain abrasive, bleach, or strong solvents, such as ketones, ethers, etc. will result in damage to the finish. The damage is most severe when these harsh cleaning agents are used on colors which contain leafing aluminum pigment such as powder chrome, silver vein, and other "vein" type finishes. The aluminum in these coatings resides at the surface of the finish and is therefore susceptible to damage by the harsh cleaning agents. As an alternative to the mild detergent, cleaners with ingredients similar to those found in products such as 409, Fantastik, and Simple Green can be used. Caution! Cleaners having ingredients similar to those found in Ajax, Borax, Comet, etc. should be avoided as finish damage could result.

Codes

In your planning stage, consult with local municipal engineers to determine what codes and restrictions will be applicable in the locations where the shelving will be used. Codes may include: state, local, fire, building, and health and safety codes. Seismic requirements may apply in some locations. For example, in most locations fire codes state that fixtures need to be at least 18 inches below the sprinklers.

Shelving Selection

Take into consideration the load that is expected not only on each shelf but also on the unit as a whole. Take into account the upright capacity. Refer to the load capacity information that is in the Madix Standard Catalog. Madix shelves are rated using an evenly distributed load. Do not install shelves or accessories that extend beyond the depth of the Base Shelves. Consider making the Base Shelves and low height fixtures a contrasting color from the floor's color to prevent potential tripping hazards. Do not use Madix parts or accessories for any purpose other than originally intended by Madix.

Shelving Installation

Initial installation or relocation of Madix shelving should be supervised by qualified personnel. Madix products should be installed according to Madix's specifications. Madix's installation sequence must be followed for assembly and leveling. An improperly installed store fixture has a poor appearance and may cause a dangerous condition. Be especially careful when leveling fixtures with offset loads in which one side of the fixture has a considerably heavier load than the other side. Dismantling and reassembling used Madix shelving can be dangerous if the installers who are doing the work leave out parts, use damaged parts, or do not reassemble the product by Madix's specifications. Do not alter, modify, or structurally change any shelving component. Do not move assembled shelving. Only parts and accessories that are produced and supplied by Madix are covered by the Madix warranty. Do not assemble Madix fixtures with parts from other manufacturers. Under no circumstances should you use damaged parts. When assembling Gondola/Wall Shelving, install Kickplates to protect the Base Shoes from floor cleaning equipment and to offset the possible bumping and misalignment of the shelving runs. Do not install shelves or accessories on the sides of wall sections or any section that is not supported by Base Shoes. Use caution when handling and transporting shelving parts. Be careful when cutting shrink wrap from pallets because the shelving parts can dislodge from the wrap and fall. Cut the wrap gradually from the top, only as much as you need to remove the product from the top. Two common hazards while installing store fixtures are: employees hurting themselves with improper types of box cutters and employees putting boxes on the floor and then tripping over them.

Anchoring and Floors

Depending on code requirements and Madix's specifications, some products must be anchored to the walls and/or floors. Do not lean tall or heavy objects against unanchored shelving systems. Retailers must consider the type of floor upon which the shelving will be installed.

Impact Loading

Impact during the loading and unloading of merchandise can create an adverse loading situation and may result in damage to or failure of the Madix shelving. Do not walk or climb on Madix shelving.

Overturning

Overloading the top portion of the shelving, non-uniform loading, out-of-plumb installation, and impact can cause shelving to overturn. Improperly installed Madix shelving with offset loads can cause store fixtures to collapse. Carefully follow Madix's installation instructions in order to prevent shelving from overturning.

Additional Shelving Safety Pointers

Product loading instructions are included with each Madix order. Retailers must make merchandisers aware of the product's load limitations and the dangers of overloading the shelving. Remove any merchandise or overstock before attempting to move Madix shelving. Periodically inspect your Madix shelving for damaged or loose parts. Make sure that shelves and accessories are properly seated in the slotting or perforations. Make sure that shelves and accessories are not overloaded. As merchandising changes, beware of creating offset loads on shelving runs that are not properly leveled. Look for leveling warning signs such as increased gaps between shelves or accessories that may indicate that the shelving runs need re-leveling. Damage to Madix shelving is dangerous. In some cases, the shelving should be unloaded immediately and repaired or replaced before returning to service. Re-level fixtures that you have bumped or moved. Incorporate safety into your merchandising strategy. When possible, merchandise the heavier products on the lower shelves. If the merchandise will not fit on the Madix shelves and there is a replenishment cycle, make sure that the cycle is a safe one. Make sure that merchandise and overstock are properly stacked and maintained so that items will not fall into the aisles. Assure that customers who handle merchandise or overstock will not push product from one side of the Madix fixture to the other side where people could be injured from falling merchandise. Safely secure overstock that is placed on Madix shelves overhead. Measure the difficulty that your employees have in retrieving overstock, and consider whether employees or customers could be injured if the product happens to fall from the shelving units. Teach employees and inform customers that Madix shelves should never be used as ladders to reach higher shelves. Ladders should be clearly marked for employees use only and should not be left unattended, or customers will try to remove stock on higher shelves by themselves. Notify customers to ask for assistance when they need product that is out of their reach.

Finish Policy for Metal Products

Standard Colors, Returnable– Code A

Madix standard returnable colors for display shelving are Sahara, Blue Gray, Oyster, Snow White, and Satin Black. Madix standard returnable colors for wire products only are Powder Chrome and Silver Vein. All catalog items are priced in standard color.

No Charge Colors (Non-Returnable)– Code B

Madix non-returnable colors offered at the standard price are Chocolate, Dove Gray, Dover White, Fashion Gray, Skyline Gray and Tru Gray. All catalog items are priced in standard color.

Optional Colors-Level I Finishes (Non-Returnable)– Code B

Madix offers optional colors, also known as Grade I Finishes, at additional charge: Bright Orange, Hollyberry, Hunter Green, Mandarin, Neon Blue, Spectrum Blue, Spectrum Green, Spectrum Red and Valencia. Products painted with these colors are non-returnable.

Metal Components: \$350.00 line charge plus published per-piece charge.

Metal Back panels: \$350.00 line charge plus published per-piece charge.

Special Colors– Code C

Use line change charge plus per piece charge supplied by customer service. Special colors are non-returnable.

Pricing For Levels II To IV:

Level II: 1.6 x Optional Color Upcharge. Example: Optional upcharge for SUS is \$1.50; upcharge with Level II finish will be \$2.40.

Level III: 2.8 x Optional Color Upcharge. Example: Optional upcharge for SUS is \$1.50; upcharge with Level III finish will be \$4.20.

Level IV: 3.8 x Optional Color Upcharge. Example: Optional upcharge for SUS is \$1.50; upcharge with Level IV finish will be \$5.70.

Metal Components: \$500.00 line charge plus published per-piece charge.

Back panels: \$350.00 line charge plus published per-piece charge.

Maintenance for Metal Products

Baked Enamel and Powder Coated Finishes

All metal parts are finished with a specially formulated high solids or powder which are electrostatically bonded in a unique multi-stage process to insure the highest quality finish. Aerosol cans of touch-up paint are available in Madix's standard and optional colors. FAA regulations prohibit the shipment of this product by air or in export containers by air or ocean to countries outside the United States.

Product Maintenance

When cleaning Madix shelving, use a non-abrasive mild detergent and warm water, followed by thorough drying. Using a soft white cotton cloth is strongly recommended. Cleaning products containing abrasives, bleach, or strong solvents will result in damage to the finish, especially when used on colors containing leafing aluminum pigment, such as powder chrome or vein-type finishes.

Finish Policy for Wood Products

High Pressure Laminate

The terms "laminates" or "HPL" are commonly applied to this material which consists of multiple layers of paper infused with phenolic resin and topped by a finish paper coated with clear melamine resin, all totally bonded under high pressure and heat. The finished sheet has extremely high wear and impact resistance.

Customer Specified High Pressure Laminate

Madix coding is based on Wilsonart availability. Laminates other than Wilsonart may require additional lead time.

- Customer specified laminates add \$100.00 per pattern, per order
- Additional charge will apply based on the laminate grade that is chosen

Laminates that are not from a laminate manufacturer's standard samples (metallics, heavy textures, wet looks, core edge, special prints) will require a special quote. Contact Customer Service for specific pricing on laminates not listed above.

Thermofused Panels

Thermofused panels are ideal for non-wear surfaces and have substantial impact and wear characteristics compared to melamine panels previously available. The product is produced using hot press laminating polyester or melamine resin impregnated self-bonding paper to wood substrate. Performance specifications are available from the American Laminations Association. Madix does not recommend the use of Thermofused panels on horizontal or other wear surfaces.

Printed Mirror Hardboard

Printed materials are primarily used for back panels, but appear as various other products. These materials are carefully cross matched to the corresponding laminates and Thermofused. Mylar mirror hardboard is used in the same applications and is also available in pegboard and grooved pegboard.

NOTE!

See Finishes Brochure for color samples.

Finish Policy for Back Panels

Standard Colors, Returnable– Code A

Madix standard returnable colors for display shelving back panels are Sahara, Oyster, and Snow White.

Optional Colors-Level I Finishes (Non-Returnable)– Code B

Madix non-returnable back panel colors offered at the optional price are Chocolate, Dove Gray, Dover White, Fashion Gray, Satin Black, Skyline Gray, Blue Gray and Tru Gray. Set-up charge of \$350.00 applies.

Optional Colors-Level II Finishes (Non-Brilliant)– Code B

Madix offers optional back panel colors also known as non-brilliant finishes at an additional charge. These colors include custom grays, off whites, tans, and beiges not listed in Madix's Finishes brochure. Products painted with these colors are non-returnable. Set-up charge of \$350.00 applies.

Optional Colors-Level III Finishes (Brilliant)– Code C

Brilliant back panel finishes include Hunter Green, Neon Blue, Spectrum Blue, and Spectrum Green. Set-up charge of \$350.00 applies.

Optional Colors-Level IV Finishes (Reds and Yellows)– Code C

Use line change charge plus per piece charge supplied by customer service. Special colors are non-returnable. Set-up charge of \$350.00 applies.

Pricing For Levels II To IV

Level II

1.2 x the difference between the Hardboard/Pegboard Optional Color pricing and the Hardboard/Pegboard Sahara pricing.

Example: Optional upcharge for a BH-342 with a Level II finish would be calculated as follows:

$\$13.85 - \$12.45 = \$1.40 \times 1.2 = \1.68 . The color upcharge for a BH-342 with a Level II finish is \$1.68. This upcharge amount will be added to the Optional Color price of a BH-342. The new price of a BH-342 using a Level II finish is \$15.53 ($\$13.85 + \$1.68 = \15.53).

Level III

1.4 x the difference between the Hardboard/Pegboard Optional Color pricing and the Hardboard/Pegboard Sahara pricing.

Example: Optional upcharge for a BH-342 with a Level III finish would be calculated as follows:

$\$13.85 - \$12.45 = \$1.40 \times 1.4 = \1.96 . The new color upcharge for a BH-342 with a Level III finish is \$1.96. This upcharge amount will be added to the Optional Color price of a BH-342. The new price of a BH-342 using a Level III finish is \$15.81 ($\$13.85 + \$1.96 = \15.81).

Level IV

1.8 x the difference between the Hardboard/Pegboard Optional Color pricing and the Hardboard/Pegboard Sahara pricing.

Example: Optional upcharge for a BH-342 with a Level IV finish would be calculated as follows:

$\$13.85 - \$12.45 = \$1.40 \times 1.8 = \2.52 . The color upcharge for a BH-342 with a Level IV finish is \$2.52. This upcharge amount will be added to the Optional Color price of a BH-342. The new price of a BH-342 using a Level IV finish is \$16.37 ($\$13.85 + \$2.52 = \16.37).

NOTE!

See Finishes Brochure for color samples.

Part Name	Part Number	Page Number
A		
Adjustable Crossbar.....	ACBR3648-(ND)	70
Adjustable Crossbar.....	CBADJ-(NW)(ND)	39
B		
Baby Formula Wire Shelf.....	BFWS-(NW)(ND)	61
Bakery Wire Shelf.....	MBWS-(NW)(ND)-(TAG)(MF)(EDGE)	93
Bakery Wire Shelf Brackets.....	MBWB-(ND)	27, 93, 95
Bakery Wire Shelf Tag Molding.....	MBWSDGA2(COLOR)-(NW)	94
Bakery Wire Shelf with Welded Brackets.....	MBWSWB-(NW)(ND)-(TAG)(EDGE)	93
Base End Cover Cap Design.....	BECCD-(NH)(ND)	50
Base Shelf Bumper Molding.....	M30(COLOR)-(NW)	8
Basic Upright for End Shelf.....	BUES(NH)	15
Basic Upright for End Shelf Insert Only.....	BUESI(NH)	15
Belt and Tie Display.....	BTDNR(NW)(ND)	86
Bike Rack.....	BRUSM90-(NW)	83
Bike Rack Bike Holder.....	BRBHM90	83
Book Basket.....	ABB-(NW)	48
Book Display, 70".....	BD70-(NW)	46
Bookshelf End Panel.....	BKSBE-(ND)-6	46, 54
Bookshelf on Base.....	BKSOS-(NW)(ND)-(TYPE)	46
Bookshelf Wire Divider.....	BKSD-(ND)-25	46, 54
Box Corner.....	BC-9630(OPT)	26
Brochure Holder.....	VBH-(OPT)	63
Bulk Baskets.....	BBSKT(NW)(ND)-(FH)(RH)	62
Bulk Baskets Divider.....	BBSKTD(ND)-(FH)(RH)	62
Bullnose Upper and Base Shelf.....	S(TYPE)SBN(NW)(ND)	7
C		
CD Browser Shelf.....	CDBS-(NW)(ND)	49
CD Browser Shelf Divider.....	CDBSD-(ND)	49
CD Displayer.....	CDD-(NW)	49
CD Displayer Endcap.....	CDE-(NW)	49
Ceiling Fan Cloud Adjustable Beam.....	CFD-AB	75
Ceiling Fan Cloud Display Bracket.....	CFDB-(HAND)	75
Ceiling Fan Cloud Fan Box.....	CFD-FB	75
Ceiling Fan Cloud Horizontal Brace.....	CFD-HB-48	75
Circular Saw Display.....	TBCSD	80
Classic Basket for Wire Grid.....	CBWG-(NW)(ND)	45
Classic Pegboard Basket.....	CBPSW-(NW)(ND)	43
Clipless Basket Divider.....	CBD(OPT1)-(ND)(OPT2)(NH)	64
Concave Kickplate.....	SBSMRFC(KP)(ID)-(NW)	12
Concave/Radius Upper & Base Shelves.....		11
Crossbar.....	CB1/2X11/2-(NW)(ND)	38
Crossbar.....	CB(NL)-(SL)	39
Crossbar Hook.....	CB9201-(NL)-(PACK)	39, 41
Crossbar Hook.....	THACBM06-(OPT)	39
Crossbar Mount Wire Rack Plate Holder.....	CBMWRPH	100
Crossbar Mount Wire Rack Plate Holder for VDB.....	CBMWRPHVT	100
Crossbar Scanner Hook.....	RCCS(NL)-212-(PACK)	41
Crossbar with Holes.....	CBP(NW)-(ND)	39
D		
Dip Shelf, Extended.....	BWSEDS-(NW)	94
Divider.....	CB(W)(S)-(ND)(TYPE)(NH)	57
Downtilt Tag Molding.....	M29(COLOR)-(NW)	9
Drill Display.....	TBDD	81
Dry Dog Food Display for 4 lb Bags.....	DDFD4-(NW)(ND)	96
DVD Flush Shelf 3-Level.....	DVDF3L-(NW)	51
DVD Flush Shelf 3-Level End Panel.....	DVDF3L-EP	51
DVD Shelf 4-Tier.....	DVDS4T-(NW)	51
DVD Shelf 4-Tier End Panel.....	DVDS4T-EP	51
E		
Easel™ SB.....	EASEL-SB(NW)(ND)(FIN1)	17
End Cap Merchandiser.....	EC090852	67
End Cap Merchandiser Basket.....	EC090854	67
End Cap Merchandiser Mounting Hardware.....	AC125520K	67
End Cap Merchandiser Mounting Kit.....	EC090852K	67
End Cap Merchandiser Peg Hooks.....	AC125015	67
End Panels, Square & Radius.....	EP(OPT1)(NH)(ND)(OPT2)-(OPT3)	10
Extended Base Shelf.....	ESB(ND)-(NW)(SD)-(TAG)-(OPT)	24
Extended Compact Disc Display Shelf.....	ECDDS(NW)(ND)	50
Extended Panels.....	EP(TYPE)H-(NW)(NH)	25

Part Name	Part Number	Page Number
F		
Faceout Waterfall.....	CB1/2FOW-PC	38
Faceout Waterfall 12".....	CB1/2FOJ-12-PC	38
Fastener 10156.....	F10156-10	33
Fastener CF1CF-1.....	CF1CF-10	33
Fastener Remover 2145.....	FR2145	33
Fishing Pole Display.....	FPD-(NF)(NW)	85
Fishing Pole Display.....	FPDAH6	85
Fishing Pole Holder Crossbar Hook.....	FPHCBH	85
Five Pocket Magazine & Calendar Display.....	MCD-(NW)	46
Five Tier Wire Display.....	FTWDS-(NW)	61
Flat "S" Hooks.....	AC125(OPT)Z	59
Flush Front Upper Shelf.....	FF(TYPE)S-(NW)(ND)	7
Folding Shelf Carriage.....	MFSC(NW)	102
Folding Shelf Carriage Add-on Upright.....	MFSCAU	102
Footwear Shelf.....	FWS(NW)(ND)	86
Four Tier Wire Display.....	FTWD4-(NW)	61
Framed Art Bracket.....	FAB(OPT)PG-(HAND)	44
Framed Slatwall End Panel.....	FSWEP(NH)(ND)-(OPT1)-(OPT2)	10
G		
Garden Fork Peg Hook.....	E4K534	42
Garden Rake Peg Hook.....	E4K531	42
Glass Shelf.....	GS-(NW)(ND)	29
Glass Shelf Bracket.....	SGSB-(ND)	29
Glass Shelf Clips.....	GSC-20	29
Glass Shelf Frame.....	GSF-(NW)(ND)	29
Glass Shelf Frame with Two Crossbars.....	GSF(NW)(ND)-2B	29
Gondola Wire Display Panel with and without Wings.....	GWDP(OPT1)-(NH)(ND)-(OPT2)(OPT3)	66
Gravity Feed Bottle Slide.....	GFBS-(NW)(ND)	92
Gravity Feed Caulk Tube Display.....	GFCTD(NW)(ND)	74
Greeting Card Four Tier Wire Display.....	GCFTWD4-(NW)	53
Grid Brackets.....	AC999GBH(FIN1)	59
Grinder Display.....	TBGD	81
H		
Half Shelf on Tubing, Heavy-Duty.....	HSTHD-(NW)(ND)	6
Half Wrap Around Shelf.....	WA(TYPE)S-(NW)(ND)-(HAND)	14
Half-Radius Base Shelf.....	SBSHRF-(NW)(LSD)(RSD)-(TAG)	18
Half-Radius Concave Base Shelf.....	SBSHRFC(NW)(LSD)(RSD)-(TAG)	18
Half-Radius Concave Upper Shelf.....	SUSHRFC(NW)(LSD)(RSD)-(TAG)	18
Half-Radius Upper Shelf.....	SUSHRF-(NW)(LSD)(RSD)-(TAG)	18
Hammer Display, Wire.....	HRHDBG	80
Hand Held Weight Display.....	HHWD(NW)(ND)	83
Hanging Chip/Dip Merchandiser.....	HCDM-(OPT)	94
Hanging Magazine Rack.....	HMR	54
Hangrod.....	HR-(NL)	39
Hangrod Bracket.....	HR(OPT)-(NL)	39
Health and Beauty Aid Shelf.....	HBAUS(NW)(ND)	4
Heavy-Duty Implement Hook.....	PHI-10-PC	42
Heavy-Duty Label Holder.....	SCLHHD-(NL)-(PACK)	42
Heavy-Duty Pipe Bracket.....	HDPB-(ND)	74
Heavy-Duty Roll Goods Vertical Divider Bar.....	RGVDBHD-(NW)	6
Heavy-Duty Shelf with 10° Downslope.....	HUS10-(NW)(ND)	4, 92
Hose Reel Crossbar.....	HRCB-(NW)	82
I		
Inside Corner Base & Upper Shelf.....	W(TYPE)SIC-(ASD)-(TAG)(OPT)	20
Inside Corner Kickplate.....	WKPIC(ASD)-(OPT)	20
Inside Corner Slide Retainer.....	ICSR-(NL)	20
Interlocking Wire Binning Divider.....	MD-(NH)(ND)-1-(OPT)	35
Interlocking Wire Binning Front.....	MF-(NH)(NW)-1-(OPT)	35
J		
Jar/Can Display Rack.....	WRDD-(NW)(ND)	96
Jig Saw and Sander Display.....	TBJSSD	81

Part Name	Part Number	Page Number
K		
Keyboard Shelf.....	IU-106-(OPT).....	31
L		
Label Holder.....	SCMLH-(NL)-(PACK).....	42
Lawn Mower Display.....	LMD-4.....	73
Level Wire Rack, Two Teir.....	LEVELRAK2818(OPT).....	82
Light Fixture Crossbars.....	LFCB-(TYPE).....	78
Light Fixture Display Flush Front Shelf.....	LFUS-424Z.....	78
Light Fixture End Panels.....	LFEP-(TYPE).....	78
Light Fixture Lower Hardboard.....	LFLHBP.....	78
Light Fixture Panels.....	LFP-(TYPE).....	79
Light Fixture Radius Canopy Frame.....	LFRCF.....	77
Light Fixture Signage Board.....	LFSB.....	79
Lighted Upper Shelf Assembly Step Back Shelf.....	LUSASTB-(NW)(ND)(SO)-(TO).....	16
Lighted Upper Shelf Frame for Lumishelf™ Surface.....	LUSF-(NW)(ND).....	21
Lighted Upper Shelf with Bullnose Front.....	LUSFBN(NW)(ND).....	21
Linens Display with 5" Lip.....	TPDSL-(NW).....	87
Loose OEB Brackets.....	AC1230(TYPE)(HAND)(FIN1).....	59
Lumber Bar Divider.....	LBDP-22.....	73
Lumber Frame.....	LF(NW).....	73
Lumishelf™ Acrylic LED LUSF Assembly.....	LSSLA(NW)(ND)-(OPT).....	23
Lumishelf™ Acrylic LED Shelf Assembly.....	LSSGA(NW)(ND)-(OPT).....	21
Lumishelf™ Base Shelf.....	LBSF-(NW)(ND).....	23
Lumishelf™ Glass Shelf Frame.....	GSF(NW)(ND)-2B.....	21
Lumishelf™ Glass Shelf Radius Frame.....	GSRFF-(NW)(ND).....	21
Lumishelf™ Radius LED Shelf Assembly.....	LSSRA(NW)(ND)-(OPT).....	22
Lumishelf™ Radius Surface.....	LSSR(NW)(ND)-(OPT).....	22
Lumishelf™ Surface for GSF.....	LSSG(NW)(ND)-(OPT).....	21
Lumishelf™ Surface for LUSF.....	LSSL(NW)(ND)-(OPT).....	21
M		
M Vertical Divider Arms.....	MVDA-(ND)(NL)H.....	68
Magazine Display.....	DM(TYPE)T-(NW).....	47
Metal Gun Rack Kit.....	MGRK(NW)-(Option).....	85
Metal Pullout Shelf.....	MPS-48(ND).....	13
Metal Section Divider Panel.....	MSPD-(AD)(AH).....	36
Metal Shelf Cross Divider.....	MSCD(NW).....	32
Metal Shelf Divider.....	MSD-(ND)(NH).....	36
Metal Shelf Filler.....	MSF-(NW).....	30
Metal Slatwall Shelf, Heavy-Duty.....	MSWHDMS(NW)(ND)NT.....	29
Mobile Gondola End Deck.....	MGED(ND)(LSD)(RSD)(NP)-DGA28(TYPE).....	55
Mobile Gondola Plate Caster.....	MGPC(NW).....	55
Mobile Gondola Spacer Plate.....	MGSP.....	55
Modified Two Step Wire Shelf.....	MTSWS-TYPE-(NW)-(TAG).....	63
Modified Wire Truss Shelf.....	MWTS-(NW)(ND)-(TAG).....	27
Mounted Bat Displayer.....	BD4.....	84
Multi-Purpose Dividers.....	DV050610CM(POSITION)(OPT).....	32
Multi-Purpose Wire Divider.....	WDMP-(OPT).....	32
Multi-Purpose Wire Divider, Heavy-Duty.....	WMPDHD-(NH)(ND)-(HAND).....	32
N		
Nail Bin Divider.....	NBD-(ND).....	73
Nail Bin Shelf.....	NB-(NW)(ND).....	73
O		
Open End Basket Divider.....	DV02(ND)(NH)(FIN1).....	58
Open End Baskets.....	BS01(ND)(NW)-(FIN1).....	58
Outside Corner Base & Upper Shelf.....	OC(TYPE)(ASD)-(TAG).....	19
Outside Corner Base & Upper Shelf 45°.....	WOC(TYPE)0545-(ND)(TAG)(OPT).....	19
Outside Corner Kickplate.....	OCKP-(ASD)(NW).....	19
Outside Corner Kickplate 45°.....	WOCKP45-(NW)05.....	19
P		
Paint Lock-Up Kit.....	PTLKUP(NW)(ND)(NH).....	101
Peg Basket.....	PEGB.....	43
Peg Hook-Double Prong.....	(OPT)4K554.....	40
Peg Hook-Single Prong.....	PH(NL)-PACK.....	40
Pegboard Hooks.....	ACPH123268.....	59
Picture Frame Retainer Base Shelf Mounted.....	PFRRSM(NW)(NH).....	89
Plan-O-Gram Pocket Assembly.....	POGP.....	102
Plastic Tag Molding.....	ACPM122398.....	58
Power Tool Holder.....	PTH-(TYPE).....	82
Pull Out Keyboard Tray.....	KEYBOARD-TRAY.....	31
Pull Out Shelf with STP Brackets.....	SPOUS(NW)(ND).....	13

Part Name	Part Number	Page Number
R		
Radius Glass Shelf.....	RGS-(NW)(ND).....	30
Radius Glass Shelf Frame Assembly.....	RGSFA-(NW)(ND).....	30
Radius Kickplate.....	SBSMRFKP-(NW)-(OPT).....	11
Reciprocating Saw Display.....	TBRSD.....	80
Roll Goods Bracket.....	RGB-1.....	72
Roll Goods Tube.....	RGT-(NW).....	72
Roll Goods Upright.....	RGU-(NH).....	72
Roll Goods Vertical Divider Bar.....	RGVDBNH-(NW).....	90, 100
Roll Goods Vertical Divider Bar, Heavy-Duty.....	RGVDBHD-(NW).....	6
Rotating Bat Displayer.....	BD-(NW)(ND).....	84
Rotating Bat Displayer Optional Ball Basket.....	BDRBD.....	84
Round Metal Base Kickplate.....	RMBKP(NW)(ND).....	15
Round Metal Base Shelf.....	RMBS(NW)(ND).....	15
Round Metal Upper Shelf Modified.....	RMUSM(NR).....	15
Router Display.....	TBRD.....	80
S		
Saw Display, Circular.....	TBCSD.....	80
Saw Display, Reciprocating.....	TBRSD.....	80
Scanner Peg Hook.....	SPH(TYPE)-(NL)-10.....	40
Seven Level Wire DVD Rack.....	WDVD7L-(NW)(ND).....	52
Seven Tier Comic Book Display.....	CBD7T-(NW)(ND).....	48
Seven Tier Wire Displayer.....	STWD7-(NW).....	48
Seven Tier Wire Magazine Rack.....	STWDPWMR(NW)(ND)(NH).....	47
Shelf End Trim.....	SET-(ND).....	3
Shelf Extender.....	SE(ND)-(NW)-10.....	31
Shelf Extender Basket.....	SEB.....	31
Shelf Extender Basket Displayer.....	SEBD.....	63
Shelf Extension Radius for SUS/SBS.....	SERM-(NW)-(TAG)(TYPE).....	24
Shelf Retainer.....	SR-(NW)-(NH)-10.....	36
Shoe Pedestal.....	SMSP.....	86
Shower Curtain Display System, Wire Grid.....	89
Sign Holder for Truss Shelf Post.....	SHTSP-(NW).....	27
Single Position Tag Molding.....	DGA11(COLOR)-(NW).....	8
Single Position Tag Molding.....	DGA13(COLOR)-(NW).....	8
Six Level Wire DVD Rack.....	WDVD6L-(NW)(ND).....	52
Six Pocket Magazine & Calendar Display.....	MCD6-(NW).....	47
Slant Mirror.....	SBM-(NW).....	98
Slant Mirror Frame.....	SBF-(NW).....	98
Slatwall Brackets.....	AC999SWB(FIN1).....	59
Slatwall Display, Wing.....	HTWSWD-(NH)(NW)(ND).....	76
Slatwall Display, Wing Shelf.....	SWMSHT90-(NW)(ND).....	76
Slatwall Frame Display.....	FAB(SIZE).....	44, 88
Slatwall Mount Wire DVD Shelf.....	SMWVDVS-(NW).....	54
Slatwall Peg Hook.....	SWPH-(NL)-(PACK).....	41
Slatwall Scanner Hook.....	SWLHSH-(NL)-(PACK).....	41
Slatwall Shelf.....	SWSH-(NW)(ND)(OPT1)(OPT2).....	30
Sleeping Bag Displayer.....	SBDSP0-(NW).....	83
Sleeping Bag Displayer Pullout Only Kit.....	SBDPOK.....	83
Sliding Wire Grid Panel.....	SWGPN-(NH)(NW)(ND).....	28
Slim Profile Pullout Upper Shelf.....	SPOUS(NW)(ND).....	13
Small Electronics Display Shelf.....	NDS-482028.....	56
Small Electronics Display Unit Holders.....	NDUH-(TYPE).....	56
Small Wine Box.....	SMWNBX481710-(BIN).....	90
Spice Tray.....	SPT-(NW)(ND).....	98
Spice Tray Divider.....	SPTD-(ND).....	98
Spider Cables for Lumi LED Products.....	LSS(OPT)WC.....	23
Spool Goods Display with Crossbar and Shelf.....	SGD-(NW)(BL)-(SD)CB.....	70
Standard Base Shelf.....	SBS-(NW)(ND).....	5
Standard Base Shelf for Compact Discs.....	SBSCD-(NW)(ND).....	50
Standard Base Shelf Reinforced.....	SBSR-(NW)(ND).....	5
Standard Base Shelf T-Leg.....	SBS(OPT)TLEG-(NW)(ND).....	5
Standard Base Shelf Under Storage Drawer.....	SBSUSD-(NW)(ND).....	36
Standard Upper & Base Shelf Multi Radius Concave Front.....	(OPT)MRF(NW)(ND)-(ID).....	12
Standard Upper & Base Shelf Multi Radius Front.....	(OPT)MRF-(NW)(ND)-(ED).....	11
Standard Upper & Base Shelf Radius Front.....	(OPT)RF(TYPE)-(NW)(ND).....	12
Standard Upper Shelf.....	SUS-(NW)(ND).....	3
Standard Upper Shelf Wire Rack Plate Holder.....	SUSMWRPH-(ND).....	100
Step Back Shelf.....	STBS-(NW)(ND)(SO)(OPT).....	16
Straight Faceout Waterfall 12".....	CB1/2FOS-12-PC.....	38

Part Name	Part Number	Page Number
Straight-In Insertion Three Position	STP(NW)(ND)	3
Straight-In Upper Shelf with Tag Channel	STP90C(NW)(ND)-(OPT)	3
Straight-In, Heavy-Duty Upper Shelf	STPH(NW)(ND)	3
Styrene Divider	DIV(NH)(ND)-(OPT)	33
Styrene Front Fence	SFF(NH)(NW)(S)-(OPT)	33
Swinging Wire Rug Display	WRDS-(NW)(ND)	88

T		
T-Leg Base Shoe	TLEG-(ND)-(OPT)	5
Tamper Proof Shelf Locking Kit	TAMPRF-SLK	56
Tamper Proof Socket Tool	TAMPRF-SOCKET	56
Ten Level Wire Candy Rack for Gondola	WCRGT10L-(NW)(ND)	97
Thin Profile Shelf, Light-Duty	PLSTTSLD(NW)(ND)	7
Thin Profile Shelf, Regular-Duty	PLSTTS(NW)(ND)	7
Threaded Vertical Divider Arm Lug Wrench Holder	TVDALWH-18H-PTH	37
Threaded Vertical Divider Arm with "J" Hooks	TVDASJ-(NL)	37, 70
Threaded Vertical Divider Arm Loop	TVDAL-1606R	38
Threaded Vertical Divider Arms	TVDA-(NL)(TYPE)	37, 68
Three Position Straight In Insertion, Radius Front	STPS-RF(TYPE)-(NW)(ND)	12
Three Position Tag Molding	M28(COLOR)-(NW)	8
Three Tiered Calling/Gift Card Wire Display	TTCGCWD(NW)(ND)(NH)-(OPT)	53
Throw Pillow Displayers	TPD(SIZE)-(NW)	87
Tilted Bin Merchandiser	TBM-(NW)(ND)	75
Tilted Bin Merchandiser Divider	TBMD-(ND)-10	75
Touch-Up Paint	APC-(COLOR)	36
Transformers for Lumi LED Products	LSST5A	23
Transition Base Kickplate	TKP-(NW)(LND)(RND)	6
Transition Upper and Base Shelf	T(TYPE)S-(NW)(LND)(RND)-(OPT)	6
Tubular Metal Bumper System	TMBBS(NW)(ND)(OPT)	9
Tubular Wing Display Back	TWDB(TYPE)-(NW)(NH)	76
Tubular Wing Display with Double Track	TWD2-(NH)(NW)(ND)	76
Tubular Wing Slatwall Display Shelf	TWDSFT(NW)(ND)	76
Two Position Tag Molding	M17(COLOR)-(NW)	8
Two Position Tag Molding	M19(COLOR)-(NW)	8
Two Tier Level Wire Rack	LEVELRAK2818(OPT)	82

U		
Universal Basket	UB(TYPE)(WS)-(NW)(ND)(BH)(FH)	57
Universal Basket Brackets	UBB-ND	57
Universal Basket, Stackable	UBS(OPT1)-(NW)(ND)(NH)(NH)(NH)-(OPT2)	64
Uptilt Shelf	UTSBKSB(NW)(ND)-08-7	54
Uptilt Shelf	UTSN(DEGREE)-(NW)-(NH)4	17
Uptilt Shelf Wire Divider	UTSWD-(NH)(ND)-(TYPE)	17
Uptilt Tag Molding	DGA12(COLOR)-(NW)	8
Utility Baskets For Wire Grid Mount	WUB-(NW)(ND)(NH)-(TYPE)	45
Utility Baskets for Wire Pegboard	WUB-(NW)(ND)(NH)-(TYPE)	43

V		
Various Type Display	VTD(TYPE)(NL)(ND)	53
Vertical Divider Arm Heavy-Duty Scan Hook	VDAHDSH-(NL)-(OPT)	69
Vertical Divider Arm Heavy-Duty Wire Hook	VDAHDWH-(NL)(OPT)	38
Vertical Divider Arm Sign Holder	VDAASH	69
Vertical Divider Arm with Price Tag Holder	VDA-(NL)R-PTH-(OPT)	69
Vertical Divider Bar	VDB-(NW)02	37, 68, 72
Vertical Divider Bar Baseball Glove Holder	VDBBGH	84
Vertical Divider Bar Bow Display	VDBBD(NW)(ND)	83
Vertical Divider Bar Garden Fork Hook	VDBE4K534	69
Vertical Divider Bar Garden Rake Hook	VDBE4K531	69
Vertical Divider Bar Wire Bottle Display	VDBWBD	90
Vertical Divider Bar, Adjustable Brackets	VDBAB(NW)(ND)	70
Vertical Divider Bar, Non-Perforated	VDBNP-(NW)(ND)	25, 37
Vertical Pipe Display	VPD(NW)(ND)	74

W		
Waterfall Displayers	FO(OPT)	37
Waterfall Displayers for Slatwall	S(TYPE)	44
Waterfall Displayers for Wire Grid	WG(TYPE)	45
Welded Stacking Baskets	SB07(NW)(NL)(SNH)	65
Welded Stacking Baskets Intermediate Divider	DV021818CLP(CO)	65
Wine Display Kit	WDK-(NW)	90

Part Name	Part Number	Page Number
Wing Merchandise Pegboard Panel	WMPB(NW)(NH)	66
Wing Merchandise Pegboard Panel Shelf	WMPBS(NH)(ND)	66
Wing Slatwall Display	HTWSDWD-(NH)(NW)(ND)	76
Wing Slatwall Display Shelf	SWMSHT90-(NW)(ND)	76
Wire "S" Hooks	ACPH123265	59
Wire Basket Clip	WBC	57
Wire Bed Wall Shelf	WBWS-(NW)(ND)	87
Wire Binning Cross Divider	MC(NH)(NW)-10-(OPT)	34
Wire Binning Divider	PMD-(NH)(ND)-1-(OPT)	34
Wire Binning Front	PMF-(NH)(NW)-1-(OPT)	34
Wire Bottle Display Racks	WR(TYPE)-(NW)(ND)(PACK)-2	92
Wire Brackets	BWB-(ND)-H	62, 94
Wire Candy Rack	WCANR-(NW)	97
Wire Candy Rack for Gondola	WCRFG(NH)-(NW)	97
Wire Candy Shelf	WCANS(NW)(ND)-TAG	61
Wire Chip Shelf	WCDS-(NW)(ND)-(ND)	60
Wire Cookware Display	WCWD-(ND)-(OPT)	99
Wire Cookware Display Hooks	WCWDH-(PACK)	99
Wire Cookware Display VDB Mount	WCWDVDB-(ND)	99
Wire Cookware Display VDBNP Mount	WCWDVDBNP-(ND)	99
Wire End Cap Merchandiser	WECM(NW)(ND)(NH)	67
Wire Grid Brochure Holder	WBH-(NL)-WG	45
Wire Grid Lawnmower Shelf	WGLMS30D-(NW)(ND)	73
Wire Grid Panel for Basic Upright	WGPBU-(NW)(NH)	28
Wire Grid Peg Hook	WGPB-(NL)-(PACK)	41
Wire Grid Scanner Hook	RGS-(NL)-(PACK)	41
Wire Grid Shelf	WGS-(NW)(ND)	62
Wire Grid Shelf Frame	WGSF-(NW)(ND)	62
Wire Grid Skillet Holder	WGSB-(NL)	45
Wire Grid Utility Bin	WGUB-12129	45
Wire Hammer Display	HRHDBG	80
Wire Magazine & Book Display	WMBD-(NW)	48
Wire Mini Shelf for Pegboard	WMSP	43
Wire Pet Bed Displayer	WPBD-(OPT)	43
Wire Potato Chip Shelf	WPBS-(NW)(ND)-(TAG)	60
Wire Pullout Shelf	MBWPS(NW)(ND)-(TYPE)	13
Wire Radius Shelf	WUSRF-(NW)(ND)(TAG)	96
Wire S Hooks	ACPH123265	55
Wire Salsa and Dip Shelf	WSADS-(NW)(ND)(OPT)	60
Wire Sheet Basket	WSBSKT-(NW)(ND)	87
Wire Shower Curtain Display Panel	WSCDS-84-(HAND)	89
Wire Shower Curtain Display Rod	SCDWG	89
Wire Shower Curtain Pegboard Clips	WSCDPC-4PK	89
Wire Shower Curtain Shelf	WSCS	89
Wire Snack Shelf	WCANSSW(NL)(ND)-(OPT)	44
Wire Soft Goods Adjustable Shelf	WPSA-(NAW)-(ND)	88
Wire Soft Goods Divider System	WPDVDB(NH)(ND)-(OPT)	88
Wire Truss PMF Front	WTPMFF-(NW)	33
Wire Truss Post	TSP-(NH)	27
Wire Truss Shelf	WTS-(NW)(ND)-(TYPE)-(TAG)-(MP)	95
Wire Truss Shelf Plastic Tag Mold	WTSPTM-(NW)	95
Wire Truss Shelf Plastic Top	WTSPT-(NW)(ND)	95
Wire Truss Wine Shelf	WTWS-(NW)(ND)-(TYPE)-(TAG)	91
Wire Twelve Pocket Magazine Rack	WTPMR	47
Wire Utility Baskets for Shelf	WUB-180404-(OPT)	60
Wire Video Shelf	MWVSG(NW)	50
Wire Wallet Basket	WWM(OPT)MPG(NW)(ND)	86
Wire Wallet Cross Divider	WWM7MPGCD-(NW)	86
Wire Wine Rack With Cradles	WWRC-(NW)-(TAG)	90
Wire Wine Shelf	WWS-(NW)(ND)-(TYPE)	91
Wooden Tag Molding	(COLOR)-(NW)	9
Wrap Around Notched Upper Shelf	WAUSN48(ND)	14
Wrap Around Shelf	WA(TYPE)S-(NW)(ND)	14
Wrap Around Upper End Flat Modified	WAUEFM(ND)	15

Z		
Z Brackets	AC123141(HAND)Z	59

Part Number	Part Name	Page Number	Part Number	Part Name	Page Number
A					
ABB-(NW)	Book Basket	48	DV021818CLP(CO)	Welded Stacking Baskets Intermediate Divider	65
AC1230(TYPE)(HAND)(FIN1)	Loose OEB Brackets	59	DV050610CM(POSITION)(OPT)	Multi-Purpose Dividers	32
AC123141(HAND)Z	"Z" Brackets	59	DVDF3L-(NW)	DVD Flush Shelf 3-Level	51
AC125(OPT)Z	Flat "S" Hooks	59	DVDF3L-EP	DVD Flush Shelf 3-Level End Panel	51
AC125015	End Cap Merchandiser Peg Hooks	67	DVDS4T-(NW)	DVD Shelf 4-Tier	51
AC125520K	End Cap Merchandiser Mounting Hardware	67	DVDS4T-EP	DVD Shelf 4-Tier End Panel	51
AC999SWB(FIN1)	Slatwall Brackets	59	E		
ACBR3648-(ND)	Adjustable Crossbar	70	E4K531	Garden Rake Peg Hook	42
AC999GBH(FIN1)	Grid Brackets	59	E4K534	Garden Fork Peg Hook	42
ACPH123265	Wire "S" Hooks	59	E4K554	Peg Hook-Double Prong	40
ACPH123268	Pegboard Hooks	59	EASEL-SB(NW)(ND)(FIN1)	Easel™ SB	17
ACPM122398	Plastic Tag Molding	58	ECDDS(NW)(ND)	Extended Compact Disc Display Shelf	50
APC-(COLOR)	Touch-Up Paint	36	EC090852	End Cap Merchandiser	67
B			EC090852K	End Cap Merchandiser Mounting Kit	67
BBSKT(NW)(ND)-(FH)(RH)	Bulk Baskets	62	EC090854	End Cap Basket	67
BBSKTD(ND)-(FH)(RH)	Bulk Baskets Divider	62	EP(OPT1)(NH)(ND)(OPT2)-(OPT3)	End Panels, Square & Radius	10
BC-9630-(OPT)	Box Corner	26	EP(TYPE)H-(NW)(NH)	Extended Panels	25
BD-(NW)(ND)	Rotating Bat Displayer	84	EPPMVDB	Extended Peg Panel Mount Brackets	25
BD4	Mounted Bat Displayer	84	ES(NL)-(NW)(ND)-(TAG)	Extended Shelf	23
BD70-(NW)	Book Display, 70"	46	ESB(ND)-(NW)(SD)-(TAG)-(OPT)	Extended Base Shelf	23
BDRBD	Rotating Bat Displayer Ball Basket	84	ESRF-(BD)-(NW)(ND)-(TAG)(TYPE)	Extended Upper Shelf Radius Front	23
BECCD-(NH)(ND)	Base End Cover Cap Design	50	ESWPREVDBM(NW)(NH)	Extended Slatwall Panel with Reinforced Edges	25
BFWS-(NW)(ND)	Baby Formula Wire Shelf	61	EZ861-(NW)	EZ Clip Label Holder	57, 64
BKSOS-(NW)(ND)-(TYPE)	Bookshelf On Base	46	F		
BKSBEF-(ND)-6	Bookshelf End Panel	46, 54	F10156-10	Fastener 10156	33
BKSD-(ND)-25	Bookshelf Wire Divider	46, 54	FAB(SIZE)	Slatwall Frame Display	44, 88
BRBHMM90	Bike Rack Holder	83	FAB(OPT)PG-(HAND)	Framed Art Bracket	44
BRUSM90-(NW)	Bike Rack	83	FF(TYPE)S-(NW)(ND)	Flush Front Upper & Base Shelf	7
BS01(ND)(NW)-(FIN1)	Open End Baskets	58	FPD-(NF)(NW)	Fishing Pole Display	85
BTDR(NW)(ND)	Belt and Tie Display	86	FPDAH6	Fishing Pole Display	85
BUES(NH)	Basic Upright for End Shelf	15	FPHCBH	Fishing Pole Holder Crossbar Hook	85
BUESI(NH)	Basic Upright for End Shelf Insert Only	15	FR2145	Fastener Remover 2145	33
BWB-(ND)-H	Wire Brackets	62, 94	FO(OPT)	Waterfall Displayers	37
BWSEDS-(NW)	Dip Shelf, Extended	94	FSWEP(NH)(ND)-(OPT1)-(OPT2)	Framed Slatwall End Panel	10
C			FTWD4-(NW)	Four Tier Wire Display	61
CB(NL)-(SL)	Crossbar	39	FTWD5-(NW)	Five Tier Wire Display	61
CB1/2X11/2-(NW)(ND)	Crossbar	38	FWS(NW)(ND)	Footwear Shelf	86
CB1/2F01-12-PC	Faceout Waterfall 12"	38	G		
CB1/2F05-12-PC	Straight Faceout Waterfall 12"	38	GCFTWD4-(NW)	Greeting Card Four Tier Wire Display	53
CB1/2FOW-PC	Faceout Waterfall	38	GFBS-(NW)(ND)	Gravity Feed Bottle Slide	92
CB9201-(NL)-(PACK)	Crossbar Hook	39, 41	GFCTD(NW)(ND)	Gravity Feed Caulk Tube Display	74
CBADJ-(NW)(ND)	Adjustable Crossbar	39	GS-(NW)(ND)	Glass Shelf	29
CBD(WS)-(ND)(TYPE)(NH)	Divider	57	GSC-20	Glass Shelf Clips	29
CBD(OPT1)-(ND)(OPT2)(NH)	Clipless Basket Divider	64	GSF-(NW)(ND)	Glass Shelf Frame	29
CBD7T-(NW)(ND)	Seven Tier Comic Book Display	48	GSF(NW)(ND)-2B	Glass Shelf Frame with Two Crossbars	29
CBMWRPH	Crossbar Mount Wire Rack Plate Holder	100	GSF(NW)(ND)-2B	Lumishelf™ Glass Shelf Frame	21
CBMWRPHVT	Crossbar Mount Wire Rack Plate Holder for VDB	100	GSFFF-(NW)(ND)	Lumishelf™ Glass Shelf Radius Frame	22
CBPSW-(NW)(ND)	Classic Pegboard Basket	43	GWDP(OPT1)-(NH)(ND)-(OPT2)(OPT3)	Gondola Wire Display Panel with and without Wings	66
CBWG-(NW)(ND)	Classic Basket for Wire Grid	45	H		
CDBS-(NW)(ND)	CD Browser Shelf	49	HBAUS(NW)(ND)	Health and Beauty Aid Shelf	4
CDBSD-(ND)	CD Browser Divider	49	HCDM-(OPT)	Hanging Chip/Dip Merchandiser	94
CDD-(NW)	CD Displayer	49	HDPB-(ND)	Heavy-Duty Pipe Bracket	74
CDDE-(NW)	CD Displayer Endcap	49	HHWD(NW)(ND)	Hand Held Weight Display	83
CF1CF-10	Fastener CF1CF-1	33	HMR	Hanging Magazine Rack	54
CFD-AB	Ceiling Fan Cloud Adjustable Beam	75	HR-(NL)	Hangrod	39
CFD-FB	Ceiling Fan Cloud Fan Box	75	HR(OPT)-(NL)	Hangrod Bracket	39
CFD-HB-48	Ceiling Fan Cloud Horizontal Brace	75	HRCB-(NW)	Hose Reel Crossbar	82
CFDB-(HAND)	Ceiling Fan Cloud Display Bracket	75	HRHDRGB	Hammer Display, Wire	80
CMT-(NW)	Clear Maple Wooden Tag Molding	9	HSTHD-(NW)(ND)	Half Shelf on Tubing Heavy-Duty	6
COT-(NW)	Clear Oak Wooden Tag Molding	9	HTWSDWD-(NH)(NW)(ND)	Wing Slatwall Display	76
CBP(NW)-(ND)	Crossbar with Holes	39	HUS-(NW)(ND)	Extra Heavy-Duty Upper Shelf	4
D			HUS10-(NW)(ND)	Heavy-Duty Shelf with 10° Downslope	4, 92
DDFD4-(NW)(ND)	Dry Dog Food Display for 4 lb Bags	96	I		
DGA11(COLOR)-(NW)	Single Position Tag Molding	8	ICSR-(NL)	Inside Corner Side Retainer	20
DGA12(COLOR)-(NW)	Upright Tag Molding	8	IU-106-(OPT)	Keyboard Shelf	31
DGA13(COLOR)-(NW)	Single Position Tag Molding	8	K		
DIV(NH)(ND)-OPT	Styrene Divider	33	KEYBOARD-TRAY	Pull Out Keyboard Tray	31
DM(TYPE)T-(NW)	Magazine Displayer	47			
DV02(ND)(NH)(FIN1)	Open End Basket Divider	58			

Part Number	Part Name	Page Number
L		
LBDP-22.....	Lumber Bar Divider.....	73
LBSF-(NW)(ND).....	Lumishelf™ Base Shelf.....	23
LEVELRAK2818(OPT).....	Two Tier Level Wire Rack.....	82
LF(NW).....	Lumber Frame.....	73
LFCE-(TYPE).....	Light Fixture Crossbars.....	78
LFEP-(TYPE).....	Light Fixture End Panels.....	78
LFUS-424Z.....	Light Fixture Flush Front Shelf.....	78
LFLHBP.....	Light Fixture Lower Hardboard.....	78
LFP-(TYPE).....	Light Fixture Panels.....	79
LFRCF.....	Light Fixture Radius Canopy Frame.....	77
LFSB.....	Light Fixture Signage Board.....	79
LMD-4.....	Lawn Mower Display.....	73
LSS(OPT)WC.....	Spider Cables for LED Products.....	23
LSSG(NW)(ND)-(OPT).....	Lumishelf™ Surface for GSF.....	21
LSSGA(NW)(ND)-(OPT).....	Lumishelf™ Acrylic LED Shelf Assy.....	22
LSSL(NW)(ND)-(OPT).....	Lumishelf™ Surface for LUSF.....	21
LSSLA(NW)(ND)-(OPT).....	Lumishelf™ Acrylic LED LUSF Assy.....	23
LSSR(NW)(ND)-(OPT).....	Lumishelf™ Radius Surface.....	22
LSSRA(NW)(ND)-(OPT).....	Lumishelf™ Radius LED Shelf Assy.....	22
LSST5A.....	Transformers for LED Products.....	23
LUSASTB-(NW)(ND)(SO)-(TO).....	LUSA Step Back Shelf.....	16
LUSF-(NW)(ND).....	Lighted Upper Shelf Frame for Lumishelf™ Surface.....	21
LUSFBN(NW)(ND).....	Lighted Upper Shelf with Bullnose Front.....	21
M		
M17(COLOR)-(NW).....	Two Position Tag Molding.....	8
M19(COLOR)-(NW).....	Two Position Tag Molding.....	8
M28(COLOR)-(NW).....	Three Position Tag Molding.....	8
M29(COLOR)-(NW).....	Downtilt Tag Molding.....	9
M30(COLOR)-(NW).....	Base Shelf Bumper Molding.....	8
MBWB-(ND).....	Bakery Wire Shelf Brackets.....	93, 95
MBWB-(ND).....	Wire Basket Brackets.....	37
MBWPS(NW)(ND)-(TYPE).....	Wire Pull Out Shelf.....	13
MBWS-(NW)(ND)-(TAG)(MF)(EDGE).....	Bakery Wire Shelf.....	93
MBWSDGA2(COLOR)-(NW).....	Bakery Wire Shelf Tag Molding.....	94
MBWSWB-(NW)(ND)-(TAG)(EDGE).....	Bakery Wire Shelf with Welded Brackets.....	93
MC-(NH)(NW)-10-(OPT).....	Wire Binning Cross Divider.....	34
MCD-(NW).....	5 Pocket Magazine & Calendar Display.....	46
MCD6-(NW).....	Six Pocket Magazine & Calendar Display.....	47
MD-(NH)(ND)-1-(OPT).....	Interlocking Wire Binning Divider.....	35
MF-(NH)(NW)-1-(OPT).....	Interlocking Wire Binning Front.....	35
MFSC(NW).....	Folding Shelf Carriage.....	102
MFSCAU.....	Folding Shelf Carriage Add-on Upright.....	102
MGED(ND)(LSD)(RSD)(NP)-DGA28(TYPE).....	Mobile Gondola End Deck.....	55
MGPC(NW).....	Mobile Gondola Plate Caster.....	55
MGRK(NW)-(Option).....	Metal Gun Rack Kit.....	85
MGSP.....	Mobile Gondola Spacer Plate.....	55
MPS-(NW)(ND).....	Metal Pull Out Shelf.....	13
MSCD(NW).....	Metal Shelf Cross Divider.....	32
MSD-(ND)(NH).....	Metal Shelf Divider.....	32
MSDP-(AD)(AH).....	Metal Section Divider Panel.....	36
MSF-(NW).....	Metal Shelf Filler.....	36
MSF-EWGP(NW)(NH)(ND).....	Extended Wire Grid Panel.....	28
MSWHDS(NW)(ND)NT.....	Metal Slatwall Shelf, Heavy-Duty.....	30
MTSWS-TYPE-(NW)-(TAG).....	Modified Two Step Wire Shelf.....	63
MVDA-(ND)(NL)H.....	“M” Vertical Divider Arms.....	68
MWCT-(NW).....	Cherry Wooden Tag Molding.....	9
MWTS-(NW)(ND)-(TAG).....	Modified Wire Truss Shelf.....	27
MWVSG(NW).....	Wire Video Shelf.....	50
N		
NB-(NW)(ND).....	Nail Bin Shelf.....	73
NBD.....	Nail Bin Divider.....	73
NDS-482028.....	Small Electronics Display Shelf.....	56
NDUH-(TYPE).....	Small Electronics Display Unit Holders.....	56
O		
OC(TYPE)(ASD)-(TAG).....	Outside Corner Upper & Base Shelf.....	19
OCPK-(ASD)(NH).....	Outside Corner Kickplate.....	19
P		
PEGB.....	Peg Basket.....	43
PFRBSM(NW)(NH).....	Picture Frame Retainer Base Shelf Mounted.....	89
PH(NL)-PACK.....	Peg Hook-Single Prong.....	40

Part Number	Part Name	Page Number
PHI-10-PC.....	Heavy-Duty Implement Hook.....	42
PLSTTS(NW)(ND).....	Thin Profile Shelf, Regular-Duty.....	7
PLSTTSLD(NW)(ND).....	Thin Profile Shelf, Light-Duty.....	7
PMD-(NH)(ND)-1-(OPT).....	Wire Binning Divider.....	34
PMF-(NH)(NW)-1-(OPT).....	Wire Binning Front.....	34
POGP.....	Plan-O-Gram Pocket Assembly.....	102
POSSTP(NW)(ND).....	Pull Out Shelf with STP Brackets.....	13
PTH-(TYPE).....	Power Tool Holder.....	82
PTLKUP(NW)(ND)(NH).....	Paint Lock-Up Kit.....	101
R		
RCCS(NL)-212-(PACK).....	Crossbar Scanner Hook.....	41
RGB-1.....	Roll Goods Bracket.....	72
RGS-(NL)-(PACK).....	Wire Grid Scanner Hook.....	41
RGS-(NW)(ND).....	Radius Glass Shelf.....	30
RGSFA-(NW)(ND).....	Radius Glass Shelf Frame Assembly.....	30
RGT-(NW).....	Roll Goods Tube.....	72
RGU-(NH).....	Roll Goods Upright.....	72
RGVDBHD-(NW).....	Heavy-Duty Roll Goods VDB.....	6
RGVDBNH-(NW).....	Roll Goods Vertical Divider Bar.....	90, 100
RM(TYPE)S(NW)(ND).....	Round Metal Upper & Base Shelf.....	15
RMBKP(NW)(ND).....	Round Metal Base Kickplate.....	15
S		
S(TYPE).....	Waterfall Displayers for Slatwall.....	44
S(TYPE)SBN(NW)(ND).....	Bullnose Upper and Base Shelf.....	7
SBO7(NW)(NL)(SNH).....	Welded Stacking Baskets.....	65
SBDPOK.....	Sleeping Bag Displayer Pull Out Only Kit.....	83
SBDSP0-(NW).....	Sleeping Bag Displayer.....	83
SBF-(NW).....	Slant Mirror Frame.....	98
SBM-(NW).....	Slant Mirror.....	98
SBS-(NW)(ND).....	Standard Base Shelf.....	5
SBS(OPT)TLEG-(NW)(ND).....	Standard Base Shelf T-Leg.....	5
SBSCD-(NW)(ND).....	Standard Base Shelf for Compact Discs.....	50
SBSHRF-(NW)(LSD)(RSD)-(TAG).....	Half-Radius Base Shelf.....	18
SBSHRFC(NW)(LSD)(RSD)-(TAG).....	Half-Radius Concave Base Shelf.....	18
SBSMRF-(NW)(ND)-(ED).....	Standard Base Shelf Multi Radius Front.....	11
SBSMRFCK(NW)(ND)-(ID).....	SUS & SBS Concave Front.....	12
SBSMRFCKP(ID)-(NW).....	Concave Kickplate.....	12
SBSMRFKP-(NW)-(OPT).....	Radius Kickplate.....	11
SBSR-(NW)(ND).....	Standard Base Shelf Reinforced.....	5
SBSRF(TYPE)-(NW)(ND).....	SUS & SBS Radius Front.....	12
SBSUSD-(NW)(ND).....	SBS Under Storage Drawer.....	36
SCDWG.....	Wire Shower Curtain Display Rod.....	89
SCLHHD-(NL)-(PACK).....	Heavy-Duty Label Holder.....	42
SCLHXHD-(NL)-(PACK).....	Extra Heavy-Duty Label Holder.....	42
SCMLH-(NL)-(PACK).....	Label Holder.....	42
SE(ND)-(NW)-10.....	Shelf Extender.....	31
SEB.....	Shelf Extender Basket.....	31
SEBD.....	Shelf Extender Basket Displayer.....	63
SERM-(NW)-(TAG)(TYPE).....	Shelf Extension Radius for SUS/SBS.....	23
SET-(ND).....	Shelf End Trim.....	3
SFF(NH)T(NW)JS-(OPT).....	Styrene Front Fence.....	33
SGD-(NW)(BL)-(SD)CB.....	Spool Goods Display Crossbar and Shelf.....	70
SGSB-(ND).....	Glass Shelf Bracket.....	28
SHTSP-(NW).....	Sign Holder for Truss Shelf Post.....	27
SMSP.....	Shoe Pedestal.....	86
SMWVDVS-(NW).....	Slatwall Mount Wire DVD Shelf.....	54
SMWNBX481710-(BIN).....	Small Wine Box.....	90
SPH(TYPE)-(NL)-10.....	Scanner Peg Hook.....	40
SPOUS(NW)(ND).....	Pull Out Shelf with STP Brackets.....	13
SPT-(NW)(ND).....	Spice Tray.....	98
SPTD-(ND).....	Spice Tray Divider.....	98
SR-(NW)-(NH)-10.....	Shelf Retainer.....	36
STBS-(NW)(ND)(SO)(OPT).....	Step Back Shelf.....	16
STP(NW)(ND).....	Straight-in Insertion Three Position.....	3
STP90C(NW)(ND)-(OPT).....	Straight-In Upper Shelf with Tag Channel.....	3
STPH(NW)(ND).....	Straight-In, Heavy-Duty Upper Shelf.....	3
STWD7-(NW).....	Seven Tier Wire Displayer.....	48
SUS-(NW)(ND).....	Standard Upper Shelf.....	3
SUSHRF-(NW)(LSD)(RSD)-(TAG).....	Half-Radius Upper Shelf.....	18
SUSHRFC(NW)(LSD)(RSD)-(TAG).....	Half-Radius Concave Upper Shelf.....	18
SUSMRF-(NW)(ND)-(ED).....	Standard Upper Shelf Multi Radius Front.....	11

Part Number	Part Name	Page Number
SUSMRF-(NW)(ND)-(ID)	Standard Upper Shelf Multi Radius Concave Front	12
SUSMWRPH-(ND)	SUS Mount Wire Rack Plate Holder	100
SUSRF(TYPE)-(NW)(ND)	Standard Upper Shelf Radius Front	12
SVTDPWMR(NW)(ND)(NH)	Seven Tier Wire Magazine Rack	47
SWGPN-(NH)(NW)(ND)	Sliding Wire Grid Panel	28
SWLHSH-(NL)-(PACK)	Slatwall Scanner Hook	41
SWMSHT90-(NW)(ND)(OPT)	Slatwall Shelf 90°	76
SWPH-(NL)-(PACK)	Slatwall Peg Hook	41
SWSH-(NW)(ND)(OPT1)(OPT2)	Slatwall Shelf	30

T		
TAMPRF-SLK	Tamper Proof Shelf Locking Kit	56
TAMPRF-SOCKET	Tamper Proof Socket Tool	56
TBCSD	Circular Saw Display	80
TBDD	Drill Display	81
TBGD	Grinder Display	81
TBJSSD	Jig Saw and Sander Display	81
TBM-(NW)(ND)	Tilted Bin Merchandiser	75
TBMD-(ND)-10	Tilted Bin Merchandiser Divider	75
TBRD	Router Display	80
TBRSD	Reciprocating Saw Display	80
TBS-(NW)(LND)(RND)-(OPT)	Transition Base Shelf	6
THACBM06-(OPT)	Crossbar Hook	39
TKP-(NW)(LND)(RND)	Transition Base Kickplate	6
TLEG-(ND)-(OPT)	T-Leg Base Shoe	5
TMBS(NW)(ND)(OPT)	Tubular Metal Bumper System	9
TPD(SIZE)-(NW)	Throw Pillow Displayers	87
TPD5L-(NW)	Linens Display with 5" Lip	87
TSP-(NH)	Wire Truss Post	27
TTCCGWD(NW)(ND)(NH)-(OPT)	Three Tiered Gift Card Wire Display	53
TUPS-(NW)(LND)(RND)-(OPT)	Transition Upper Shelf	6
TW02-(NH)(NW)(ND)	Tubular Wing Display with Double Track	76
TWDB(TYPE)-(NW)(NH)	Tubular Wing Display Back	76
TWDSFT(NW)(ND)	Tubular Wing Slatwal Display Shelf	76
TVDA-(NL)(TYPE)	Threaded Vertical Divider Arms	37, 68
TVDAL-1606R	Threaded Vertical Divider Arm Loop	38
TVDALWH-18H-PTH	Threaded Vertical Divider Arm Lug Wrench Holder	37
TVDASJ-(NL)	Threaded VDA with "J" Hooks	37, 70

U		
UB(TYPE)(WS)-(NW)(ND)(BH)(FH)	Universal Basket	57
UBB-ND	Universal Basket Brackets	57
UBS(OPT1)-(NW)(ND)(NH)(NH)(NH)-(OPT2)	Universal Basket, Stackable	64
UTSBKSB(NW)(ND)-08-7	Uptilt Shelf	57
UTSN(DEGREE)-(NW)-(NH)4	Uptilt Shelf	14
UTSWD-(NH)(ND)-(TYPE)	Uptilt Shelf Wire Divider	17

V		
V4K554	Peg Hook-Double Prong	40
VDA-(NL)R-PTH-(OPT)	VDA with Price Tag Holder	69
VDAHDSH-(NL)-(OPT)	VDA Heavy-Duty Scan Hook	69
VDAHWDH-(NL)(OPT)	VDA Heavy-Duty Wire Hook	38
VDASH	VDA Sign Holder	69
VDB-(NW)02	Vertical Divider Bar	37, 68, 72
VDBAB(NW)(ND)	Vertical Divider Bar, Adjustable Brackets	70
VDBBD(NW)(ND)	VDB Bow Display	83
VDBBGH	VDB Baseball Glove Holder	84
VDBE4K531	VDB Garden Rake Hook	69
VDBE4K534	VDB Garden Fork Hook	69
VDBNP-(NW)(ND)	VDB, Non-Perforated	25, 37
VDBWBD	VDB Wire Bottle Display	90
VPD(NW)(ND)	Vertical Pipe Display	74
VTD(TYPE)(NL)(ND)	Various Type Display	53

Part Number	Part Name	Page Number
W		
W(TYPE)(SIC)-(ASD)-(TAG)(OPT)	Inside Corner Base & Upper Shelf	20
WA(TYPE)S-(NW)(ND)	Wrap Around Shelf	14
WA(TYPE)S-(NW)(ND)-(HAND)	Half Wrap Around Shelf	14
WAUEFM(ND)	Wrap Around Upper End Flat Modified	15
WAUSN48(ND)	Wrap Around Notched Upper Shelf	14
WBC	Wire Basket Clip	57
WBH-(NL)-WG	Wire Grid Brochure Holder	45
WBH-(OPT)	Brochure Holder	63
WBWS-(NW)(ND)	Wire Bed Wall Shelf	87
WCANR-(NW)	Wire Candy Rack	97
WCANS(NW)(ND)-TAG	Wire Candy Shelf	61
WCANSSW(NL)(ND)-(OPT)	Wire Snack Shelf	44
WCDS-(NW)(ND)-(ND)	Wire Chip Shelf	60
WCRFG(NH)-(NW)	Wire Candy Rack for Gondola	97
WCRG10L-(NW)(ND)	Ten Level Wire Candy Rack	97
WCWD-(ND)-(OPT)	Wire Cookware Display	99
WCWDH-(PACK)	Wire Cookware Display Hooks	99
WCWDVDB-(ND)	Wire Cookware Display VDB Mount	99
WCWDVDBNP-(ND)	Wire Cookware Display VDBNP Mount	99
WDK-(NW)	Wire Display Kit	90
WDMP-(OPT)	Multi-Purpose Wire Divider	32
WDVD6L-(NW)(ND)	Six Level Wire DVD Rack	52
WDVD7L-(NW)(ND)	Seven Level Wire DVD Rack	52
WECM(NW)(ND)(NH)	Wire End Cap Merchandiser	67
WG(TYPE)	Waterfall Displayers for Wire Grid	45
WGLMS30D-(NW)(ND)	Wire Grid Lawnmower Shelf	73
WGPBU-(NW)(NH)	Wire Grid Panel for Basic Upright	28
WGPB-(NL)-(PACK)	Wire Grid Peg Hook	41
WGS-(NW)(ND)	Wire Grid Shelf	62
WGSF-(NW)(ND)	Wire Grid Shelf Frame	62
WGSN-(NL)	Wire Grid Skillet Holder	45
WGUB-12129	Wire Grid Utility Bin	45
WKPIC-(ASD)-(OPT)	Inside Corner Kickplate	20
WMBD-(NW)	Wire Magazine & Book Display	48
WMPB(NW)(NH)	Wing Merchandiser Pegboard Panel	66
WMPBS(NH)(ND)	Wing Merchandise Pegboard Panel Shelf	66
WMPDHD-(NH)(ND)-(HAND)	Multi-Purpose Wire Divider, HD	32
WMSP	Wire Mini Shelf for Pegboard	43
WOC(TYPE)S45-(ND)(TAG)(OPT)	Outside Corner Upper & Base Shelf 45°	19
WOCKP45-(NW)05	Outside Corner Kickplate 45°	19
WPBD-(OPT)	Wire Pet Bed Displayer	43
WPCS-(NW)(ND)-(TAG)	Wire Potato Chip Shelf	60
WPDVDB(NH)(ND)-(OPT)	Wire Soft Goods Divider System	88
WPSA-(NAW)-(ND)	Wire Soft Goods Adjustable Shelf	88
WR(TYPE)-(NW)(ND)(PACK)-2	Wire Bottle Display Racks	92
WRDD-(NW)(ND)	Jar/Can Display Rack	96
WRDS-(NW)(ND)	Swinging Wire Rug Display	88
WSADS-(NW)(ND)(OPT)	Wire Salsa and Dip Shelf	60
WSBSKT-(NW)(ND)	Wire Sheet Basket	87
WSCDPC-4PK	Wire Shower Curtain Pegboard Clips	89
WSCDS-84-(HAND)	Wire Shower Curtain Display Panel	89
WSCS	Wire Shower Curtain Shelf	89
WTPMFF-(NW)	Wire Truss PMF Front	33
WTPMR	Wire Twelve Pocket Magazine Rack	47
WTS-(NW)(ND)-(TYPE)-(TAG)-(MP)	Wire Truss Shelf	95
WTSPT-(NW)(ND)	Wire Truss Shelf Plastic Top	95
WTSPTM-(NW)	Wire Truss Shelf Plastic Tag Mold	95
WTWS-(NW)(ND)-(TYPE)-(TAG)	Wire Truss Wine Shelf	91
WUB-(NW)(ND)(NH)-(TYPE)	Utility Baskets For Wire Grid Mount	45
WUB-(NW)(ND)(NH)-(TYPE)	Utility Baskets for Wire Pegboard	43
WUB-180404-(OPT)	Wire Utility Baskets for Shelf	60
WUSRF-(NW)(ND)(TAG)	Wire Radius Shelf	96
WWW(OPT)MPG(NW)(ND)	Wire Wallet Basket	86
WWW7MPGCD-(NW)	Wire Wallet Cross Divider	86
WWRC-(NW)-(TAG)	Wire Wine Rack With Cradles	90
WWS-(NW)(ND)-(TYPE)	Wire Wine Shelf	91

About Madix

For over fifty years, Madix has partnered with retailers and brands to deliver unique, high-quality solutions for merchandising and store design. We are the industry's leading provider of store fixtures, shelving, and accessories, with three manufacturing locations and worldwide warehousing capabilities to better serve clients both international and domestic.

At our core, Madix is a company about people, not numbers. We take pride in responding to our clients' needs on an individual and personalized basis, because we believe that a truly holistic solution is one tailored to a specific business. We'll take time to genuinely understand the challenges you face in your day-to-day store operations, helping you find an answer adapted to your purposes.

Learn more @ www.madixinc.com



Texas 500 Airport Road, Terrell, TX 75160 | 800.776.2349
Alabama 20984 Alabama Hwy. 9, Goodwater, AL 35072 | 800.633.6282