

Lumiback Panels

- Includes acrylic surface with integral LED lighting system and 5 foot long cord
- Effectively illuminates graphics or signage
- Lumibacks and extension backs are sized to work with standard Gondola back sizes– configurations combining pegboard, or other 1/4" (6 mm) material, backs and Lumiback extension backs are possible
- Power consumption is approximately 8 watts per vertical foot
- Order transformers, backs and adapter sets separately
- Reflector (-R) required for most applications, except where Single Centered and Triple Back Systems specified with centered Lumiback
- Requires use of Slatwall Center Spanner [SSC-(NW)]

Lumiback Single Side Back Panels

- Back panels for single sided applications installed in regular back panel location

LSSSB-(NW)(NH)-R

- LSSSB Lumiback Single Sided Back
- NW Nominal Width 3' or 4'
(914 mm or 1219 mm)
- NH Nominal Height 36" to 72" in 6" increments
(914 mm to 1829 mm in 152 mm increments)
- R Reflector

Lumiback Single Side Back Panel Extension

- Back panels for single sided applications installed in regular back panel location

LSSBE-(NW)(NH)-R

- LSSBE Lumiback Single Sided Back Extension
- NW Nominal Width 3' or 4'
(914 mm or 1219 mm)
- NH Nominal Height
12" to 48" in 6" increments
(305 mm to 1219 mm in 152 mm increments)
- R Reflector

Lumiback Triple Back Panels

LSSTB-(NW)(NH)-R

- LSSTB Lumiback Triple Back
- NW Nominal Width 3' or 4'
(914 mm or 1219 mm)
- NH Nominal Height 36" to 72" in 6" increments
(914 mm to 1829 mm in 152 mm increments)
- R Reflector



NOTE!

Minimum order is 10 backs of any size.


Lumiback Triple Back Panel Extension

LSSTBE-(NW)(NH)-R

- LSSTBE Lumiback Triple Back Extension
- NW Nominal Width 3' or 4'
(914 mm or 1219 mm)
- NH Nominal Height 12" to 48" in 6" increments
(305 mm to 1219 mm in 152 mm increments)
- R Reflector

Lumiback Panel Adapter Sets

- Back Adapter Set (required)
- Includes adapter channel for sides of panel
- Specify finish (recommended finish is match to upright)



NOTE! Order the Lumibacks without the "R" - Reflector when used as a single centered back where illumination of both sides is desired.

Lumiback panels

Lumiback Single Back Panel Adapter Set

- Adapters for single sided applications installed in regular back panel location

LSBPAS-(NW)(NH)

LSBPAS.....Lumiback Back Panel Adapter Set
 NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 NH..... Nominal Height 36" to 72" in 6" increments
 (914 mm to 1829 mm in 152 mm increments)




Lumiback Single Back Panel Adapter Set- Extension

- Adapters for single sided applications installed in extension back panel location

LSBPASE-(NW)(NH)

LSBPASE..... Lumiback Back Panel Adapter Set- Extension
 NW.....Nominal Width 36" or 48"
 (914 mm or 1219 mm)
 NH..... Nominal Height 12" to 48" in 6" increments
 (305 mm to 1219 mm in 152 mm increments)



Lumiback Back Panel Adapter Set– Single Track

- Adapters for single centered back applications
- Includes both side and top/bottom adapters

LSBPASS-(NW)(NH)

LSBPASS.....Lumiback Back Panel Adapter Set– Single Track
 NW.....Nominal Width 36" or 48" (914 mm or 1219 mm)
 NH.....Nominal Height 36" to 72" in 6" increments (914 mm to 1829 mm in 152 mm increments)




Centered, Single Back Option

Lumiback Extension Back Panel Adapter Set– Single Track

- Adapters for single centered back applications installed in extension back panel
- Includes both side and top/bottom adapters

LSBPASES-(NW)(NH)

LSBPASES.....Lumiback Extension Back Panel Adapter Set– Single Track
 NW.....Nominal Width 36" or 48" (914 mm or 1219 mm)
 NH.....Nominal Height 12" to 48" in 6" increments (305 mm to 1219 mm in 152 mm increments)



Centered, Single Back Option– Extension

Lumiback Back Panel Adapter Set– Triple Track

- Adapters for triple back applications
- Includes both side and top/bottom adapters

LSBPAST-(NW)(NH)

LSBPAST.....Lumiback Back Panel Adapter Set– Triple Track
 NW.....Nominal Width 36" or 48" (914 mm or 1219 mm)
 NH.....Nominal Height 36" to 72" in 6" increments (914 mm to 1829 mm in 152 mm increments)



Triple Back Option

Lumiback Extension Back Panel Adapter Set– Triple Track

- Adapters for triple back applications installed in extension back panel location
- Includes both side and top/bottom adapters

LSBPASET-(NW)(NH)

LSBPASET.....Lumiback Extension Back Panel Adapter Set– Triple Track
 NW.....Nominal Width 36" or 48" (914 mm or 1219 mm)
 NH.....Nominal Height 12" to 48" in 6" increments (305 mm to 1219 mm in 152 mm increments)



Triple Back Option– Extension

